

COVERALL PAINT



Montgomery Ward Co.

Satisfaction Guaranteed or Your Money Back

NEW YORK

CHICAGO

KANSAS CITY

FORT WORTH

PORTLAND

Dress Up Your Home with Beautiful Liquid Enamel Paints

YOU can make any woodwork or furniture—no matter how old or unsightly—a clear, beautiful shade which will add greatly to the appearance and beauty of your home.

It is an excellent finish for wood or metal. Can be used on metal ceilings, walls (especially good for bathroom)—in fact, for all interior wood or metal work, including metal bedsteads.

See page 42 for actual colors, and page 40 for further description and details.

Be Sure to State Color

	Shipping Weight	
75W8074— $\frac{1}{4}$ -pint can	1 pound	---\$0.10
75W8075— $\frac{1}{2}$ -pint can	$1\frac{1}{2}$ pounds	---.20
75W8076—1-pint can	$2\frac{1}{4}$ pounds	---.35
75W8077—1-qt. can	$4\frac{1}{4}$ pounds	---.55
75W8078— $\frac{1}{2}$ -gal. can	10 pounds	---.96
75W8079—1-gal. can	$15\frac{1}{2}$ pounds	---1.80



Make the Entrance Inviting with Marble-Like Towerlite White Enamel

USE Towerlite for either exterior or interior work—wherever you desire a perfectly smooth, glossy, white finish that looks like fine white polished marble.

Ideal for woodwork and furniture in bathrooms and bed rooms and especially good for the woodwork in the new panel effects, used so extensively in dining rooms and living rooms.

For further information see page 30.

	Shipping Weight	
75W8432— $\frac{1}{2}$ -pint can	$1\frac{1}{8}$ pounds	---\$0.28
75W8433—1-pint can	$2\frac{1}{4}$ pounds	---.50
75W8434—1-qt. can	$4\frac{1}{4}$ pounds	---.90
75W8435— $\frac{1}{2}$ -gal. can	10 pounds	---1.68
75W8436—1-gal. can	$15\frac{1}{2}$ pounds	---3.20

Montgomery Ward & Co.
Satisfaction Guaranteed or Your Money Back

CHICAGO

New York Chicago Kansas City Fort Worth Portland



A Factory with a Purpose

Our New Paint Factory was built with a definite purpose in view—to produce better paint for our customers. And to enable us to sell that better paint to them at the lowest possible price.

You are directly interested in the announcement that our new Paint Factory is now in operation. It means money saved to you.

Our new establishment—shown in the illustration, together with our new Oil and Varnish Plants—is modern, up-to-date and equipped with the latest and best machinery.

We are now more than ever before in a position to save you money on paints, oils and varnishes. Our new paint plant will bring increased volume and greater efficiency. It will enable us better to continue our high standards for quality paint, and better able to produce paints of known value, proven merits and dependable worth.

Our Guarantee

It is our intention that every article illustrated or priced in this book will reach you precisely as described, and in perfect condition, and give entire satisfaction.

You cannot make any mistake in sending us your order, for we absolutely guarantee satisfaction in every detail. Unless you are fully satisfied with the goods, and with the saving that you have effected in your purchase, you may feel at liberty to return them at our expense. Not only will we refund the money you send us, but also we will gladly reimburse you for the transportation charges that you have paid.


Use the Index

Aluminum Enamel, Unmixed	39
Aluminum Paint, Mixed	39
Aluminum Powder	39
Asphalt Roof Coating	16
Auto and Carriage Paint	45
Auto and Carriage Varnish	35
Auto Top Dressing	35
Automobile Finishing Outfits	45
Automobile Oil	53
Automobile Wax	35
Banana Liquid	39
Barn Paint, Coverall	18-19
Bath Tub Enamel	39
Bicycle Oil	54
Bronzing Materials	39
Bronze Powder	39
Brushes, Barn or Roof	46, 47, 48
Brushes, Barn or Roof	16
Canvas Gloves	49
Cedar Oil Compound	36
Cement Colors	23
Cementiflix	12
Cheesecloth	49
Cleaner, Wall	34
Coach Colors	23
Coal Tar	17
Cold Water Paint	22
Colors Ground in Oil	23
Colors in Japan	22
Co-Var Finish	31
Concrete and Cement Coating	12
Concrete Oil	13
Crack and Crevice Filler	34
Cup Grease	56
Cylinder Oil, Auto	53-54
Cylinder Oil, Machine	55
Dancing Floor Wax	37

Denatured Alcohol	56
Dry Colors	22
Dynamo Engine Oil	55
Elastic Cement	15
Elastic Rubber Roof Paint	16
Emery Cloth	34
E-Z-Way Outfit	55
Fence Paint	17
Fill-Fix, Water Putty	34
Filler	34
Finishing Outfits, Automobile	45
Flat Wall Finish	43
Floor and Furniture Wax	37
Floor Brush	20
Ford Oil	54
Furniture Wax	37
Gear Varnish	35
Gilders' Whiting	23
Glue	33
Glue Pails	33
Gloss Oil	33
Gold Enamel, Unmixed	39
Gold Paint, Mixed	39
Gold Powder	39
Graining Tools	34
Graphite Cup Grease	56
Greases	56
Hard Wood Paste Filler	38
Harness Oil	55
Harvester Oil	55
Household Oil	56
House Paint, Coverall	8
House Paint, Wardway	10

Implement Paint and Varnish	35-45
Incubator Oil	55
Inside Floor Paint	20
Japan Dryer	22
Kalsomine and Fresco Colors	43
Ladders	48
Lawn Furniture Paint	36
Linoleum Reviver	37
Linoleum Varnish	32
Liquid Enamels	41
Liquid Roof Cement	15
Liquid Wood Filler	38
Maid o' the Mist Vapor Polisher	35
Mission Art Finish	38
Mortar Colors	23
Motorcycle Oil	54
Motor Graphite	54
Neatsfoot Oil	55
Neatsfoot Oil Compound	55
Old Dutch White	22
Oils	53-54-55-56
Oil Wood Stain	38
O-S-o-Ezy Cedar Oil Polisher	36
Paint Cleaner	23
Paint and Varnish Remover	38
Painter's Outfit	34
Painters' Tools	49
Paste Filler	38
Pitch, Roofing	16
Plaster Paris	23
Plastic Linoleum	14

Plumbago Cup Grease	55
Pumice Stone	22
Porch Paint	20
Porch Furniture Paint	36
Putty	23
Radiator Enamel	39
Re-Nu-Wall Cleaner	34
Re-New-Var	36
Roof and Fence Paint	17
Rotten Stone	22
Rubbing Brick, Oil, Felt	22
Rust Preventive	13
Sand Paper	34
Screen Paint	20
Seal Tite	12
Shellac	22
Shingle Stain	17
Soaps	49
Sponges	49
Sprayers	49
Stencils	40
Stove Pipe Enamel	39
Tinner's Red Paint	17
Top Dressing, Auto	35
Towels	30
Trans. and Diff. Oil	54
Trowel Roof Cement	15
Turpentine Substitute	13
3-In-One-Oil	56
Varnishes	32-33
Varnish Stain	38
Waxelite	37
Wagon and Implement Paint and Varnish	35-45
Wall Board	50
Wall Paper Tools	40
Wall Paper Book	37
Whitewash and Paint	49
Sprayers	49
Window Shades	51
Wood Preservative	13



Protect Your Property by Painting Regularly

Good Paint is Cheap Insurance

Paint protects and preserves the surface to which it is applied. By painting your house regularly you not only keep its appearance up to standard but you also fortify the wood against wind and weather.

For your own conviction compare two wood surfaces—one which has been regularly painted and “kept in shape” and another surface which has been exposed to the elements without any protective covering. The painted surface you will find solid, sound and secure with the wood not at all worn or decayed as contrasted with the other surface which shows clearly the weather’s wear and tear.

Of course, it is vitally important to use a good reliable paint in which every ingredient has been tested for quality and durability and which you know will stand the work required of it. Select a paint like this and apply it regularly to the surface of your house, barn, fence, etc., you will find that the small expense will be more than repaid by the increased resistance and durability of the wood.

Good paint is a good investment. The money invested in a reliable, long-wearing paint is money invested to prolong the life of your buildings. In other words paint is insurance and good paint is about the **cheapest** insurance you can buy.

Consult Our Paint Service Department

If you contemplate painting or decorating of any sort, many questions will doubtless present themselves, and some of them may be hard for you to answer.

You may, perhaps, be in doubt as to the amount of paint required to cover your house, your barn, or your outbuilding. You may not know what color wall finish or kalsomine will harmonize best with the interior decoration of your home. You may not be sure which varnish, polish, or stain, is best adapted to meet your particular need. All these and many other similar problems are likely to confront you. Let our paint experts help you solve them. They are men of wide experience in the paint business, and well qualified to give you any information you desire.

Just tell us your paint and varnish troubles, and we will gladly assist you in getting the best results.

Ask us any question about anything concerning which you are in doubt. We will give you all the help we can. This service is absolutely free. It is yours for the asking. We hope you will take advantage of it.

Be Sure of the Paint You Use

It is not only necessary to paint and to paint regularly but also to use a thoroughly reliable and dependable paint. Our own paints are all manufactured in our own Paint Plant under our own supervision and we know exactly what they contain and what they can do. We recommend them because of this fact and also because the experience of thousands of satisfied customers has convinced both them and us that there is no better paint for the money.



Coverall Paint is Easy to Apply

Care in Buying Paint

Buy paint with the same care that you buy real-estate, farm implements or building material. Paint is a mighty big factor in prolonging the life of your house or your barn and also in increasing its actual market value. The same is true of all fences, sheds, outbuildings, wagons, implements—in fact, everything which needs protection from the action of the elements. Paint will give them new stamina and resistance, new life in the face of weather wear.

But you should have paint which is thoroughly reliable, thoroughly dependable in every ingredient, and which has been proven by both laboratory test and practical experience to be the *right* paint to do the work.


The Right Paint

—you will find in this catalogue—the right paint for every purpose. Whether it be outside paint, inside paint, varnishes, bronzes, special stains and finishes—whatever is your desire, we have it.

More important—we **make** it. In our big factory shown on page one we have the machinery and full equipment for finest paint making; and our experience and the men we have in charge, guarantee you thoroughly reliable, dependable, **quality** paint. And at prices which save you money on every gallon you buy.

Satisfaction Guaranteed

Select the paint you need with full confidence that it will come to you exactly as described. The color chips shown on pages 9, 11, 21, 42, and 44 are made from samples of the actual paint and show you the true color just as clearly as though you had the can of paint in hand. And remember, too, our guarantee of absolute satisfaction or money refunded, with transportation charges paid both ways. Order your paint Now.



Our Paints Spread Evenly and Well

How to Use the Paint

Note carefully the suggestions given on these pages, and follow closely the complete directions included with every can of our paint and varnish. It will be easy for you to do your own work with thoroughly satisfactory results.

It is true that an experienced painter will do the work more quickly than you can, but unless time is an important factor, you can save the labor expense.

Painting or decorating, like everything else, is largely a question of using a little common sense. With reasonable care and necessary tools, you can produce results that will be almost up to the professional standard.

Follow our instructions and you will find painting so easy that you will consider it a pleasure.

How to Estimate Amount of Paint Needed

Take for an example a house 30 feet by 40 feet and 20 feet high. Front, 30 feet; rear, 30 feet; one side, 40 feet; other side, 40 feet; total, 140 feet. The total multiplied by height, 20 feet, is 2,800 square feet; 2,800 divided by 300 is 9. This shows that approximately 9 gallons of paint is required to cover two coats. This rule will vary a trifle according to the condition of the wood. If it has been painted once, or the surface is smooth and hard, less than the above quantity will do. A slightly greater amount will be needed if the building is new, or the lumber has never been painted. On a new building be sure to shellac all knots and sappy or pitchy spots before

You Can Do Your Own Painting

Be sure to stir the paint thoroughly. Cut out the entire head of the can. Pour off oil into another vessel and stir the balance in the can thoroughly, gradually adding the oil until all has been returned. Then pour it back and forth from one can into another until it is thoroughly mixed. All paints must be stirred from time to time while using to prevent the pigment from settling to the bottom. When painting new surfaces it is always well to mix from a pint to one quart of pure raw linseed oil to the gallon of paint. Always be sure to use pure raw linseed oil. When placing your order for paint it is always well to order oil at the same time. We handle only the pure oil. Do not try to use cheap ochre for first coat, as it will surely give you an inferior job. Use our paints as per our instructions and you will have no trouble. Let the first coat harden or dry from four to five days before applying a second coat. Then use the paint just as it comes in the can, but be sure to stir it thoroughly and mix it as per our instructions.

applying the first coat. Also more paint will be needed if the surface is old and porous.

If a roof is to be painted, the paint will probably differ from that on the body of the house; therefore, the measurements should be kept separate. If one side of the roof measures 15 feet by 30 feet, multiply 15 by 30, which makes 450 square feet for the one side of the roof. Multiply this by two (to get dimensions of the two sides of the roof), or 900 square feet. Divide this by 450, as one gallon of paint is required to cover about 450 square feet, one coat.

Floor Paints

The floor must be dry, clean, and free from grease and dirt. To remove grease and stains, use turpentine or benzine. Shellac all knots, and sappy or pitchy spots before putting on the first coat.

Screen Paint

Stir thoroughly before using. Have the surface to be coated cleaned and free from dust. Apply evenly and freely. If the paint is too thick, thin with a little turpentine.

Interior Paints for Walls, Woodwork, etc.

Our Coverall House Paint is excellent for all kinds of inside painting. In kitchens, where the woodwork or walls are more or less greasy, wash with a solution of salsoda and warm water, using about one-half pound of salsoda to a bucket of water and add a little soap. Do not apply paint until the surface is perfectly dry. Our four-inch brush No. 75W701 is ideal for this kind of work.

If the paint gets too thick, use turpentine only for thinner for interior use.

Flat Wall Paint

If the wall has been kalsomined it is necessary to wash off with a sponge and warm water. Then use our size No. 75W8738 before putting on the first coat of paint. If the wall has been painted before it will not be necessary to use the size. Use our Flat Wall Paint described on Page 18.

Automobile, Carriage, Wagon, and Implement Paint

The surface to be painted should be dry, clean, and free from grease and dust. If there are any grease spots be sure to cleanse them with benzine or turpentine. It is always well to put a coat of shellac on any parts that are likely to be greasy. It is not necessary to remove all of the paint on a job of this kind.

The Best Time to Do Outside Painting

Always select a dry day. Be sure that the surface to be painted is thoroughly dry and free from dirt, grease, or old paint. If paint is applied on a surface that appears dry but is watersoaked, the paint will peel or blister when the sun beats against it. Don't attempt to paint when the thermometer registers below 50 degrees, as the paint is likely to thicken, or begin what is commonly known as "crawling." By crawling we mean the paint will collect in drops and not cover the entire surface, leaving many spots bare. Crawling also happens if the surface is too glossy. In such cases, sandpaper the gloss to a flat or dull surface.



Wardway Varnishes give a Bright, Lasting gloss

How to Use Varnish

The most important thing is cleanliness. The surface to be varnished must be free from dust and dampness. Use a clean brush.

The drying and hardening of varnish is more rapid and effectual where proper light and ventilation are present. There should be no draft. The temperature of the room should be about 70 degrees. Select a dry day for your varnishing.

If varnish becomes chilled by exposure, set can in warm water. If varnish thickens after opening, thin cautiously with pure turpentine only.

Varnish should not be brushed out like paint, but should be laid on freely, and evened off with as few strokes as possible. Use a full brush, rubbing it out crosswise, if possible. Finish by laying it off up and down the grain.

For floors or interior varnishing, our Brush 75W618 is the ideal one to use. For a less expensive brush, use Brush 75W621, or smaller sizes.

To Varnish New Floors

All open grained woods, such as oak, ash, walnut, etc., must be first filled with hardwood paste filler. This is to insure a smooth and even foundation on which to apply the varnish. Use our No. 75WS210, listed under Hardwood Paste Filler, Page 38. Allow about two days for the filler to dry; then sandpaper with No. 1 sandpaper, and dust thoroughly.

Apply at least two coats of varnish, and allow two days between coats for drying. Before applying the last coat, the surface should be rubbed lightly with steel wool or sandpaper, to kill the gloss and allow the last coat to "take hold" better.

To Varnish Old Floors

Revarnishing an old floor should not be done unless the varnish is in good condition. If floor is in good condition, fill all cracks and crevices with Crack and Crevice Filler, No. 75WS228. Sandpaper the surface smoothly, clean thoroughly, then proceed with the varnish.

If floor is not in good condition, the old varnish should be removed with Paint and Varnish Remover, No. 75W7799. Then clean the surface thoroughly with a cloth and benzine; sandpaper well, and refinish as in new work.

Do not varnish over wax. Every particle of wax should be removed by using steel wool and turpentine.

To Remove Old Paint or Varnish

On woodwork and furniture where the old finish is in very bad condition it is best to remove the old paint or varnish to get a smooth surface, and thus obtain a good job of refinishing.

Apply our Paint and Varnish Remover No. 75W7799 freely with a glue-set brush. After allowing it to stand for about five minutes remove the softened old coating with a dull knife or painter's scraper. Use a wire brush for carvings or mouldings. For very old or many-coated work, apply a second coat of the Remover and treat in the same way. Then clean the surface with a rag or piece of waste dipped in the Remover or benzine.

Refinishing Old Woodwork or Furniture

To change the finish or any woodwork or furniture, whether it needs refinishing, or you simply want to apply a finish to harmonize with other furniture or decorations, colored varnish or varnish stains are remarkably good because the cost is low. They are easy to apply (anyone can do the work) and the results are most gratifying.

To Varnish Close-Grained Woods

Pine, maple, etc., require no filler of any kind. Simply apply three coats of varnish direct to the wood. Thin the first coat with a little turpentine. Use from one-half pint to one pint of turpentine to one gallon of varnish. Follow with second coat, and after allowing plenty of time for drying (in most cases two days), sandpaper lightly, and apply last or finishing coat just as the varnish comes in the can. Brush out evenly.

Never use shellac or liquid filler of any kind for undercoat on floors to be finished with varnish. Simply apply the varnish direct to the wood, except in case of hard and open grain woods, such as oak, ash, walnut, etc., which should first be filled with hardwood paste filler.

How to Do Graining

On woodwork or furniture that has been previously painted, and an imitation of grain of wood is desired, this can be very easily accomplished by the aid of our handy graining tools. For these tools, refer to page 34 of this book.

To grain, apply first a coat of Ground Color Co-Var-Finish, after seeing that the surface to be grained is sanded smooth. Or if the surface is very rough, it would be best to remove the paint or varnish with our Paint and Varnish Remover. The ground color then completely covers the old finish and makes the necessary foundation for graining.

One coat of ground color is usually sufficient, but if still rough, it is best to sandpaper this down until smooth and apply a second coat of ground color. Each coat should dry over night before the next coat is applied.

Now put on a coat of Graining Compound to give color for the graining, being particular to spread on very thin and brush out smoothly and evenly, covering only a small surface at a time. As Graining Compound is quick drying, the graining tools must be used before the compound begins to dry. Apply Graining Compound with a brush that has not previously been used in varnish, paint, or any preparation containing turpentine or oil. After allowing one hour for the graining to dry, apply Co-Var-Finish to obtain a gloss finish.

How to Do a Rubbed Finish

When the last coat of varnish is thoroughly dry and hard, rub down with a rubbing felt and fine pumice stone. Dip the rubbing felt lightly in water, or raw linseed oil, and then in the pumice stone and rub the surface up and down with the grain of the wood. A smoother, dull-rubbed finish can be obtained by using our Rubbing Oil No. 75WS281.

Rotten stone is used for polishing varnished surfaces, after having been rubbed down with pumice stone. Dip a piece of cloth or felt into Rubbing Oil or water, then into the rotten stone, and rub the surface to a polish. Finish by rubbing off all the oil and powdered stone that may be left on the surface, using a soft flannel cloth.

You can save time by using our Rubbed Finish Varnish No. 75W8658.

How to Enamel

To do a first-class job of white enameling, use our Towerlite White Enamel.

Full directions for the use of Towerlite and Liquid Enamels are given on pages 30 and 41.

Bath Tub Enamel

Stir the enamel thoroughly. Have the surface to be coated clean, smooth, Dry, and free from dust. Apply evenly and freely—brushing out very thoroughly.

Use an Oval Varnish Brush if possible. One coat will usually be sufficient. If a higher finish is desired apply two coats, allowing first coat to dry hard before applying the second coat.

This will insure a high finish and will give the tub a very attractive appearance. This enamel will wear like iron.

For First Coat Work add at least 10 per cent of turpentine to the Enamel.

If too heavy, thin only with turpentine.

How to Care for Brushes

After you have finished using a brush, wash it out carefully with benzine. To keep a paint brush from getting hard put it in lard and when ready to use, wash it out with turpentine or soap and water. In this way you can keep a brush in good condition for several years.

Whitewash and Kalsomine Brushes should be thoroughly washed in water and hung up to dry, otherwise the lime and dampness will rot the bristles in a very short time.

Kalsomine and Fresco Colors

Always be sure to remove any previous water coloring or kalsomine. This can be done with a sponge and warm water. A little vinegar or soda will help to soften the kalsomine. Before putting on fresh kalsomine, use our Sizing No. 75W8738. See that the sizing is perfectly dry before applying the kalsomine or fresco colors. Mix the kalsomine or fresco according to directions on the can or package.



Made in Our Own Paint Plant

How Our Paint is Made

Mixing

The Mixing Machine shown in the first illustration performs the first operation, mixing pure linseed oil and pigments in a paste form. The paste then passes through pipes to the floor below.

Grinding

Now the paste passes into the center or eye of the powerful French buhr stones of the grinding machine shown in the second illustration. Here the paste is ground to an even fineness to obtain the best possible covering and wearing qualities. This finely ground mixture now is carried through tubes to the mixing tanks on the floor below.

The Mixing Tank

Here the reducers are mixed with the paste by powerful agitators running at high speed. This third and last operation is illustrated in the last picture. Through this process we obtain absolute uniformity.



Machine-Made Paint

Ingredients

Paint is obtainable in three forms—dry pigment, paste colors, and prepared or ready mixed. All paint was formerly prepared by the painter, who with a hand mill would tediously grind the dry pigment in oil, then laboriously mix that product with more oil, then add turpentine and dryers.

If you have ever tried to mix paints, you know that you can make better paint by stirring the ingredients for a half hour than for only fifteen minutes—and better still, if stirred for an hour. A paint machine will, in only a few minutes, mix many times the amount of paint more efficiently than a man working a whole day on a few gallons.

Scientific Production

Not only is the composition of paint an important matter—the method of manufacture is of equal importance.

For manufacturing prepared paint we have the most modern machinery, which does the work better and at a much lower cost. Furthermore, the work is directed by skilled paint chemists, so that, with a given formula, exact uniformity is obtained each time.

With our powerful and latest improved paint machinery, we not only make better paint than it is possible to make by hand, but cheaper, thereby saving you money.

Our Recommendation

We recommend our ready-mixed paint to you because it is the best. We are very careful about what we recommend because of our broad guarantee, which insures "Satisfaction to you." The reason we can sell such good paint at prices so extremely low is that in buying paint from us you are getting the paint direct from the factory to you, with only a very small profit added. When we sell you a paint at \$1.38 per gallon it would usually cost you about \$2.00 or more.

Machine-made paint is ground so fine and so thoroughly that it can not be compared to hand-prepared paint.

Why mix the paint yourself? When machine-made paint insures you the proper spreading consistency. You know exactly what you are getting when you buy guaranteed paint made by Montgomery Ward & Co.



One Gallon Covers 250-350 Square Feet, Two Coats

Why This Paint is so Satisfactory

By repeated tests and exhaustive experiments we have found a superior formula that has proven to be excellent in wearing qualities and in covering capacity. The best formula alone will not make good paint; the process for manufacture must also be right. The extremely fine grinding of the pigment is very important and for that reason we spare no expense in obtaining machinery that will do the very best work.

The mixing is equally important. There must be uniformity throughout. When the correct materials are thus combined, the greatest possible durability and covering capacity are obtained.

In making this paint we set the mark of high quality to be attained, and make the paint come up to that high standard. The price then is set according to the cost of production. For this reason, when there is a marked increase in the cost of materials used in the making of our paint, we must necessarily change the price accordingly. Likewise, when there occurs a substantial reduction in the cost of production we give you the benefit by making a proportionate reduction in our prices.

Use Coverall House Paint for Outside and Inside

Coverall House Paint is made in strict accordance with a formula that we know to be correct, one that science and the test of time has proven to be right. Thus we can safely guarantee every can of Coverall. The ingredients that enter into the making of this paint make it especially suitable for outside use. It is also well adapted for inside use on walls (wood or plaster), ceilings, woodwork, cupboards, etc.

Coverall House Paint will outwear many higher-priced paints; none will cover more surface or finish with a better gloss. When you buy this paint you have the assurance that it will give you the service you have a right to expect—qualities which are found only in good paint. It dries with a fine, smooth gloss. You are certain to be pleased with it. Coverall is always ready to be applied. You can do your own painting in spare time, thus saving the cost of labor.

You wish your house to appear at its best so as to favorably impress everyone. You want your home to be attractive and pleasing. With shades that are attractive, so that at first sight the house may win the admiration of the passerby, with tints that harmonize and prove to be more pleasing the longer the house and surroundings are studied, with colors that will wear well for several years, this may be accomplished with Coverall House Paint.

Easy to Spread

Experience is not necessary to apply Coverall Paint. It is ready mixed, but thoroughly ground, so that it spreads very easily. By old methods it was necessary to have the experience of an expert painter to prepare the paint to proper consistency; but Coverall is so carefully prepared that any one following the simple directions on each can will do a first-class job of painting.

Low Cost of Coverall House Paint

It costs but little to paint a building with two coats of Coverall House Paint—so little that you will be surprised. See what a small amount of money is required to paint the houses shown on page 25.

The low price at which we furnish this high-class paint makes it possible for everyone to keep his house looking new.

Coverall House Paint Protects Against Decay

Coverall House Paint will not blister, crack, peel, chalk, or scale. Thus your building, painted with Coverall, is thoroughly protected against decay. Coverall is the best protection you can put on your property.

Good paint costs nothing in the long run, because it saves more than its cost by preserving the surface to which it is applied. An unpainted building, or one painted with inferior paint that fades, chalks, or peels off, does not speak well for the owner. If he can afford to paint, and don't know that it will pay him, it is our duty to show him that money so spent is a very profitable investment.

If you neglect to paint your buildings, you will, in a few years, have to rebuild. Protect them against decay and save this loss.

Paint investment is the greatest property insurance on the farm—greater than fire or tornado insurance. Decay is responsible for more property destruction than fire and storm combined.

Four Points to Consider in Selecting Paint

The cost of any article you buy involves other considerations than just the price. Paint is no exception to this rule. In selecting paints there are four distinct points you should consider:

1—The Cost

The fact that another paint is being offered you at, say double our price, does not mean that it has double value. The difference in price may be due to the fact that our paint goes to you direct from the factory. You pay one small profit added to the very first cost.

2—Quantity Required

This brings us right back to one of the reasons why COVERALL house paint is superior. It is the covering capacity that you should particularly give attention to. Do not buy paint by the gallon. Buy it by the square yard.

3—Durability

Not just how long will a paint last, but how long will it look well. If the paint wears well, but fades, you will have to repaint in a short time or you will be ashamed of the appearance of the building. Also, faded paint means depreciation in the property value.

4—Wearing Quality

In other words, will it wear down smoothly, so that a good surface will be left for your next coat, even after the lapse of a number of years? If the paint wears out rough it will cost considerable to go over the surface with a scraper to smooth down the surface when repainting time comes.



Beautify Your Home With Coverall House Paint

Coverall House Paint possesses that brilliant luster that attracts the attention of everyone. The colors are clear, beautiful shades and are always uniform.

Each can contains exactly the same amount of pigment as every other can, and you may be sure, in purchasing this paint, that you will get colors that will be uniform and harmonize.

Another big feature is covering qualities, and also the great durability of Coverall house paint. Coverall will outwear many higher priced paints and will cover more surface and finish with a gloss. It will not blister, crack, peel, check or scale, thus making it the best protection you can put on your property. It dries with a fine, smooth gloss that will add greatly to the appearance of your home.

Covering Capacity

One gallon is guaranteed to cover 250 to 350 square feet, two full coats, and if it fails to do this or in any way fails to give perfect satisfaction, we will furnish new paint free.

Wearing Qualities

Coverall House Paint will outwear many higher priced paints; none will cover more surface or finish with a better gloss. When you buy this paint you have the assurance that it will give you the service you have a right to expect—qualities which are found only in good paint. It dries with a fine, smooth gloss. You are certain to be pleased with it.

Experience is not necessary to apply Coverall Paint. It is ready mixed and thoroughly ground, so that it spreads very easily. By old methods it was necessary to have the experience of an expert painter to prepare the paint to proper consistency; but Coverall is so carefully prepared that any one following the simple directions on each can will do a first-class job of painting. Coverall is always ready to be applied. You can do your own painting in spare time, thus saving the cost of labor.

You wish your house to appear at its best so as to favorably impress everyone. You want your home to be attractive and pleasing. With shades that are attractive, so that at first sight the house may win the admiration of the passerby, with tints that harmonize and prove to be more pleasing the longer the house and surroundings are studied, with colors that will wear for several years—this may be accomplished with Coverall House Paint.

See Actual Colors on Opposite Page State Color Wanted

White and Shades	
75W7709—Quart can	\$ 0.45
75W7710—Half-gallon can85
75W7711—Gallon can	1.63
175W7712—Three-gallon can	4.83
175W7713—Five-gallon can	8.00
27 (25 gallons)	39.50
27 (gallons)	77.00
Eight, per gallon, 15 pounds.	

Barrels and half barrels shipped from our Chicago Paint Plant.



Coverall House Paint

The Best Paint for the Money

For Description and Prices, See Opposite Page

In 40 beautiful colors as shown. And also.

No. 22 Black (for doors, sash, etc.).

No. 10 Inside Gloss White (for all interior white painting where a glossy white finish is desired).

No. 10½ Inside Flat White (for snow white finishes without gloss, inside work only).

No. 11 Outside Gloss White (for all exterior work in gloss white finish).

Numbers to Right Indicate Suitable Trimming Colors

	45 42 53 12		54 44 39 14		23 60 53 36		36 20 23 39
56 Ivory		35 Pearl Gray		32 Light Slate		63 Pea Green	
	58 26 34 20		53 57 19 32		26 58 34 53		57 34 44 White
23 Cream		31 Gray Tint		61 Sage		18 Green	
	44 61 53 20		34 21 19 55		27 61 56 60		36 20 23 39
29 Canary		62 Pure Gray		34 French Drab		45 Lettuce Green	
	57 60 18 14		31 15 61 White		44 56 29 15		56 42 44 White
28 Straw		54 Dark Gray		53 Light Brown		47 Sea Green	
	39 34 44 White		53 39 12 58		53 20 56 60		13 21 61 19
27 Light Buff		60 Gray Stone		39 Brown		57 Light Olive	
	53 13 42 White		61 15 42 12		26 44 13 54		56 18 32 29
21 Fawn		36 Deep Drab		16 Light Wine		58 Willow Green	
	56 19 14 60		35 13 61 White		21 42 28 60		15 56 23 White
12 Light Tan		55 Lead Color		15 Wine Color		19 Olive	
	44 15 23 White						13 18 29 White
20 Buff		59 Sky Blue Inside Use and Porch Ceilings		13½ Red For Trimming, Sash and Store Fronts		44 Moss Green	
	14 44 27 57		44 23 31 White		44 23 31 White		56 61 18 White
26 Salmon		50 Ocean Blue Inside Use and Porch Ceilings		13 Cherry Red		15½ Verde Green	
			19 21 31 39		19 21 31 39		56 15 12 White
49 Pink Tint For Inside Use Only		52 Deep Blue Inside Use and Porch Ceilings		14 Dark Tan		42 Blind Green	

Wardway House Paint The Paint that Wears

For many years our customers have been using Tower Brand Paint and praising its covering and wearing qualities. *Today* those same first users are among our warmest friends. Tower Brand has *proved* its worth.

We have changed the name—not the quality, or the price—to Wardway. We now recommend to our customers

TRADE MARK

Wardway

House Paint

(Formerly Tower Brand)

You know what you are getting when you buy Wardway House Paint—the old reliable Tower Brand which has served our customers with real satisfaction. You are sure of both high quality and low cost, and doubly sure of the wearing qualities when backed by Montgomery Ward & Company.

Wardway paint is made under a formula in which every ingredient is chosen to perform a definite function. Every gallon of Wardway is uniform and the quality high. We make our own paint and in our laboratory are skilled chemists who are constantly keeping up our high standard of quality.

We have complete confidence in Wardway paint because everything in the paint is right. It contains proper proportions of all the ingredients necessary to a good paint. The paint film has great strength and the gloss which gives it wonderful weather resisting qualities.

Covering Capacity

One gallon of Wardway paint will cover from 300 to 350 square feet, two coats. Will not check, crack, peel or blister under the severest weather conditions. Will replace with new paint or refund your money and pay transportation both ways if Wardway House Paint fails to give perfect satisfaction in every way.

See Actual Colors on Opposite Page

Colors listed on opposite page. State

	Per can.....	\$ 0.55
75W7701—1/2-gallon cans.	Per can.....	1.09
75W7702—1-gallon cans.	Per can.....	1.99
175W7703—3-gallon cans.	Per can.....	5.94
175W7704—5-gallon cans.	Per can.....	9.85
275W7705—1/2 barrels (25 gallons).	Per 1/2 barrel.....	48.00
275W7706—Barrels (50 gallons).	Per barrel.....	95.00

Shipping weight, house and barn paint, per gallon about 15 pounds. Barrels and half barrels shipped from our Chicago Paint Factory.



House Paint

(Formerly Tower Brand)

The Paint That Wears

For Description and Prices, See Opposite Page

In colors shown below and also:

No. 22 Black (for doors, sashes, etc.)

No. 10 Inside Gloss White (for all interior white painting on woodwork or walls (wood or plaster) where a glossy white is desired.)

No. 10½ Inside Flat White (for interior painting or woodwork or plastered walls where a snow-white finish free from gloss is wanted; also for first coats preparatory to final coats of white enamel.)

No. 11 Outside Gloss White (for all outdoor painting. Popular for body of house; goes well as a trim for any of the shades.)

Numbers to the right of each color chip indicate suitable trimming color

 35 Pearl Gray	54 44 39 14	 56 Ivory	45 42 53 12	 32 Light Slate	23 69 53 36	 18 Green	57 34 44 White
 61 Sage	26 58 34 53	 23 Cream	58 26 34 20	 12 Light Tan	56 19 14 60	 63 Pea Green	36 20 23 39
 31 Gray Tint	53 57 19 32	 29 Canary	44 61 53 20	 34 French Drab	27 61 53 60	 45 Lettuce Green	36 20 23 39
 54 Dark Gray	31 15 61 White	 28 Straw	57 60 18 14	 53 Light Brown	44 56 29 15	 47 Sea Green	56 42 44 White
 62 Pure Gray	34 21 19 55	 27 Light Buff	39 34 44 White	 39 Brown	53 20 56 60	 57 Light Olive	13 21 61 19
 60 Gray Stone	53 39 12 58	 21 Fawn	53 13 42 White	 15 Wine Color	21 42 28 60	 58 Willow Green	56 18 32 29
 36 Deep Drab	61 15 42 12	 20 Buff	44 15 23 White	 13½ Red		 42 Blind Green	56 15 12 White
 55 Lead Color	35 13 61 White	 26 Salmon	14 44 27 57	 13 Cherry Red	44 23 31 White	 44 Moss Green	13 18 29 White
 52 Deep Blue Inside Use and Porch Ceilings		 49 Pink Tint For Inside Use		 16 Light Wine	26 44 13 54	 19 Olive	15 56 23 White
 50 Ocean Blue Inside Use and Porch Ceilings		 59 Sky Blue Inside Use and Porch Ceilings		 14 Dark Tan	19 21 31 39	 15½ Verde Green	56 61 18 White

Reliable Weatherproofing Materials

Concrete and Cement Coating

A Permanent Exterior Paint for Coating Concrete, Brick, Stone or Stucco Surfaces
It is Damp-proof, Weather-proof, Alkali-proof

A liquid cement coating and is not an ordinary paint. For any building or silo built of concrete, brick, stone or stucco this coating is of exceptional value.

Cement and Concrete Coating dries flat, giving the surface a stone-like appearance. It prevents water spotting the walls and protects them from disintegration due to the absorption of moisture. While protecting the outside walls, it insures a perfectly dry and sanitary interior.

Use Cement and Concrete Coating for both outside and inside work, as it is equally good for use on plastered walls, basement walls, floors and all damp surfaces. Easily applied with a brush.

In case the surface to be coated is extremely damp, apply first a coat of our Seal-Tite. Over the average concrete or brick surface, one gallon of Cement and Concrete Coating will cover about 100 square feet, 2 coats.

Colors: -101, white; 102, buff; 103, moss green; 104, brick red; 105, cement gray; 106, Manganese brick. State color wanted.

75W7789—Half-gallon cans. Shipping weight, 10 pounds. For\$ 0.90
75W7790—One-gallon cans. Shipping weight, 15 pounds. For 1.70
175W7791—Five-gallon cans. Shipping weight, 70 pounds. For 8.25
275W7792—Half barrel (25 gallons). Shipping weight, 350 pounds. For..... 39.50

Barrels and half barrels shipped from our Chicago Paint Plant.

Seal-Tite

For Water-proofing
Cement, Concrete, Brick or
Plaster Surfaces

A remarkable water-proofing compound. May be used on damp surfaces. It is scientifically compounded and will fill the pores and render water-proof any cement, concrete, brick or plaster surface. Just the thing for silos, cement blocks, concrete or brick buildings. It is a clear, colorless liquid that may be used alone as a coating or as a first coat, preparatory to painting or coating concrete or brick work of any kind that is subject to dampness or moisture. It is excellent for coating concrete or cement floors. It makes the surface smooth, prevents sanding, and makes it waterproof. Easy to keep clean. This preparation should not be used over paint. Easily applied with a brush. Flow on freely and brush in thoroughly. One gallon will cover about 150 to 200 square feet on concrete or brick surfaces, or 200 to 300 square feet on plaster surfaces.

75W7793—Quart cans. Ship. wt., 5 lbs....\$0.50
75W7794—1-gallon can. Ship. wt., 15 lbs.. 1.75
175W7795—5-gallon can. Ship. wt., 65 lbs.. 7.50

Turn to Pages 46 and
47 for Complete Line
of Brushes for All
Purposes

Cementifix

Permanently Hardens and
Weather-proofs Concrete
and Stucco Surfaces
Specified by Leading Architects

Hardens concrete surfaces. Makes any concrete or cement surface oil proof, water proof and acid proof. Makes concrete floors, sidewalks or pavements dustless.

Concrete treated with Cementifix cannot soak in oils, water or any other liquid. Acid fails to affect it. Hence its great service for use on floors of all kinds.

Treat cement blocks by dipping them into this liquid, and they will not absorb water, which is a great advantage in building construction where concrete blocks are used.

Cementifix may be applied at any time and in a few hours the floor may be used again. Ordinarily one coat is sufficient and one gallon will cover from 80 to 100 square feet according to the porosity of the concrete.

Cementifix is a chemical to be applied over concrete floors and other cement construction. It thoroughly waterproofs and hardens the concrete so that water will not penetrate and disintegrate the material.

It is a colorless liquid combination that is neither dangerous to handle nor injurious in any way to the hands or clothing.

No concrete surface can be so perfectly laid that it is free from disintegration, crumbling or dusting.


Cementifix is applied as a wash and is not a paint nor does it form any coating.

It penetrates the concrete, acting chemically to produce a perfect bond, both hardens and waterproofs the material. It makes it so hard that ordinary wear, even heavy trucking has no effect on it whatever.

Cementifix will make concrete floors last indefinitely, saving all expenses of relaying and repairing. Even on concrete floors that have been worn, it works wonders. Excellent also for waterproofing concrete lined cisterns and silos.

75W8785—1-gallon jug\$ 2.25
175W8786—5-gallon keg 10.00
275W8787—25-gallon wooden barrel..... 46.25
275W8788—50-gallon wooden barrel..... 87.50

Shipping weight, per gallon, about 15 pounds.
Barrels and half barrels shipped from factory at Chicago.



The Best Protection Against Decay

Wood Preservative

Used for Preserving Fence Posts, Silos, Plankings, Sills, Joists, Tanks—in fact any wood subject to decay, or the ravages of insects

Use **Wood Preservative** on your fence posts; it will preserve them for many years against decay.

Wood Preservative is a Refined Creosote Oil. This oil has been an acknowledged wood preservative from time unknown. The fact that railroads and steamship companies always have and still use it, to preserve and protect against decay such property as ties, telephone poles, water tanks, bridges, trestles, wharfs, docks, boats and barges, is evidence conclusive of its unquestioned merit. Notwithstanding the many advertised, fancy-named preservatives now being placed before the public, Creosote Oil still maintains its superiority.

As Wood Preservative is a strong but harmless disinfectant, it is used with great success for spraying poultry buildings, inside and outside. This oil is fatal to both lice and mites.

The disinfecting qualities of Wood Preservative make it ideal for spraying hog pens and barns as well as poultry houses.

As Wood Preservative is the enemy of disease germs, and such insects as lice and mites, it is likewise an enemy to the corn weevil. Paint the inside of corncribs and granaries with Wood Preservative to prevent damage by weevil. Mice, rats or ants will not attack or damage woodwork painted with Wood Preservative. Ropes, canvas and nets treated with wood preservative become waterproof, and more durable, yet remain soft and pliable in all seasons.

75W7756—1-gallon cans. Per can.....\$0.68
175W7757—5-gallon cans. Per can..... 3.25
275W7758—Half barrels (25 gallons).
Per half barrel13.75
275W7759—Barrels (50 gallons). Per barrel..25.00
Shipping weight, per gallon, about 10 pounds.
Barrels and half barrels shipped from our factory in Chicago.



Rust Preventive

Protects the unpainted iron and wearing parts of tools and machinery against rust.

Applied with an ordinary paint brush or cloth, produces a coating over implements that prevents rust, thus maintaining efficiency of the machinery.

No farming implement or tool should be put away without a treatment with Wardway Rust Preventive. When you come to use the tool again the blade or working parts of the implement may be quickly cleaned with a cloth, moistened with kerosene oil. The use of Wardway Rust Preventive will make your implements more efficient and longer lived.

75W8370—1 pound. Shipping weight, 1 3/4 pounds.....15c
75W8371—5 pounds. Shipping weight, 7 pounds.....50c
75W8372—10 pounds. Shipping weight, 12 pounds.....98c

Concrete Oil

Cement blocks or concrete construction are porous and absorb moisture from rain and air. This feature is entirely overcome by mixing into the concrete this special concrete oil before molding at the ratio of 2 1/2 quarts of the oil to a bag of cement.

74W7680—1-gallon can\$ 0.35
174W7681—5-gallon can 1.55
174W7682—30-gallon wooden barrel..... 7.50
174W7683—50-gallon, wooden barrel..... 11.00
Shipping weight, per gallon, 8 1/2 pounds.



Plastic Linoleum Makes the Ideal Flooring

PLASTIC Linoleum is a new invention and handled exclusively by Montgomery Ward & Co. It is a remarkable substance, applied with a trowel over new and old floors, making them waterproof and sanitary.

Applied about $\frac{1}{8}$ inch thick makes it a tough, resilient covering without seams or laps and makes the ideal flooring for bathroom, kitchen, laundry, dairy or other room where perfect sanitary conditions are required. Being a dark reddish brown in color, it looks much like linoleum and feels like linoleum to walk on.

Plastic Linoleum may be applied over any floor, whether of wood or concrete or other material, and no experience is required to apply it.

Will not check, peel or break up. Will stand severe usage, even heavy trucking, making it desirable for warehouses and stores.

Used also for waterproofing basement walls, cellars, etc. Will permanently repair a leaking cistern or tank. You will find a great many uses for Plastic Linoleum. This economical, sanitary and permanent floor covering will prove a boon in any store or home.

After first coat of primer, then Plastic Linoleum. $\frac{1}{2}$ gallon of Primer and 50 pounds Plastic Linoleum are sufficient to cover 50 square feet of floor space to a thickness of about $\frac{1}{8}$ inch.

75W8200— $\frac{1}{2}$ gallon Plastic Linoleum Primer.....	\$ 0.95
75W8201—1 gallon Plastic Linoleum Primer.....	1.75
175W8202—5 gallons Plastic Linoleum Primer.....	8.25
175W8203—50-pound can Plastic Linoleum.....	6.75
175W8204—100-pound keg Plastic Linoleum.....	12.50
Shipping weight of Primer, per gallon, 10 pounds.	

Standard Plastering Trowels



85W2634—Made of a good grade of steel, finely finished. Shipping weight, 2 pounds. Length, inches.. 10 11 12 Weight, ounces.. 15 18 20 Each45c 48c 50c

See pages 46, 47 and 48 for a complete line of brushes of all kinds and sizes at economy prices. See page 49 for assortment of glaziers' tools and painters' cutlery. Many of these articles which are in common use by painters come in handy about the house and the small price we ask for them will enable anyone to have them.

On page 52 you will find an assortment of interesting special catalogues which deal with lines of merchandise not fully covered by our big general catalogue. Turn to this page and select the book or books you would like to have and send to us and we will mail them to you without charge.

Our large General Catalogue and Buyer's Guide offers you practically all kinds of merchandise of high quality and low cost backed by our Absolute Guarantee. If you have not a copy, send us your name and we will be glad to mail you one without charge.



Prevent Leaky Roofs with our Roof Cement

Trowel Roof Cement

An Elastic, Plastic Compound—one application lasts as long as the building on which it is used. Makes a one-piece, leak-proof roof without seams or laps

Makes a pleasing jet-black, one-piece roof, with no laps or seams. May be applied over any roof and sticks to any surface in any position, even on the under side of a horizontal surface.

It will not get hard and brittle in the most extreme cold, neither will it soften or run under the most intense heat of the sun. It stays where it is put, expanding and contracting with the surface, and never shows checks or cracks.

It is non-poisonous, tasteless and odorless; will not taint or discolor rain water.

Trowel Roof Cement is an elastic cement that is tough and will not set brittle. Will therefore never crumble nor is it affected by heat or cold.

Where there is only a small leak, plug up the hole the same as you would with putty, smoothing down the edge with a trowel or putty knife. In case of a very large hole, put on a patch of tin or sheet iron, nail the edges down and cover with cement to the thickness of about $\frac{1}{4}$ inch. Where the roof is in generally bad condition, spread evenly over it a coating of cement about $\frac{1}{8}$ inch thick, working out edges smoothly. Unless the roof is in a generally bad condition, Trowel Roof Cement need not be applied more than from a sixteenth to an eighth of an inch thick. When so spread, 40 pounds should be sufficient to cover 100 square feet of surface on a smooth roof.

There are so many uses for Trowel Roof Cement, that you should always have a supply on hand. You never know when you will be in great need of just such an article.

A small sample on a wire screen sent on request.

Apply with an ordinary mason's or plasterer's trowel.

75W7784—5-pound pails	\$ 0.45
175W7785—25-pound pails	1 75
175W7786—50 pounds (two 25-pound pails)	3 50
175W7787—100-pound keg	6.00
275W7788—300-pound $\frac{1}{2}$ barrel	15.00
275W7783—550-pound barrel	22.00

Barrels and Half Barrels shipped from Northern Ohio.

Liquid Roof Cement

Ready to Use. Apply with a Brush. Only One Coat Required,
Even on the Oldest Surface

This is a glossy black plastic compound that requires no stirring or other preparation—simply apply with a brush. A coating $\frac{1}{32}$ -inch in thickness is usually sufficient to make any old roof water-proof. Old rusty surfaces that are decayed beyond the painting stage can be coated with Liquid Roof Cement, thus adding years to its service.

This coating contains no coal tar, which has a tendency to soften in hot weather and separate from the surface to which it is applied. It will not run, sag, chip, check, scale or blister. It is a plastic composition, reinforced by asbestos fibre running in all directions, which holds the coating in place until it sets.

Liquid Roof Cement is well adapted for use on metal roof and siding of all kinds; on silos, tanks, and other structures built of wood, metal or concrete; on structural iron work; on composition, paper, tar, or felt roofs; and on underground work, whether of wood, metal or concrete, to exclude moisture.

Apply with brush. One gallon will cover about 100 square feet.

75W7800—Gallon can	\$ 0.66
175W7801—5-gallon can	3.00
275W7802—25 gallons ($\frac{1}{2}$ barrel)	13.75
275W7803—50 gallons (barrel)	24.50

Shipping weight, per gallon, about 10 pounds.


Barrels and Half Barrels shipped from Northern Ohio.

Elastic Cement

An asbestos cement that stops all leaks.

For repairing roofs, gutters, chimney joints, skylights, grain bins, culverts or irrigation flumes. Indispensable for the repairing of leaky concrete or metal tanks. May be used on wood, brick, iron, tin, or glass. Easily applied with a putty knife or trowel. Weather will not affect it. It will last as long as the surface on which it is applied.

75W7780—2-pound cans. Each	25c
75W7781—5-pound cans. Each	55c



Our Paints add Years to the Life of Your Roof

Elastic Rubber Roof Paint

For Felt or Composition Roofs, Metal and Muslin Roofs. For Iron Fences, Street Bridges, Windmills and Water Tanks

One of the strongest features of this paint is shown in the repairing of leaky roofs. A leak can be permanently stopped by first painting the surface over the leak, then laying on a piece of muslin, and finally coating the muslin with this paint. You then have a patch that is water-proof and one that will last indefinitely. Comes to you all ready to apply. Does not need to be thinned. Before applying be sure to thoroughly sweep or scrape the surface to be painted. One gallon will cover about 250 square feet one coat. This paint will stand expansion and contraction caused by weather changes, without cracking or peeling. It will not run in the hottest weather, nor crack in the coldest. Elastic Rubber Roof Paint gives a bright, glossy finish that is sun-proof, water-proof, elastic and durable.

The long-handle brush used in the illustration is our special roof brush, 75W703, quoted on this page, but may be applied with any wide wall brush.

75W7750—1-gallon can for	\$ 0.45
175W7751—5-gallon can for	1.98
175W7752—½ barrel (25 gallons), for.....	7.25
375W7753—1 barrel (50 gallons), for.....	13.50

Shipping weight, per gallon, 10 pounds.

Asphalt Roof Coating

In Black, Red and Green. Excellent for Composition or Felt Roofs, Shingle Roofs or Metal Roofs

Asphalt Roof Paint will give new life to the roof, and, if repeated every two or three years, will preserve, protect and keep the surface in first-class condition. It is elastic and durable. Has good body. It is ready to use and is easily applied. One gallon will cover from 200 to 250 square feet of surface, one coat. While considering its covering capacity, this paint is low in price, you will find it very satisfactory in every way.

Asphalt Roof Coating comes in three colors—black, red or green. The black, if anything, is the most durable color, but the red and green produce very pretty effects and are particularly desirable for residences. Shipping weight, per gallon, about 8½ pounds.

	Black	Red	Green
75W8424—1-gallon can. Per can.....	\$ 0.47		
175W8425—5-gallon can. Per can.....	2.00		
375W8426—½ barrel (25 gallons).....	9.50		
375W8427—1 barrel (50 gallons).....	13.50		
75W8428—1-gallon can. Per can.....	\$ 0.65	\$ 1.20	
175W8429—5-gallon can. Per can.....	2.90	5.75	
375W8430—½ barrel. (25 gallons).....	14.00	28.00	
375W8431—1 barrel. (50 gallons).....	26.85	53.50	

Old Style Roofing Pitch

Generally used by gravel roofers. Also for tarred felt roofs and for waterproofing foundations below ground.

Must be melted and applied hot.

Furnished only in barrels which weigh from 350 to 450 pounds.

275W8405—Roofing Pitch, per 100 pounds.....65c

Shipped promptly from our factory in Chicago.

Barn and Roof Brushes

3-Knot Brush, 50c




3-Knot

Mixed gray. For heavy painting, roof coating and tar paints. One knot brush for cementing seams on felt or composition roofing. Length of bristles, 3 inches.

Art. No.	Knot	Weight	Each
75W700	1	8 oz.	30c
75W699	2	12 oz.	33c
75W702	3	16 oz.	50c
75W703	4	20 oz.	68c

6-Inch, 50c



Black Chinese bristle with black mixed center. A practical, well made brush for painting roofs, barns and large surfaces. Metal bound. Width, 6 inches. Bristles, length, 3½ inches. Weight, 8 ounces.

75W705—Price50c



Our Shingle Stain Preserves and Beautifies

Superior Shingle Stain

Protects, Beautifies, Preserves
Your Shingle Roof

Use Superior Shingle Stain on your shingle roofs, sides of buildings, bungalows, etc. Not only will it greatly improve their appearance, but it will protect your buildings from the destructive action of the weather. Our stain contains a good percentage of creosote oil—the best wood preservative known. One of its principal characteristic is its penetration of wood. It prevents decay and produces that soft, mottled finish so much in demand. Shingle stain is easily applied. One gallon will cover 100 square feet, two coats, if applied with a brush. Two and one-half gallons will be sufficient for 1,000 shingles dipped two-thirds their length. If applied to the roof when new, Superior Shingle stain is better than paint, because the stain will penetrate some distance under the lap of each shingle—a valuable feature. Made in the following eight colors: No. 500, Dark Brown, No. 501, Clover Red; No. 504, Yellow; No. 514, Gray; No. 508, Olive; No. 511, Dark Green; No. 512, Red; No. 516, Grass Green. State color wanted.

75W7760—1-gallon cans	\$ 0.84
175W7761—5-gallon cans (jacketed)	3.95
375W7762—25-gallon half barrels	18.50
375W7763—50-gallon barrels	34.50

Shipping weight, per gallon, about 10 pounds. Be sure to state in your order the color you want.

Heavy Roof and Fence Paint

An Elastic Water-proof Paint for Fences, Water Tanks and Towers, Wind-mills, Roofs and any Metal or Wooden Surfaces

A protection and leak preventative for all kinds of roofs—shingle, tin, composition or felt. Particularly adapted for old roofs, where their condition is beyond the aid of ordinary paint. It will render your roof water-proof and serviceable for many years.

Also may be used on bridges, iron or wooden water tanks, smokestacks or other iron work subjected to heat or outside exposure. Comes ready for use and is easy to apply. One gallon will cover 200 to 300 square feet, one coat, on a fairly smooth surface. In most cases one coat will be sufficient. Where the leaks are exceptionally large, first fill the holes with Elastic Cement (see page 818) then apply the Heavy Roof Paint. Made in two colors—Black or Maroon. Shipping weight, per gallon, 10 pounds.

Price of Black.

75W8415—1-gallon cans	\$ 0.68
175W8416—5-gallon cans	3.15
175W8417—1/2 barrel (25 gallons)	15.00
275W8418—Barrel (50 gallons)	28.50

Price of Maroon.

75W8419—1-gallon cans	\$ 0.78
175W8420—5-gallon cans	3.65
175W8421—1/2 barrel (25 gallons)	16.75
275W8422—Barrel (50 gallons)	31.00

Tinners' Red Paint

For General Construction Work, Metal Work,
Railing, Metal Fences

A crimson oxide. A ready mixed paint. Used quite generally by tinners and metal workers as a first coat over metal roofs, gutters, spoutings, metal cornices. Medium red in color. Made from pure carbon ore. Very elastic and has adhesive qualities. Forms a coating that is impervious to moisture or corroding elements. Dries in 10 to 15 minutes. Also used for painting fence posts, railing, fire escapes, pumps. Shipping weight, per gallon, 15 pounds.

75W7764—1-gallon can	\$ 0.75
175W7765—5-gallon can	3.50
275W7766—25-gallon barrel	16.25
275W7767—50-gallon barrel	30.00

Barrels and Half Barrels shipped from our Chicago Paint Factory.

Distilled Liquid Coal Tar

For recoating and painting roofs; metal surfaces that are likely to rust, water tanks and fence posts. Produces a heavy coat.

Apply with a brush. To get very best results heat to near the boiling point.

75W8410—1-gallon can	\$0.35
175W8411—5-gallon can	1.20
275W8412—25-gallon, half barrel	3.50
275W8413—50-gallon, barrel	5.50

Shipping weight, per gallon, about 12 pounds.

Barrels and half barrels shipped from Chicago.



Save Money by Using Coverall Barn Paint

Coverall House Paint is made from high grade metallic pigment or natural oxides, ground by heavy machinery.

Our plant for the manufacture of Coverall is thoroughly modern—see reproduction of our paint plant on page 1. We buy and test every ingredient that goes into the manufacture of this paint, and every operation is under the direct supervision of the very best paint experts. That is why we can place such a strong guarantee on it and our guarantee means absolute satisfaction.

Our interest in your order ends only when the paint has been used and proved to be everything we claim for it.

Paint—A Greater Protection Than Fire Insurance

It is unnecessary to tell you that you should keep your barn painted. You know that it is to your interest. It means preserving it against decay. If you neglect to paint your barn, it will in a very few years either have to be replaced by a new building or will require expensive repairs.

Investment in paints is the best insurance you can get. We manufacture our own paint. We buy and test every ingredient under the supervision of the very best paint experts. That is why we can place such a strong guarantee on it. The **Montgomery Ward & Company** guarantee means something. Getting your order is only half the transaction. We are satisfied only when we know you are. Our highest duty is serving our customers, and until you are fully satisfied with every purchase our work is not complete. Our interest in your order ends only when the goods satisfy you. Once you buy **Coverall Barn Paint** you will want no other brand. Repeat orders are proof of the superior merits of the paint. One trial will convince you.

Also Well Adapted for Use on Fences, Sheds, Roofs, etc.

Because of the wonderful wearing qualities and durability of Coverall Barn Paint it is wonderfully well adapted to use on other buildings besides barns. In fact, it is perfect paint for use on fences or roofs. The saving effected repays you many times over the actual cost in the paint. You can also use this paint on metal or shingle roofs, on gutters, water tanks, drain pipes, cornices and wind mills.

When you see a place where every fence, shed, building or structure of any kind is thoroughly covered with paint, the newness and brightness of everything on the place attract you.

At first consideration the cost of the paint may be thought considerable. It is merely a small item and soon pays for itself many times over in the protection against decay, to say nothing about appearance.



\$12.90

Paints This Barn

Two

Full Coats

of

**Coverall
Barn Paint**



This Barn is No. 223. Listed in our "Book of Homes"

Our price is as low as a really good, reliable barn paint can be sold for. The real economy in barn painting is not in buying cheap paint, but in buying good paint at reasonable prices. Bear in mind that it costs exactly as much to apply cheap paint as it does to apply good paint, and that the cost of application represents fully two-thirds of your total painting expense. In buying paint, the big point to consider, then, is not the initial cost per gallon, but rather the covering capacity of each gallon, the wearing qualities, and what will be the condition of the surface when ready for repainting. In other words, you should buy paint service rather than paint material.

Covering Capacity

The covering capacity of Coverall Barn Paint, united with its enduring and preserving qualities, makes it one of the best paints it is possible to produce for the purpose, and one of the most economical. One gallon will cover approximately 300 square feet, two coats.

When you come to buy paint for your barn and other buildings, be sure to look to the covering qualities. Don't buy the paint simply by the gallon; buy it by the number of square feet to the gallon.

See Actual Colors on Page 21

State Color Wanted

75W7720— 1-gallon can	\$ 0.96
175W7721— 3-gallon can	2.86
175W7722— 5-gallon can	4.70
275W7723—25 gallons (½ barrel).....	22.25
275W7724—50 gallons (1 barrel).....	43.00

Shipping weight, per gallon, 14½ pounds.

Barrels and half barrels shipped from factory at Chicago.

Dependable Paints for Floors and Porches

Inside Floor Paint

See colors on opposite page. Makes old floors like new.

The ideal preparation for kitchen, pantry, bedrooms and all interior floors. Gives a hard, brilliant gloss finish. Will not show heel marks or scratches.

Ordinary floor paints must dry over night. In addition, floor paint must be able to stand constant washing and scrubbing. To secure these results, a class of driers and varnishes must be used that will stand exposure to the elements. Lead and oil, as commonly mixed by hand, do not prove satisfactory for this work.

This is just the paint you want for your kitchen floor. It is the only paint you can afford to buy, if you want the best. It is the most durable and the most economical Floor Paint on the market today. Use our Inside Floor Paint and be sure of satisfactory service. One gallon will cover 250 square feet with two coats.

We recommend our brush 75W553 for this work.

Be sure to state color wanted. For colors see opposite page.

75W8100—One quart can. Shipping weight, 6 pounds. Per can\$0.40

75W8101—Half gallon can. Shipping weight, 10 pounds. Per can.....\$0.75

75W8102—One gallon can. Shipping weight, 15 pounds. Per can.....\$1.40

Floor Oil

A Special Prepared Oil. For use on floors of stores, offices, kitchens, etc. It is easily applied with a cloth, dries quickly and does not leave the surface sticky or greasy. Floors on which this oil is used are dustless and easily kept clean. Shipping weight, per gallon, 8 pounds.

75W8230—1-quart cans. Per can.....\$0.35

75W8231—1/2-gallon cans. Per can..... .65

75W8232—1-gallon cans. Per can..... 1.20

175W8233—5-gallon cans. Per can..... 5.00



Hard-Drying Porch Paint

See colors on opposite page.

The porch is the first part of the house to meet the glance of the visitor or caller. It is the first impression that must be good.

In order to give your porch a high finish and attractive appearance, we recommend our hard-drying porch paint. It is a special paint for outdoor use. Will not quickly show effects of the hardest wear or the severest weather.

Not only will this paint withstand the wear and tear of constant use, but it will resist the action of the wind, rain and weather. We have subjected this paint to a hundred of the most trying tests that could possibly be devised. We have done this because we realize that no other painted surface is given the bruising, gruelling wear and tear that the porch or steps receive. There is not another Porch Floor Paint that has greater wearing qualities.

If there is any one thing about a house that needs repainting more than any other it is the porch and steps. Send a trial order for a little of this paint and you will have no other. One gallon will cover 300 square feet, two coats. State color wanted. For colors see opposite page.

75W7735—One quart can. Shipping weight, 6 pounds. Per can\$0.42

75W7736—Half gallon can. Shipping weight, 10 pounds. Per can.....\$0.80

75W7737—One gallon can. Shipping weight, 15 pounds. Per can.....\$1.55

Floor Reviver

A superior article for reviving and brightening varnished or waxed surfaces. Especially adapted for floors, wainscoting and all woodwork. Simply apply with cloth. Dries quickly. Shipping weight, per gallon, about 8 pounds.



75W8255—Pint cans. Each..\$0.20

75W8256—Quart cans. Each.....\$0.35

75W8257—1/2-Gallon cans. Each..... .65

75W8258—Gallon cans. Each..... 1.20

Screen Paint

Especially prepared preservative paint that will protect wire screens from rust or wear. It dries hard in a short time; has a high gloss, and does not clog the meshes. Apply by brushing through one side, leaving on just enough paint so it will not run. A pint is sufficient for a number of screens. Two colors, black or green. State color wanted.

75W7745—1/2-pint cans. Shipping weight, 1 1/8 pounds. Per can\$0.15

75W7746—Pint cans. Shipping weight, 2 1/4 pounds. Per can..... .25

75W7747—Quart cans. Shipping weight, 2 3/8 pounds. Per can..... .45

75W7748—Gallon cans. Shipping weight, 12 pounds. Per can..... 1.35



Coverall Barn Paint

Protects and Preserves Your Barn

Also Adapted for Use on All

Fences, Sheds, Roofs, etc.

For Description and Prices, See Page 18



150 Yellow



157 Red




155 Prince's Mineral



156 Roof Green



159 Slate



160 Lead Color

Superior Shingle Stain

Adds Beauty and Finish to Your Home

For Description and Prices, See Page 17



504 Yellow



506 Brown




508 Olive



516 Grass Green



501 Clover Red



500 Dark Brown



512 Red



511 Dark Green


Durable Porch Paint

This Reliable Paint will Lengthen the Life
of Your Porch Floors

For Description and Prices, See Opposite Page



196 Light Gray



197 Dark Gray



194 Olive



193 Light Brown



192 Tan



195 Red Brown


Inside Floor Paint

Eight Serviceable Colors—Long Wearing

For Description and Prices, See Opposite Page



153 $\frac{1}{4}$ Light Yellow



153 Yellow




153 $\frac{1}{2}$ Medium Drab



149 Light Brown



149 $\frac{1}{2}$ Red



148 Reddish Brown



151 Slate



152 Green

Paint Materials at Economy Prices

Cold Water Paint White—Fire-proof

Mixed with cold water, makes a paint that costs 30c a gallon. Pure white. Will not rub. Is a fire retardent. Approved by the Fire Underwriters' Laboratories. Apply either with a brush or sprayer.

Our Cold Water Paint is particularly adapted for interior painting of the kitchen, pantry, closets, also interior of dairy, work shop, poultry houses, and other buildings where a sanitary, fire-proof and light reflecting finish is desired at a small cost.

Five pounds makes a gallon of paint which will cover about 400 square feet.

This paint, however, is not intended to take the place of oil paint.

75W8447—5-pound packages. Per pound.....	6c
75W8448—10-pound packages. Per pound.....	6c
175W8449—50-pound kegs. Per pound.....	5½c
175W8450—100-pound kegs. Per pound.....	5c

Dry Colors

Our line of dry colors is complete. Some of the colors are used for painting purposes by simply mixing the linseed oil. This we do not recommend. Unless you have facilities for putting the mixture through a paint mill, your paint will lack that fineness and durability that is necessary in good paint. In Coverall or Wardway Paint you get fineness, covering capacity, durability and economy.

275W7881—Lamp Black, Germantown, Barrels (50 pounds). Per pound.....	18c
75W7882—Smaller Quantity. Per pound.....	19c
275W7925—Raw Umber, Turkey, Barrels (300 pounds). Per pound.....	4½c
75W7926—Smaller Quantity. Per pound.....	7c
275W7927—Burnt Umber, Turkey, Barrels (300 pounds). Per pound.....	4½c
75W7928—Smaller Quantity. Per pound.....	7c
275W7929—Raw Sienna, Italian, Barrels (300 pounds). Per pound.....	5c
75W7930—Smaller Quantity. Per pound.....	8c
275W7931—Burnt Sienna, Italian, Barrels (300 pounds). Per pound.....	5c
75W7932—Smaller Quantity. Per pound.....	8c
275W7946—American Venetian Red, Barrels (350 pounds). Per pound.....	2c
75W7947—Smaller Quantity. Per pound.....	3c
275W7950—Imperial English Venetian Red, Barrel (33½ pounds). Per pound.....	2½c
75W7951—Smaller Quantity. Per pound.....	4c
275W7890—Ultramarine Blue, Boxes (28 pounds). Per pound.....	16c
75W7891—Smaller Quantity. Per pound.....	18c
275W7895—Chrome Green, Barrels (250 pounds). Per pound.....	20c
75W7896—Smaller Quantity. Per pound.....	23c
275W7940—Yellow Rochelle Ochre, Barrels (420 pounds). Per pound.....	2c
75W7941—Smaller Quantity. Per pound.....	3c
275W7942—Imported Yellow Ochre, Barrels (400 pounds). Per pound.....	5c
75W7943—Smaller Quantity. Per pound.....	6½c
275W7954—Red Oxide Iron Paint, Barrels (350 pounds). Per pound.....	3c
75W7955—Smaller Quantity. Per pound.....	5c
275W7956—Dark Red Iron Paint, Barrels (350 pounds). Per pound.....	2c
75W7957—Smaller Quantity. Per pound.....	3c
275W7958—Prince's Mineral, Reddish Brown, Barrels (350 pounds). Per pound.....	2c
75W7959—Smaller Quantity. Per pound.....	3c

Barrels shipped from our Chicago Paint Factory.

Powdered Pumice Stone

Best grade English Powdered Pumice Stone. Used with rubbing oil or water for rubbing down varnished surfaces, preparatory to polishing.

75W7875—Per pound.....	\$0.06
75W7876—25-pound packages for....	1.00

Rubbing Oil

Use by dipping Rubbing Felt into this oil, then into Powdered Pumice Stone or Rotten Stone, for rubbing varnished or enameled surfaces to a polish finish.

75W8281—Pint can. Shipping weight, 1½ pounds.....	10c
75W8282—Quart can. Shipping weight, 3 pounds.....	15c
75W8283—Gallon can. Shipping weight, 10 pounds.....	40c
175W8284—5 gallon can. Shipping weight, 50 pounds.....	\$1.90

Old Dutch White Ground in Oil

An interior white that is whiter than any pure white lead. We recommend it for interior work as it will not discolor, and, being ground very fine in oil, it has a greater covering capacity than pure white lead. It is also much more economical, and being non-poisonous, it is used quite generally for interior finish in hospitals and public buildings. Excellent as an undercoat for enamels.

To prepare, add about 3 gallons of pure raw linseed oil, 1 quart of turpentine and 1 pint of Turpentine Japan Dryer to each 100 pounds of Old Dutch White. For flat finish reverse the quantities of linseed oil and turpentine.

175W8020—100-pound keg. Per pound.....	8c
175W8021—50-pound keg. Per pound.....	8½c
175W8022—25-pound keg. Per pound.....	9c
175W8023—12½-pound keg. Per pound.....	9½c
75W8024—5-pound can. Per pound.....	12c

Denatured Alcohol Shellac

Our shellacs are made from pure gum shellacs, cut with denatured alcohol. One gallon will cover from 300 to 400 square feet, one coat. These shellacs are made heavy. If thinning is necessary use denatured alcohol only.

Shellacs are used mostly for the under coat. It is of the utmost importance that you get the best. The under coat is the foundation of the work.

White Shellac

Use where no color is desired. Made of pure bone-dry, bleached shellac, and is clear and white.

75W8676—Pint cans. Shipping weight, 2 pounds.....	\$0.35
75W8677—Quart cans. Shipping weight, 3 pounds. For.....	.58
75W8678—½ gallon cans. Shipping weight, 6½ pounds. 1.10	
75W8679—1 gallon cans. Shipping weight, 10½ pounds. 2.00	

Orange Shellac

This Shellac is very fine, light in color, and free from sediment found so often in orange shellac. Used the same as white shellac, except on darker surfaces, such as oak. Also used for coating knots and sappy spots before painting.

75W8680—Pint cans. Shipping weight, 2 pounds.....	\$0.33
75W8681—Quart cans. Shipping weight, 3 pounds.....	.56
75W8682—½ gallon cans. Shipping weight, 6½ pounds. 1.00	
75W8683—Gallon cans. Shipping weight, 10½ pounds.. 1.90	

Turpentine Japan Dryer

A very good Binder and Strong Dryer. Mixes readily and does not injure the life of the paint.

75W8720—Pint can. For.....	\$0.19
75W8721—Quart can. For.....	.31
75W8722—½ gallon can. For.....	.53
75W8723—1 gallon can. For.....	.86
175W8724—5-gallon can. For.....	3.65

Japan Dryer

Similar to Turpentine Japan Dryer, but a little darker in color and not quite as strong.

75W8725—Pint cans.....	\$0.16
75W8726—Quart cans.....	.25
75W8727—½ gallon can.....	.40
75W8728—1 gallon can.....	.65
175W8729—5 gallon can.....	3.00

Shipping weight, 11½ pounds per gallon.

Rubbing Brick

Very best quality Sharp Cutting Pumice Stone. Used by the painter and wagon finisher in rubbing down varnished surfaces. Also used for scouring stone surfaces and many other purposes.

Shipping weight, 1¾ pounds.	
75W8275—Compressed bricks, Each.....	\$0.30

Rubbing Felt—Best Grade

For rubbing down varnished surfaces by dipping felt into rubbing oil or water, then into powdered pumice. Shipping weight, hard felt, 4 ounces; soft felt, 2 ounces.

75W8279—Hard Felt. 5-inch square piece.....	25c
75W8280—Soft Felt. 6-inch square piece.....	20c

Powdered Rotten Stone

Rotten Stone is used for polishing varnished surfaces, after being rubbed down with pumice stone. Dip a piece of cloth or felt into rubbing oil or water, then into the rotten stone and rub the surface to a polish. Finish by rubbing on all the oil and powdered stone that may be left on the surface, using a soft flannel cloth.

75W7878—Rotten Stone. Per lb.....	6c
-----------------------------------	----



Tested Cement and Mortar Colors

Wardway Colors for Mortar and Cement

The best grade of mineral colors that the market affords for coloring mortar, cement blocks, stucco, concrete and brick work. These colors will not fade.

No. 70—Chocolate Brown, produces a deep, rich brown that harmonizes with and is popular for coloring mortar in which the manganese brick, so much in demand, are laid.

No. 71—Mortar Buff. A soft, medium shade.

No. 72—Mortar Red, will produce a medium red.

No. 73—Red Extra Strong. This red is particularly strong in color and produces a full, rich, brilliant shade. On account of its strength, it requires less of this color to the quantity of cement used.

No. 74—Mortar Black is a good grade of black that will not fade.

175W7962—Colors 70, 71 or 72, 100-pound drum. Per pound.....2c

175W7963—Colors 70, 71 or 72, 50-pound drum. Per pound.....2½c

75W7964—Colors 70, 71 or 72, smaller quantity. Per pound.....3c

175W7967—Color 73, 100-pound drum.....9c

175W7968—Color 73, 50-pound drum.....9½c

75W7969—Color 73, smaller quantity.....10c

175W7972—Color 74, 100-pound drum.....5c

175W7973—Color 74, 50-pound drum.....5½c

75W7974—Color 74, smaller quantity.....6c

The amount of coloring required depends upon the depth of coloring desired and the amount of cement or mortar to be colored. The more color used, the deeper the shade.

For the brown or buff, use from 15 to 20 pounds of color to each 100 pounds of cement or mortar. Two or three pounds less of the other colors may be sufficient.

Superfine Coach Colors

Ground in Japan. For Carriage or Automobile Work. Colors are ground in high-grade coach Japan. They dry quickly and flat perfectly. 1-pound cans. Shipping weight, 1½ pounds.

75W8490—Extra Fine Ivory Black. Per can.....38c

75W8491—Fine Ivory Black. Per can.....35c

75W8492—Drop Black. Per can.....35c

75W8493—Lamp Black. Per can.....30c

75W8494—Prussian Blue. Per can.....95c

75W8495—Ultramarine Blue. Per can.....34c

75W8496—Brewster Green (Light, Medium or Dark). Per can.....40c

75W8497—Carriage Green (Light, Medium or Dark). Per can.....40c

75W8498—Indian Red. Per can.....30c

75W8499—Tuscan Red. Per can.....35c

75W8500—Burnt Sienna Italian. Per can.....24c

75W8501—Raw Sienna Italian. Per can.....24c

75W8502—Burnt Umber Turkey. Per can.....23c

75W8503—Raw Umber Turkey. Per can.....23c

75W8506—Vandyke Brown. Per can.....24c

75W8508—Chrome Yellow (Light, Medium or Dark). Per can.....33c

Colors Ground in Oil

Our colors are finely ground in pure linseed oil. In buying your colors in oil from us you are sure to be pleased. Used for tinting paints.

	1-pound Can	Each	5-pound Can	Each
Drop Black	75W7976	15c	75W7977	\$0.73
Ivory Black	75W7978	20c	75W7979	.95
Coach Black	75W7980	20c	75W7981	.95
Lamp Black	75W7982	15c	75W7983	.72
Ultramarine Blue	75W7986	25c	75W7987	1.20
Italian Sienna (raw or burnt)	75W7988	14c	75W7989	.67
Turkey Umber (raw or burnt)	75W7990	14c	75W7991	.67
Vandyke Brown	75W7992	15c	75W7993	.72
Chrome Green (light, medium and deep)	75W7994	27c	75W7995	1.25
Tuscan Red	75W7998	20c	75W7999	.95
English Venetian Red	75W8000	9c	75W8001	.50
Indian Red	75W8002	15c	75W8003	.70
Chrome Yellow (light, medium and orange)	75W8004	40c	75W8005	1.50
French Yellow Ochre	75W8006	12c	75W8007	.50
Permanent Red	75W8010	40c	75W8011	1.95
Flat Brick Red	75W8012	14c	75W8013	.67

Gilders Whiting

175W7917—Extra Fine Quality Bolted Whiting. Barrels (400 pounds). Per pound.....1c

175W7918—Drums (100 pounds). Per pound.....1½c

75W7919—Smaller Quantity. Per pound.....2c

Plaster Paris

175W7913—Plaster Paris. 200-pound barrel. Per pound.....2c

75W7914—Smaller quantity. Per pound.....3c

Putty in Tins

75W7850—10-pound tin. Per tin 35c

75W7851—5-pound tin. Per tin 19c

Gloss Oil

A good grade of gloss oil. Dries hard. Is used for sizing and other purposes. Shipping weight, per gallon, 11 pounds.

75W8730—Quart can\$0.18

75W8731—1-gallon can55

175W8732—5-gallon can 2.50

Sunset Paint Cleaner

Highly prized for cleaning woodwork or walls before repainting or varnishing. Contains no lye, potash, grease or oils. Is a pure chemical compound, an antiseptic, disinfectant and labor saver. Unsurpassed for washing cut glass, removing stains or grease spots from carpets or clothing, and for cleaning furniture, etc. Is odorless; does not injure the hands or finished surfaces. Full weight, 16 ounces. Excellent for cleaning paint brushes.

75W862—1-pound can 15c

Two cans for..... 25c



Do Your Own Painting and Cut the Cost

Paint makes a wonderful difference!

Paint brightens up your home, makes it more cheerful and inviting—a credit to your neighborhood and *you*.

With Coverall House Paint the cost is small—look at the prices given on the opposite page.

And by doing your own painting you effect an additional saving—besides experiencing the satisfaction that comes with the completion of a job of painting, and the pride you take in your own good work.

The colors of Coverall House Paint used on the houses shown on opposite page are as follows:

\$10.48

Body, 2S Straw; Trim, White; Sash and Door, Black; Gable and Roof, 516 Green Shingle Stain. This house is our Maryland. Size, 24x38x10 feet. Write for our Book of Homes.

\$9.63

Body, 39 Brown; Trim, 56 Ivory; Sash and Doors, Red; Roof, 512 Red Shingle Stain. This house is our Whitney. Size, 28x30x10 feet. Write for our Book of Homes.

\$12.92

Body, 62 Pure Gray; Gable, 36 Deep Drab; Trim, White; Sash, White; Door, Black; Roof, 508 Olive Shingle Stain. This house is our Madison. Size, 20x30x15 feet. Write for our Book of Homes.

\$9.94

Body, 35 Pearl Gray; Trim, 58 Willow Green; Sash and Door, Red; Chimney and Foundation, Red Brick; Roof, 500 Dark Brown Shingle Stain. This house is our Princeton. Size, 30x44x10 feet. Write for our Book of Homes.

\$20.11

Body, 12 Light Tan, Trim, 14 Dark Tan; Sash and Doors, Red; Roof, 512 Red Shingle Stain. This house is our Farmland. Size, 30x44x20 feet. Write for our Book of Homes.

\$14.46

Body, 60 Gray Stone; Trim, 39 Brown; Sash, White; Roof, 511 Dark Green Shingle Stain. This house is our Superior. Size, 24x26x18 feet. Write for our Book of Homes.

Or choose any of the many beautiful colors of Coverall House Paint shown on page 9 (the Shingle Stains are reproduced on page 21). You will be delighted with the work whatever color you select and this economical, money-saving price remains the same.

We have suggested on page 9 some of the most effective color combinations. If you choose a dark color for the body of the home, a light color trim, perhaps white, will set it off in the most attractive style. And *vice versa*, a dark color trim harmonizes with a light colored body.

Consult your taste and your experience—select the colors you like best and the paint that you can depend on.

Order Coverall House Paint—be satisfied and save money on every gallon you buy.



Suggestions for Home Decorations



\$10.48 Paints This House
Two Full Coats of
Coverall House Paint




\$9.63 Paints This House
Two Full Coats of
Coverall House Paint



\$12.92 Paints This House
Two Full Coats of
Coverall House Paint



\$9.94 Paints This House
Two Full Coats of
Coverall House Paint



\$20.11 Paints This House
Two Full Coats of
Coverall House Paint



\$14.46 Paints This House
Two Full Coats of
Coverall House Paint

We Have the Right Pa



NO matter what kind of paint you need—we have it. We make a complete line of paints in our own Paint Factory and supervise every step in the process of their manufacture. You are sure when buying our paints of getting superior quality, uniformity and maximum covering capacity.

Use this book as your guide in purchasing paints for every purpose and after you have sent in your order, if you do not care to retain the book for further reference, please give it to some friend or neighbor who may be interested in the high quality and low cost of our paints.

Montgomery Ward & Co.
Satisfaction Guaranteed or Your Money Back

CHICAGO

Montgomery Ward & Co.

Paints for Every Purpose



Paint Colors Used in Above Illustration—House: *Body*, No. 32 Light Slate Coverall House Paint; *Trim*, No. 36 Deep Drab Coverall House Paint; *Roof*, No. 512 Red Shingle Stain. Garage: Same as house. Poultry House: No. 160 Lead Color Coverall Barn Paint. Barn: *Body*, No. 157 Red Coverall Barn Paint; *Trim*, No. 11 Outside Gloss White Coverall House Paint; *Roof*, No. 511 Dark Green Shingle Stain. Silo: No. 105 Gray Concrete and Cement Coating. Hog House: No. 160 Lead Color Coverall Barn Paint (other outbuildings same colors as barn). Wagon: No. 172 Yellow Wagon and Implement Paint. Fence and Windmill Tower: Maroon color Heavy Roof and Fence Paint.

GO


New York Chicago Kansas City

Fort Worth Portland

Montgomery Ward & Co.

Cup Greases that Reduce Friction. See Page 56


Suggestions for New Interiors




\$8.70 Decorates Walls, Ceiling and Woodwork in the Colors and Finish Shown



\$4.62 Decorates Walls, Ceiling and Woodwork in the Colors and Finish Shown



\$7.20 Decorates Walls, Ceiling and Woodwork in the Colors and Finish Shown



\$4.60 Decorates Walls, Ceiling and Woodwork in the Colors and Finish Shown



\$9.10 Decorates Walls, Ceiling and Woodwork in the Colors and Finish Shown



\$6.80 Decorates Walls, Ceiling and Woodwork in the Colors and Finish Shown

Do Your Own Decorating and Save Money

Your home reflects your personality, and your good taste expresses itself nowhere so quickly or so surely as in the matter of decoration.

On the opposite page we show some simple but effective color schemes for your consideration, a living room, dining room, reception hall, bedroom, kitchen and bath are each shown in appropriate colors.

The price for decorating is also given. This price does not include the cost of staining the furniture.

You make a double saving if you do your own decorating. Decorating, like all other painting, is not so much a matter of skill as of common sense combined with good taste, and by following the simple instructions on pages 2 to 6 you should have no trouble in producing a fine, clean job.

Colors used in the rooms are as follows:

Living Room

Sidewall: 124 Golden Brown Flat Wall Finish. Ceiling: 123 Light Tan Flat Wall Finish. Furniture and Woodwork: 185 Light Oak Co-Var Finish. Floor: 187 Antique Oak Co-Var Finish.

Dining Room

Woodwork, Furniture and Ceiling Beams: No. 187 Antique Oak Co-Var Finish. Floor: No. 185 Light Oak Co-Var Finish. Sidewall: Above plate rail finished with Willow Green Flat Wall Finish. Ceiling: Buff Flat Wall Finish.

Reception Hall

Sidewall: 130 Maple Green Flat Wall Finish. Ceiling: 129 Willow Green Flat Wall Finish. Furniture and Woodwork: 187 Antique Oak Co-Var Finish. Floor: 188 Walnut Co-Var Finish.

Bed Room

Sidewall: 254 Alice Blue Wardway Kalsomine. Ceiling: 211 Pale Blue Kalsomine. Furniture and Woodwork: White. Door: 185 Mahogany Co-Var. Floor: 186 Rosewood Co-Var Finish.

Bath Room

Tiling: 175 Sky Blue Liquid Enamel. Above: Towerlite White Enamel. Woodwork: 171 Ivory Liquid Enamel.

Kitchen

Sidewall and Ceiling: 177 Silver Gray Liquid Enamel. Woodwork: 55 Lead Color Coverall House Paint. Floor: 151 Slate.

The above colors are very popular shades—and are to be found in many of the most attractive homes.

But select colors to suit your own individual tastes. Turn to page 42 and see for yourself the beautiful colors of Flat Wall Finish, Liquid Enamels, and Co-Var Finish. And also page 44 for the six handsome Kalsomine Colors.

Examine the color chips on pages 9, 11, 21, 42 and 44. These are actual samples of the actual paint.

Find color combinations to suit your own taste and please your own fancy. The light walls take dark stencils and fresco colors and on the contrary, dark walls need light colors in the trim. Turn to page 9, for instance, and examine the color chips given of Coverall Barn Paint. At the side of each chip is shown the numbers of other colors whose shades harmonize and which are suitable for pretty combinations.

Notice the colors of Flat Wall Finish, Wardway Kalsomine, Co-Var Finish and others as shown on pages 42 and 44. Consult with your family. Select the shade you like best and send us your order to insure perfect satisfaction.



Towerlite, The Porcelain White Enamel.

Towerlite

Towerlite is Attractive

No finish is more pleasing than a Pure White Porcelain Enamel. Its attractiveness and beauty never tire one. White is an emblem of purity, and any room done in snow white enamel gives one a feeling of absolute cleanliness. A parlor or living room in which the woodwork and furniture are finished with **Towerlite**, and the draperies, floor coverings and upholstery in a dainty shade (and most any shade harmonizes with white) presents an extremely rich appearance that cannot be accomplished with any other treatment. This, you may say, applies to any white. Not so. The porcelain-like texture of **Towerlite** gives that pleasing effect that is entirely absent in nearly all white finishes. Try a can of **Towerlite** and you will be convinced. Because of its smooth, glossy finish it is also easily kept clean, thus being thoroughly sanitary. Because of this quality, **Towerlite** is used extensively in hospitals and public buildings. It is also the ideal finish for bath-rooms, kitchens, and other rooms.

Needs a Good Foundation

If the furniture or woodwork to which you wish to apply **Towerlite** is not now painted white, you should, in order to secure the best results, sand down the surface (the smoother the better) and apply one or more coats of No. 10½ Inside Flat White Coverall House Paint. In other words, the surface should be thoroughly white, and in any event it is best to put on one coat of this flat white to safeguard against any coloring matter in the paint now on coming up through the enamel coat. The better the foundation, the better the finish you will get with **Towerlite**.

If the surface to be finished is plastered walls that have been painted before, wash the surface clean with warm water to which you have added a little ammonia. Then after the plaster surface is dry, sandpaper smooth with No. 00 sandpaper and dust off the loose particles. Now apply two or three coats of Inside Flat White Coverall House Paint and after dry, sand lightly with No. 00 sandpaper and apply **Towerlite**.

Goes a Long Way

One gallon Coverall Flat White will cover about 350 square feet, two coats, and a gallon of **Towerlite** will cover from 200 to 250 square feet, two coats. For applying **Towerlite** use our varnish brush No. 75W618, and for the flat white we recommend Rubberset Brush No. 75W627. If you have only a small job, such as a few pieces of furniture, we suggest our Fitch Brush No. 75W658.

If you wish to enamel surfaces, either wood or plaster, that have not been painted before, treat the wood with a priming coat of Inside White Coverall to which you have added about a half pint of turpentine; but the plastered wall should first be coated with our Fresco Wall size No. 75W7836. Then follow with two coats of Inside Flat White Coverall, as hereinbefore described.

75W8432—½-Pint can. Shipping weight, 1½ pounds. Per can..\$0.28
75W8433—1-Pint can. Shipping weight, 2¼ pounds. Per can..\$0.50
75W8434—1-Quart can. Shipping weight, 4¼ pounds. Per can..\$0.90
75W8435—½-Gallon can. Shipping weight, 10 pounds. Per can..\$1.68
75W8436—1-Gallon can. Shipping weight, 15½ pounds. Per can..\$3.20

Towerlite White Undercoat


To obtain the proper foundation for best results with white enamel, a first-class undercoat should be used.

Towerlite Undercoat is prepared especially to produce the right surface for the finishing coat of Towerlite White Enamel.

In preparing the surface for White Enameling, first see that the surface is perfectly clean. If it now has a varnished coat, either remove the varnish with varnish remover, or sand off the gloss of the varnish with sand paper, then apply two or more coats of Towerlite Undercoat, allowing ample time between coats for drying. Just before adding each coat, sand the surface with No. 00 sand paper. After the surface to be enameled is covered with a sufficient number of coats of Towerlite Undercoat to give a perfectly white surface, then apply two coats of Towerlite White Enamel. This will give an excellent finish.

Towerlite Undercoat is also admirably adapted for a flat white finish on walls, woodwork or furniture.

75W8472—1-pint can. Shipping weight, 2¼ pounds. Per can.....\$0.30
75W8473—1-quart can. Shipping weight, 4¼ pounds. Per can..... .55
75W8474—½-gallon can. Shipping weight, 10 pounds. Per can..... 1.00
75W8475—1-gallon can. Shipping weight, 15½ pounds. Per can..... 1.90



Co-Var Finish Makes old Woodwork Look New

CO-VAR-FINISH colors any old or new wood-work or furniture to look like the more expensive woods—mahogany, rosewood, walnut, etc. It is not necessary to remove the old finish, simply see that the surface is dry, clean and smooth. Co-Var may also be used on linoleum and oilcloth.

If some of your furniture has lost its finish or is not in harmony with the surroundings, apply a little Co-Var-Finish. You can make furniture look like new. You can change it to any color to match your carpets and curtain hangings.

Applied with a varnish brush—spreads smoothly and dries over night with a glossy finish, hard as rock; won't soften, chip or flake. If you wish to change the finish from dark to a lighter shade, first apply a coat of ground color, and after that the oak, mahogany, or other finish that you wish.

Colors

183—Cherry	185—Light Oak	187—Antique Oak	188½—Ground Color
184—Mahogany	186—Rosewood	188—Walnut	189—Clear or Natural
	186½—Leaf Green		

State color wanted.

	Per Can
75W8110—Pint can. Shipping weight, 2½ pounds.....	\$0.32
75W8111—Quart can. Shipping weight, 4 pounds.....	:57
75W8112—Half Gallon can. Shipping weight, 7 pounds.....	1.00
75W8113—Gallon can. Shipping weight, 11½ pounds.....	1.90


How to Use Co-Var-Finish

(Colored Varnish)

This finish stands at the head, not only for refinishing, but also for new work, whether it be woodwork or furniture.

For new floors or woodwork, if the wood is open-grained like oak or ash, fill first with our Paste Filler; then, after allowing 24 hours to dry, apply two coats of Co-Var-Finish, any color you wish. But if you wish to retain the natural color of the wood, use natural Co-Var-Finish. Be sure to allow at least 48 hours between coats. Close-grained woods like maple, cherry, birch or mahogany require no filler. Just apply the two coats of Co-Var-Finish as above explained.

For old floors or woodwork, if in fairly good condition, touch up the bare spots, then apply the Co-Var-Finish. If in bad condition, or discolored, or if you wish to apply a lighter color, apply first a coat of Co-Var-Finish ground color; then apply the desired color of Co-Var-Finish. For finishing furniture, see that the surface is clean and dry, then sandpaper all rough spots. If some places are badly worn, touch up those places first, then apply Co-Var-Finish.



Varnishes that Give Real Service

Floor Varnishes

Marproof Floor Varnish

Water won't hurt floors treated with Marproof. Marproof Varnish makes your floor heel-proof, mar-proof, and positively water-proof. It withstands repeated washings, and gives a tough, durable and elastic finish. Can be rubbed for dull finish.

Marproof is equal, if not superior in quality, to advertised brands sold by other dealers at higher prices. Our price, \$2.02.

75W8640—Pint can	\$0.35
75W8641—Quart can62
75W8642—1/2-gallon can	1.12
75W8643—1-gallon can	2.02
175W8644—5-gallon can	9.55

Superior Durable Floor Varnish

This varnish has splendid wearing qualities, holds its original gloss exceptionally well, is easily applied, and dries hard over night.

It has a very good body as well as a high gloss—qualities that are necessary in a good floor varnish.

Varnishes no better than this Durable Floor Varnish are frequently offered by others at double our price.

75W8900—Pint can	\$0.27
75W8901—Quart can47
75W8902—1/2-Gallon can83
75W8903—1-Gallon can	1.45
175W8904—5-Gallon can	6.75

Our Old Reliable Diamond Floor Varnish

This varnish has been sold by us for years.

Repeated orders from those who have used it is the best evidence of the satisfaction it is giving. Diamond "W" Floor Varnish dries over night with a full rich luster which can be rubbed to a dull finish if desired. It is exceedingly tough, will not mar or scratch, and is not affected by water.

75W8645—Pint can	\$0.31
75W8646—Quart can53
75W8647—1/2-gallon can95
75W8648—1-gallon can	1.80
175W8649—5-gallon can	8.50

Linoleum Varnish

A high-grade, easy-flowing elastic and durable Varnish. For linoleum or floor oilcloth. It greatly improves the life and preserves the pattern and appearance of linoleum. It makes old linoleum and oilcloth look like new. Dries dust-proof in eight hours. Floors can be used in twenty-four hours.

75W8650—Pint can	\$0.30
75W8651—Quart can50
75W8652—1/2-Gallon can88
75W8653—1-Gallon can	1.65

Varnishes for General Use

Extra Light Copal Varnish

An exceptionally good varnish that is equally serviceable for interior varnishing for furniture, woodwork or floors. It is tough and hard, will not easily mar or scratch and is remarkable for durability. Dries dust-proof in from six to eight hours.

75W8605—Pint can	\$0.30
75W8606—Quart can53
75W8607—1/2-Gallon can97
75W8608—1-gallon can	1.75
175W8609—5-Gallon can	8.25

One gallon of our varnish will cover about 600 square feet of surface on oak or about 400 square feet on pine, one coat.

Shipping weight of varnish: 11 pounds per gallon; 7½ pounds per half gallon; 4 pounds per quart; 2½ pounds per pint.

Exterior Spar Varnish

A durable, hard-drying, full bodied varnish. For exterior work, front doors, vestibules, store fronts, window casings, porch ceilings, etc. This varnish is made from the very best gums and oils, and will not check, crack or turn white when exposed to the weather. Dries dust-proof in 8 hours, and hard in 36 to 48 hours.

75W8600—Pint can	\$0.35
75W8601—Quart can64
75W8602—1/2-Gallon can	1.18
75W8603—1-Gallon can	2.10
175W8604—5-Gallon can	10.00

Furniture Varnish

No. 1 Furniture Varnish

For all kinds of furniture, tables, and chair work. It produces a hard and brilliant surface, and will not crack or lose its gloss. Dries in 24 hours.

75W8670—Pint can. For	\$0.24
75W8671—Quart can. For43
75W8672—1/2-Gallon can. For75
75W8673—1-Gallon can. For	1.30
175W8674—5 Gallon can. For	6.00

Cabinet Finish Varnish

A Chair, Church or School Seat Varnish.

A high-grade, extremely hard-drying and durable Varnish. For fine furniture, table tops, and cabinet work. Used for rubbing and polishing. Also for church pews and school seat. Dries hard, and will not stick. Dries dust-proof in six to eight hours. Can be rubbed in forty-eight hours.

75W8665—Pint can	\$0.33
75W8666—Quart can60
75W8667—1/2-Gallon can	1.10
75W8668—1-Gallon can	1.95
175W8669—5-Gallon can	9.25

Special Furniture Varnish

For a quick drying high gloss finish, this varnish is exceptionally good. It will brighten up scarred and worn furniture at very little cost. Spreads easily and will dry very nicely.

75W8685—1-pint can	\$0.23
75W8686—1-quart can38
75W8687—1/2-gallon can63
75W8688—1-gallon can98
75W8689—5-gallon can	4.50

For Automobile,
Carriage,
Wagon and
Implement
Varnishes

See Page 35



Here is an Opportunity to Effect a Big Saving

Interior Varnishes

Interior Spar Varnish

A full bodied, easy-flowing, and durable varnish for interior work. This varnish, in color, flowing, and durability, is similar and equal to varnishes sold for much more. Dries dust-proof in six to eight hours, and can be rubbed in forty-eight hours. Our price, per gallon (1 gallon cans), \$1.90.

75W8615—Pint can	\$.032
75W8618—Quart can	.58
75W8617—1/2-Gallon can	1.05
75W8818—1-Gallon can	1.90
175W8819—5-Gallon can	9.00

Miro-Lite Interior Finish

For interior work there is no better varnish made than Miro-Lite. It is a pale, brilliant, easy-flowing varnish, that preserves and develops the natural beauty of different kinds of woods to the best possible advantage. It is not affected by either hot or cold water, and will not crack, blister or turn white. Can be rubbed and polished, and is exceedingly durable. Dries dust-proof in six to eight hours, and can be rubbed in forty-eight hours. Very fine.

75W8610—Pint can	\$.035
75W8611—Quart can	.60
75W8612—1/2-Gallon can	1.10
75W8613—1-Gallon can	1.90
175W8614—5-Gallon can	9.25

Batavia Damar Varnish

An exceptionally beautiful pale, Trans-pare Varnish. Made from high-grade Batavia Damar Gum. For use in white enamel paint or over light colored paint or wall paper. Brilliant and full bodied. It flows and works well. Dries dust-proof in 6 to 8 hours, and hard in 36 hours.

75W8660—Pint can	\$.028
75W8661—Quart can	.50
75W8662—1/2-Gallon can	.94
75W8663—1-Gallon can	1.65
175W8664—5-Gallon can	7.75

Extra Light Coach Varnish

A full-bodied, pale and durable varnish for interior work, finishing with a high, rich gloss, which can be rubbed and polished. A very satisfactory varnish for one-coat work. For use over grained work it is unsurpassed. It works freely, dries free from dust in 6 to 8 hours, and hard in 24 hours. A varnish that usually retails for considerable more.

75W8820—Pint can	\$.028
75W8821—Quart can	.48
75W8822—1/2-Gallon can	.87
75W8823—1-Gallon can	1.60
175W8824—5-Gallon can	7.50

Extra Hard-Oil Varnish

A good, medium-priced varnish. For interior finish of natural woods. It works freely, dries quickly, and gives a full rich lustre. This is a very satisfactory varnish and should not be confused with cheap and inferior varnishes sold by others under this same name.

75W8625—Pint can	\$.025
75W8626—Quart can	.45
75W8627—1/2-Gallon can	.86
75W8628—1-Gallon can	1.40
175W8629—5-Gallon can	6.50

Rubbed Finish Varnish

Rubbed Finish Varnish, when applied over a varnished surface, produces the effect of a rubbed varnish, without the expense of rubbing down a gloss coat. It is a superior article, and produces a finish that is soft, pleasing, and durable. Will not mar or scratch white. Is entirely free from wax, dries in 24 hours, and should be used like regular varnish.

75W8655—Pint can	\$.038
75W8656—Quart can	.63
75W8657—1/2-Gallon can	1.20
75W8658—1-Gallon can	2.25
175W8659—5-Gallon can	10.75

No. 1 Coach Varnish

A quick-drying-heavy bodied Varnish. For interior work. Dries with a good lustre. Is satisfactory for ordinary work, where cost is a consideration.

75W8630—Pint can	\$.024
75W8631—Quart can	.38
75W8632—1/2-Gallon can	.87
75W8633—1-Gallon can	1.20
175W8634—5-Gallon can	5.50

Index Hard-Oil Varnish

A satisfactory varnish for ordinary interior work, where an inexpensive job is desired. It dries quickly and gives a good gloss.

75W8635—Pint can	\$.022
75W8636—Quart can	.35
75W8637—1/2-Gallon can	.65
75W8638—1-Gallon can	1.10
175W8639—5-Gallon can	4.75

Our new Varnish Plant—shown on page 1, in connection with our new Paint and Oil Plants—will save you money on all kinds of varnishes and finishes.

We will continue the same high quality of these products, and will also be in position to sell them to you at straight factory cost with the small addition of just our own profit. All other profits are eliminated and in buying from us you purchase at practically wholesale prices, or better.

The varnishes shown on this page are bargains for you.

Reliable Glues

Superior Liquid Glue

An unusually strong and tenacious glue, prepared ready to use. There is no disagreeable odor. Will not sour or mould.

76W8580—Ounce bottle. Ship. wt., 5 oz.	8c
75W8581—1/2-pint cans. Ship. wt., 1 1/4 lbs.	19c
75W8582—Pint cans. Ship. wt., 1 1/2 lbs.	30c
75W8583—Quart cans. Ship. wt., 3 1/4 lbs.	55c

Glue—Flake and Ground

Ground and Amber do well for most purposes. White Cabinet is a pure white glue. Superior Flake is intended for finest furniture work. Transparent Flake is a pure white translucent glue. For shipping weight, figure three ounces more to each pound.

75W8560—Ground Glue. Per lb.	23c
175W8561—Ground Glue. 100-lb. keg	22c
175W8562—Ground Glue. 200-lb. bbl.	21c
75W8563—Amber Flake. Per lb.	25c
175W8564—Amber Flake. 100-lb. keg	24c

176W8565—Amber Flake. 200-lb. bbl.	23c
75W8566—White Cabinet Flake. 5-lb. pkg.	28c
75W8567—White Cabinet Flake. 50-pound keg	27c
175W8568—White Cabinet Flake. 50-pound keg	26c
175W8569—White Cabinet Flake Glue. 100-pound keg	25c
75W8570—Superior Flake Glue. 100-pound keg	38c
175W8571—Superior Flake. 100-pound keg	37c
175W8572—Superior Flake. 200-pound barrel	36c
75W8573—Transparent Flake Glue. 5-lb. pkg.	39c
75W8574—Transparent Flake. 5-lb. pkg.	38c
175W8575—Transparent Flake. 50-pound keg	37c
175W8576—Carpenter's Ribbon Glue. 5-lb. pkg.	30c
75W8577—Carpenter's Ribbon Glue. 5-pound package	29c

Glue Pots

Double Glue Pots with an inner vessel porcelain-enamel lining. Used extensively by cabinet makers.

75W784—1/2-pint. Ship. wt., 4 lbs.	37c
75W785—1-pint. Ship. wt., 6 lbs.	43c
75W786—1-quart. Ship. wt., 9 lbs.	55c



Big Values in Floor Finishes and Fillers

Crack and Crevice Filler

A specially prepared, hard-drying, non-shrinkable, elastic compound for filling cracks and crevices in floors, woodwork and furniture before applying paint or varnish. Also adapted for smoothing rough places. It is easily applied, and gives permanent satisfaction. Does not shrink or crumble and dries hard in 24 hours. Clean out cracks or crevices thoroughly before using filler.

75W8228—1 pound cans. Per can.....12c
75W8229—5-pound cans. Per can.....55c

Sand Paper

85W2400—Extra Quality Flint or Sand Paper. Tough and satisfactory. The No. 00 is the finest. Size of sheets, 9x11 inches. Shipping weights, per quire, 1 to 3 pounds. Give number.

	Half Ream (240 sheets)	Quire (24 sheets)
Grit No. 00.....	\$1.75	\$0.18
Grit No. 0.....	1.75	.18
Grit No. 1.....	1.75	.18
Grit No. 1 1/2.....	1.95	.20
Grit No. 2.....	2.10	.22
Grit No. 2 1/2.....	2.20	.23
Grit No. 3.....	2.35	.24
Grit No. 3.....	2.75	.28

Sand Paper and Emery Cloth


85W2402—An assorted package of best flint sand paper and emery cloth. Ten sheets in all. Weight, 10 ounces. Per package.....17c

Emery Cloth

85W2405—Extra Quality Emery Cloth. Durable and rapid cutting. Weights range 1 1/2 to 3 pounds per quire. Size of sheets, 9x11 inches. (Give number.)

	Quire (24 sheets)	Per Sheet
Grit No. 00.....	80c	4c
Grit No. 0.....	80c	4c
Grit No. 1.....	80c	4c
Grit No. 1 1/2.....	85c	4c
Grit No. 2.....	90c	5c
Grit No. 2 1/2.....	1.00	6c
Grit No. 3.....	1.10	6c


Graining Tools and Colors



Rubber Graining Rollers

The set comprises three rollers, each, length, 5 inches, diameter, 1 1/2 inches. One of the corrugated rollers to imitate any straight grain of wood, another to imitate quarter-sawn oak, the third takes the place of the graining combs. With these three rollers you can do any kind of graining without the use of other tools. Shipping weight, per set, 15 ounces.

75W756—Rubber Graining Rollers. Per set.....94c
Extra long Rubber Graining Roller, like A in above illustration. Length, 8 inches, diameter, 1 1/2 inches. Used for graining wide panels. Shipping weight, 8 ounces.
75W753—Each.....70c



Check Graining Roller

Double Line Check Graining Roller, used for producing the oak overgrain after the band or rubber roller graining is done. Shipping weight, 8 ounces.

75W751—Each.....50c

Graining Colors in Oil

In paste form. Are prepared for use by mixing to the consistency of paint, or a little heavier, with one part boiled linseed oil and two parts turpentine. Put up in 1 and 5 pound cans. Colors are mahogany, cherry, walnut, light oak, and dark oak. State color wanted.

75W8015—1-pound cans. Per can.....12c
75W8016—5-pound cans. Per can.....57c

Magic Handle Grainer

For graining floors, wainscoting, etc. No experience necessary. You rock the roller at the same time you slide it along. Every change or movement of the hand makes a different grain. Shipping weight, 7 ounces.

75W752—Each.....27c



Re-Nu-Wall Cleaner

A splendid preparation for cleaning wall paper, window shades or calcined walls. Does not injure hands or surface where used. Weight, per package 15 ounces.

75W856—Price, per package.....\$0.10
Per dozen packages.....1.00

New Home Grainer

75W750—One steel graining comb and two rubber graining rollers will produce any imitation of woods. Length, rollers, 5 inches. One roller produces heart-shape wood grain, the other is a blender, and the steel comb produces the fine grains of woods. Shipping weight, 8 ounces.

The entire set with instructions, for.....67c



English Blued Steel Graining Combs

75W748—In 12 assorted sizes. Packed in tin compartment case. Shipping weight, 12 ounces.

Per set.....85c

75W749—English Steel Graining Comb. Width, 3 inches. For producing fine grains of wood. Shipping weight, 2 ounces. Each.....10c

Graining Compound

A liquid preparation in which graining is done. Put up in cans ready for use. Stir thoroughly before using. Apply with a brush thinly and evenly over the surface, then use the graining tools immediately while the coating is still fresh. One pint covers about 100 square feet of surface. Shipping weight, 3 pounds.

75W8440—1 Pint Can.....25c

Painters' Outfit No. 1



75W743—A good assortment of brushes and accessories for house or barn painting. Extra good quality.

Outfit consists of:

- 1 Flat chiseled sash brush. Black China bristles. Width, 3/4 inch. Length of bristles 1 1/2 inches.
- 1 Flat chiseled sash brush. Black China bristles. Width, 1 inch. Length of bristles, 1 1/2 inches.
- 1 Rubberset paint brush. Black China bristles. Width, 3 1/2 inches. Length of bristles, 2 1/2 inches.
- 1 Black China bristle paint brush. Width, 3 inches. Length of bristles, 2 1/2 inches.
- 1 Paint pot hook. Steel, tin coated.
- 1 Paint paddle. Malleable iron.
- 1 Extra quality steel blade putty knife.
- 4 Pounds pure putty.

Shipping weight, 6 pounds.
Outfit complete.....\$1.39

Ready-to-Use Graining Outfit



Experience unnecessary. Easy to use and inexpensive. Anyone can make old, dark, dirt-stained floors or woodwork of any kind look like new, up-to-date hardwood finish at a very small cost. Full directions with this outfit. Outfit as follows:

- 1 Quart Co-Var-Finish, Ground color.....\$0.57
- 1 Pint Graining Compound, Oak.....25
- 1 Quart Co-Var-Finish, Natural, Gloss Finish.....
- 1 Three-inch Grainer and Steel Comb.....57
- 1 One and a half-inch Brush. For graining compound.....37
- 1 Two and a half-inch Brush. For ground color finishing coat.....20
- 75W8438—Graining Outfit. Total cost.....35

Our price for this outfit.....\$2.31
Shipping weight for outfit, 16 pounds. 2.00



Auto and Carriage Varnishes and Finishes

Maid o' the Mist (Vapor Polish)

For automobiles, furniture, woodwork, floors. Spray on and wipe off quickly. Produces brilliant, lasting polish that benefits finest finishes. Prevents dust rising from cement or composition floors. Brightens and preserves linoleum and leather. Delicately fragrant and purifies air from germs, smoke and dust. Saves two-thirds the time, labor and cost of cleaning and polishing.

75W8769— $\frac{1}{2}$ -pint can.	
Shipping weight, 3 pounds.....	\$0.75
75W8770—Quart can.	
Shipping weight, 4 pounds.....	1.20
75W8771— $\frac{1}{2}$ -gallon can.	
Shipping weight, 7 pounds.....	1.95
75W8772—1-gallon can.	
Shipping weight, 12 pounds.....	2.85
175W8773—5-gallon can.	
Shipping weight, 60 pounds.....	11.00
Atomizer included with each can.	

Auto and Carriage Varnish

Very transparent finishing varnish, for use on carriages or automobiles. It spreads easily, has great brilliancy and is very durable. It dries free from dust in about twelve hours, and is hard enough for use in from two to three days. This varnish is adapted for the very finest work. It is pale and will not darken or discolor the daintiest shades or striping beneath.

75W8690—Pint can	\$0.45
75W8691—Quart can85
75W8692—Half Gallon can.	1.55
Shipping weight, per gallon, 11 pounds.	

Quick Rubbing Carriage Varnish

A hard-drying varnish for use where a first-class rubbed finish is desired. Dries hard enough to rub in 48 hours. Will not sweat or crack.

75W8706—Pint can. Weight, 2 $\frac{1}{4}$ pounds. For.....	\$0.40
75W8707—Quart can. Weight, 4 pounds. For.....	.70
75W8708— $\frac{1}{2}$ -gallon can. Weight, 7 $\frac{1}{4}$ pounds. For.....	1.30

Auto Top Dressing

A superior Dressing for Waterproofing, and preserving carriage and automobile tops. It positively will not harden the leather. It dries quickly.

75W8710—Pint can. Weight, 2 pounds. Per can.....	.35c
75W8711—Quart can. Weight, 3 pounds. Per can.....	.60c

Wagon or Implement Varnish

A light colored, full drying, brilliant Varnish, especially recommended for farm wagons, agricultural implements and machinery. Has a good body, mixes readily with any color, sets dust-free in from 5 to 6 hours and is hard in about 36 hours. Well adapted for outdoor exposure.

75W8702—Pint can. Weight, 2 $\frac{1}{2}$ pounds. For.....	28c
75W8703—Quart can. Weight, 4 pounds. For.....	52c
75W8704— $\frac{1}{2}$ -Gallon can. Weight, 7 $\frac{1}{2}$ pounds. For.....	.98c

Elastic Gear Varnish

For finishing gears or similar work. It flows freely and is very brilliant and durable. Dries dust-free in from eight to ten hours, and hard in from three to four days. This varnish may also be used for finishing bodies, where the very best finish is not required.

75W8694—Pint can	\$0.42
75W8695—Quart can80
75W8696—Half Gallon can.....	1.50
Shipping weight, per gallon, 11 pounds.	

TRADE MARK
Wardway

Automobile Wax

A cleaner and polisher that is superior to anything we have ever seen. It imparts a dry, hard, clear and shining surface which gives the rich, sparkling appearance of a new car. Will not catch dust, resists all weather and road conditions.

This cleaner and polisher is made expressly for highly polished finishes. Contains no acids or injurious ingredients that scratch the finish. Easily and quickly applied. Once a week is enough for weeks. Applied to new cars it protects the finish, but for dull, stained, or dead finish on old cars it is a miracle. The cleaner cleans the surface perfectly and the wax puts on a very high polish. Try it and you will never be without it.

75W8245—12-ounce can Cleaner	45c
75W8246—10-ounce can Wax	45c

Automobile Finishing Outfits

With this outfit you can make your car look like brand new. Anyone can do a very good job of refinishing his automobile by following the directions that accompany this outfit.

The paint and varnish as well as the brushes and other materials are carefully selected and are the best grade that will insure the most durable finish. Will give your car a high gloss that is waterproof and lasting.

Outfit consists of:
 $\frac{1}{2}$ gallon Automobile Paint.
 1 pound No. 1 Steel Wool.
 1 pound Cotton Waste.
 1 package Steel Shavings.
 1 pint Auto Top Dressing.
 1 $\frac{1}{2}$ -inch Fitch Flowing Brush.
 2 $\frac{1}{2}$ -inch Oval Varnish Brush.
 3 $\frac{1}{2}$ -inch Rubberset Varnish Brush.

75W8050—Outfit for painting car Black.	
75W8051—Outfit for painting car Maroon.	
75W8052—Outfit for painting car Deep Blue.	
75W8053—Outfit for painting car Deep Green.	
75W8054—Outfit for painting car Medium Gray.	
Price, complete	\$4.00
Shipping weight, per outfit, about 16 pounds.	



Waxes and Polishes at Specially Low Prices

O-So-Ezy Cedar Oil Polish

The perfect polish for automobiles, furniture, hardwood, parquet, stained and all varnished floors, linoleums, etc. Protects rugs against moths.

	Shipping weight Pounds	
75W8760—½-pint can	1	\$0.22
75W8761—1-pint can	1½	.45
75W8762—1-quart can	4	.90
75W8763—½-gallon can	7	1.35
75W8764—1-gallon can	11½	2.25
75W8767—Ezy Slip-on Polish Mop.		
Shipping weight, 4 pounds69
75W8768—O-SO-EZY Self Feeding Polish Mop. Shipping weight, 4 pounds.....		.95c



Brings out the bright gloss of the original polish. Also preserves the wood. Will not injure the finest finish—you are safe in using it on your piano, furniture, floors or automobile. Easy to apply. **No shaking required.** Cleans as well as polishes. Does not injure the hands or clothing. Try it and you will never be without it.

(Sixteen, **not** six ounces.)

75W8750—Pint, lithographed can20c
Shipping weight, about 2 pounds.

Wardway Cedar Oil Compound

For use on dustless mops and dust cloths. Cleans as well as polishes all painted or varnished surfaces, such as floors, furniture, pianos and woodwork.

Keeps moths away from rugs and upholstery. Disinfects. It has a pleasing odor. Used on automobiles it produces a high gloss to which dust and mud does not adhere readily.

Restores leather to its original luster and flexibility.

A piece of cheesecloth rung out of this oil and hung up to dry makes an excellent dustless cloth.

75W8780—½-pint can.	
Shipping weight, 1 pound.....	\$0.20
75W8781—1-pint can.	
Shipping weight, 1¼ pounds.....	.32
75W8782—1-quart can.	
Shipping weight, 4 pounds.....	.58
75W8783—½-gallon can.	
Shipping weight, 7 pounds.....	1.10
75W8784—1-gallon can.	
Shipping weight, 11½ pounds....	1.98
75W8767—Ezy Slip-On Polish Mop. Shipping weight, 4 pounds.	.69
75W8768—Self Feeding Polish Mop. Shipping weight, 4 pounds	.95

Automobile Oils

Where are you buying your automobile oils? Our complete line of automobile oils and greases are shown in the oil supplement pages 53 to 56 inclusive.

We have a large and complete oil plant in charge of an experienced oil expert and do all our own blending and compounding right on our own premises.

You can readily see the advantage in buying your oils and greases from us—not only on account of the assurance you have that you are getting the best quality products, thoroughly tried and tested, but also that you are obtaining them at money saving—FACTORY-TO-YOU PRICES.

Turn to the oil supplement in the back of the book and compare the prices shown with the prices you are paying now. You can be sure of perfect satisfaction.



Use **Thornward** Floor and Furniture Wax

Thornward
TRADE MARK REGISTERED

Floor and Furniture Wax

A high-grade wax for polishing furniture, pianos, floors, linoleum, woodwork or automobiles. Apply with a soft cloth; within a few minutes rub to a polish. On the floor or linoleum a weighted floor brush may be used. One pound sufficient for about 250 square feet, one coat. Dries hard. Does not mar or scratch.

75W8235—1-pound cans. Price.....25c
75W8236—4-pound cans. Price.....90c

Waxelite

For Floors, Furniture or Woodwork

A liquid-wax preparation for floors, furniture or woodwork; also for oilcloth or linoleum. When used on maple, it preserves the whiteness of the wood. Apply with a cloth. Dries quickly. When dry, polish with a cloth. One gallon is sufficient for 600 square feet, one coat.

75W8250—Pint cans. Price.....\$0.26
75W8251—Quart cans. Price......42
75W8252—Half-gallon cans. Price... .75
75W8253—Gallon cans. Price..... 1.40

Shipping weight, per gallon, 15 pounds.

Linoleum Reviver


Transparent Varnish—harmless. Revives linoleum and floor oilcloth brightens it, renews it, preserves pattern and colors—makes linoleum last longer. Easy to apply and dries quickly, giving a smooth, glossy finish.

A quart covers about 170 square feet.

75W8755 — 1-pint can. Shipping weight, about 1½ pounds.....25c

75W8756 — 1-quart can. Shipping weight, about 2 pounds45c

Weighted Floor Brush



Used for waxing and polishing floors and linoleum. Iron parts in aluminum finish. Corners and sides protected to prevent marring woodwork. Brush set in solid block. Length of bristles, 7/8 inch. Fitted with a 4½-foot handle.

175W8270—15 pound. Family size, 4½x8½x3½ inches. Each\$1.25
175W8271—25 pound. Large size, 4½x9¾x4 inches. Each\$1.55

Dancing Floor Wax

In powdered form. The finest preparation for dancing floors. Easy to apply. Simply sprinkle lightly over the floor—the feet of the dancers will do the rest. Will not soil the most delicate fabric. Gives a finish to the floor more serviceable than that obtained from the average wax. Put up in 1-pound sprinkler top cans.

75W8242—Powdered Dancing Floor Wax. 1-pound cans. Per can...24c

101 Beautiful Patterns New and Artistic Wall Papers

This
Book
Free



All our Wall papers are sold in double rolls of 16 yards instead of the 8-yard single roll in which wall paper is usually sold. Our economy prices are based on double rolls only. Figure the saving you make buying wall paper this way.

One hundred and one beautiful patterns, all new and artistic wall papers. Send for our new 1917 Wall Paper Book, showing actual samples of these papers so that you may examine them carefully before buying. Also reproduced in full colors of beautiful combinations of sidewalls, borders and ceilings. Gives complete line of Paperhangers' Tools and Supplies as well as hints on "How to hang your own wall paper." Write for this book before you begin your Spring decorating—it will save you money.

Don't Delay—Send Today



Wood Finishes that Make Pretty Effects

Mission Art Finishes

Only for New Interior Finish and New Furniture

Penetrating one-coat Art Stains. Used on new work only. For floors, interior woodwork and furniture. Beautiful in tone and coloring. One gallon will stain from 700 to 1,000 square feet of surface. These stains stain evenly, penetrate thoroughly, and cover such large surface as to be economical. They do not mar, scratch, or rub, nor do they raise the grain of the wood. Knowledge of wood finishing, or previous experience, are not necessary.

Furnished in Golden Oak, Early English Oak, Old English Oak, Modern Weathered Oak, Fumed Oak, Forest Green Oak, Light Oak, Dark Oak, Walnut, Dark Mahogany.

State color wanted.

75W8130—1/2 pint cans.	Weight, 1 1/2 lbs.	Per can...	\$0.25
75W8131—1 pint cans.	Weight, 2 1/2 lbs.	Per can...	.45
75W8132—1 quart cans.	Weight, 4 1/2 lbs.	Per can...	.80
75W8133—1/2 gallon cans.	Weight, 6 1/2 lbs.	Per can...	1.45
75W8134—1 gallon cans.	Weight, 10 1/4 lbs.	Per can...	2.75

Varnish Stains

For Refinishing Furniture and Interior Woodwork

Varnish stain is especially adapted for refinishing woodwork or furniture that has been previously finished with paint, varnish or stains. It is also used on new work or soft wood, such as pine, where a rich gloss stained finish is desired. It stains and varnishes with one application, and dries hard with a fine lustre in from 8 to 12 hours.

One gallon will cover 400 square feet, one coat.

Colors: 183, Cherry; 184, Mahogany; 185, Light Oak; 186, Rosewood; 186 1/2, Leaf Green; 187, Antique Oak; 188, Walnut; 188 1/2, Ground Color.

For colors, see "Co-Var-Finish" colors on page 42.

State color wanted.

75W8120—1/2 pint can.	Weight, 1 1/2 pounds.	Each	\$0.16
75W8121—Pint can.	Weight, 2 1/2 pounds.	Each	.22
75W8122—Quart can.	Weight, 4 pounds.	Each	.40
75W8123—1/2 gallon can.	Weight, 7 1/2 lbs.	Each	.75
75W8124—1 gallon can.	Weight, 11 lbs.	Each	1.40

Oil Wood Stains

Use Only for New Woodwork and New Floors


These are high-class Oil Stains. Made by grinding permanent colors in pure linseed oil and turpentine. Put up in the same colors as "Co-Var-Finish," but are to be used on new woodwork only. A coat of varnish must be applied after the stain is dry to give a gloss finish. One quart will cover 100 square feet, one coat.

Colors: 183, Cherry; 184, Mahogany; 185, Light Oak; 186, Rosewood; 186 1/2, Leaf Green; 187, Antique Oak; 188, Walnut.

For colors, see "Co-Var-Finish" colors on Page 42.

75W8140—Pint cans.	Weight, 2 1/2 pounds.	Per can	\$0.22
75W8141—Quart cans.	Weight, 3 1/2 pounds.	Per can	.38
75W8142—1/2 gallon can.	Weight, 8 pounds.	Per can	.70
75W8143—1 gallon can.	Weight, 12 pounds.	Per can	1.30

Liquid Wood Filler



A perfectly transparent filler for filling the pores of soft or close-grained woods, preparatory to varnishing. Also used on hard woods over paste filler. Dries hard in about 36 hours, and leaves a hard, smooth surface for finishing. One gallon will fill the grain on about 500 square feet. Weight, about 12 pounds per gallon. Furnished in Natural, only.

75W8219—1/2 gallon can	\$0.32
75W8220—1 gallon cans60
175W8221—5 gallon cans	1.15
		5.50

Hardwood Paste Filler

For filling the pores of hard or open-grained woods, such as oak, ash, etc., preparatory to varnishing. Made in light, dark and golden oak. One 10-pound can will fill approximately 450 square feet. State color wanted.



75W8210—1-pound can.	Per can	\$0.07
75W8211—5-pound can.	Per can	.30
75W8212—10-pound can.	Per can	\$0.58
75W8213—25-pound can.	Per can	1.40

Paint and Varnish Remover

Our Paint and Varnish Remover is superior to old methods for removing old paint, varnish, shellac, filler or lacquer quickly. It is not injurious to the hands, and will not discolor or damage the wood. Anyone can use it. Try this article the next time you wish to remove old paint, varnish, etc.

75W7796—1 pint cans.	Weight, 2 1/2 pounds.	Per can....	\$0.32
75W7797—1 quart cans.	Weight, 4 pounds.	Per can....	.52
75W7798—1/2 gallon cans.	Weight, 7 1/2 pounds.	Per can..	.96
75W7799—1 gallon cans.	Weight, 11 pounds.	Per can...	1.80

Wire Brushes are very effective to use after applying Paint and Varnish Remover. See page 48

Gold Paint-Bronze and Enamels at a Big Saving

Bronze Powder, Dry Gold and Aluminum

These bronzes are finely ground, of good quality and durable. For use in gilding, decorating, sign work; for use on picture frames, radiators, steam pipes and other work. To prepare, mix with Banana Liquid, using about a pint of Liquid to 6 ounces of Gold Bronze, or 4 ounces of Aluminum Bronze. Apply with a soft hair or bronzing brush.

Light or Pale Gold Bronze Powder.

Light in color. A pure metal bronze.

75W8512—Half pound cans. For.....\$0.85
75W8513—1 pound cans. For.....1.50

Medium Gold Bronze Powder.

Medium in color. A fine quality.

75W8515—1 ounce package. For.....\$0.15
75W8516—Three 1-ounce packages. For......35
75W8517—Half pound cans. For......80
75W8518—1 pound cans. For.....1.45

Aluminum or Silver Powder—Extra Fine.

75W8520—1-ounce package. For.....\$0.15
75W8521—Three 1-ounce packages. For......35
75W8522—Half pound cans. For......80
75W8523—1 pound cans. For.....1.45

Bronzing Liquid

A good grade of bronzing liquid for mixing gold, aluminum and other bronze paint. For most purposes this liquid is as good as Banana Liquid.

75W8530—Pint Cans. Shipping weight, 2½ pounds.....20c
75W8531—Quart Cans. Shipping weight, 4 pounds.....35c

Banana Liquid

For mixing Gold, Aluminum and other Bronzes. This is a water-white Banana liquid. It produces a most durable and heat-resisting paint. It also gives that fine satin finish so much desired on ornaments and decorations. Do not use Banana Liquid for mixing where the paint is to be used over a varnished surface.

75W8533—Half Pint Cans. Shipping weight, 1 pound.....22c
75W8534—Pint Can. Shipping weight, 2½ pounds.....40c
75W8535—Quart Can. Shipping weight, 4 pounds.....76c

Bathtub Enamels

These enamels produce a hard, lustrous surface that will not chip or mar, and are not affected by hot or cold water. One pint is sufficient to give an ordinary bath tub two coats. Can be used for re-enameling iron bedsteads or any metal surfaces. Easy to apply. Comes ready for use. Be sure the article to be enameled is free from dirt and grease. Colors: Porcelain White, Old Ivory, Wild Rose or Green. State color wanted.

75W8160—½ pint cans. Shipping weight, 1½ pounds. Per can..26c
75W8161—Pint cans. Shipping weight, 2½ pounds. Per can..47c
75W8162—Quart cans. Shipping weight, 4½ pounds. Per can..85c

Stove Pipe Enamel

Especially adapted for stove pipes, grates, radiators, heating drums and hot or cold water pipes. Apply when the surface is cold. One coat gives a durable, elastic, black finish that will withstand intense heat. A pint can is sufficient to enamel six lengths of stove pipe.

75W8177—½ pint cans. Shipping weight, 1½ pounds. Per can..12c
75W8178—Pint cans. Shipping weight, 2½ pounds. Per can..26c
75W8179—Quart cans. Shipping weight, 4 pounds. Per can..35c

Sunset Paint Cleaner

Highly prized for cleaning woodwork or walls before repainting or varnishing. Contains no lye, potash, grease or oils. Is a pure chemical compound, an antiseptic, disinfectant and labor saver. Unsurpassed for washing cut glass, removing stains or grease spots from carpets or clothing, and for cleaning furniture, etc. Is odorless; does not injure the hands or finished surfaces. Full weight, 16 ounces. Excellent for cleaning paint brushes.

75W862—1-pound can15c
Two cans for.....25c

Gold and Aluminum Enamel Unmixed

Indispensable for home decoration or art work. May be used for all kinds of artistic and decorative painting, picture frames, curtain poles, toys, paper and household ornaments. Easy to apply. It has a brilliant and durable lustre, the gold being similar to gold leaf, and the aluminum looks like silver finish. Each box contains one bottle of bronze and one bottle of banana liquid, a brush and a mixing cup.

75W8526—Small Size, ½ ounce bottle Gold, 1 ounce Banana Liquid15c
75W8527—Large Size, 1 ounce bottle Gold, 2 ounce Banana Liquid25c
75W8528—Small Size, ½ ounce bottle Aluminum, 1 ounce Banana Liquid15c
75W8529—Large Size, 1 ounce bottle Aluminum, 2 ounce Banana Liquid25c
Shipping weight, small size, 1 pound; large size, 1½ pounds.

Sunset Brand Ready Mixed Aluminum Paint

Made from the finest grade of Aluminum Bronze. It dries quickly with a brilliant finish. It does not spoil or lose its brilliancy while standing in the can. Put the cover back on the can after using and what you have left will keep. Its brilliant finish is permanent, either in the air or under water. It prevents rust and is oil and grease proof. It may be used for coating pipes and radiators, as it will stand the heat of steam. Washing with soap and water will not injure it. Easy to apply.

75W8185—½ pint cans. Shipping weight, 1½ pounds.....\$0.25
75W8186—½ pint cans. Shipping weight, 1½ pounds......38
75W8187—Pint cans. Shipping weight, 2½ pounds......60
75W8188—Quart cans. Shipping weight, 3 pounds.....1.10

Sunset Brand Ready Mixed Gold Paint

This paint is manufactured by a patented process. The surface coated will hold all the beauty of finish under any and all conditions for a much longer time than gold enamel made under any other process that we know of. It will not rub off. It withstands the heat of steam pipes and radiators and is not affected by moisture. It is ready to use and easy to apply. You can use it on old picture frames, porch chairs, brackets, flower pots, ornaments, radiators, steam pipes and bedsteads.

75W8190—½ pint cans. Shipping weight, 1½ pounds.....\$0.25
75W8191—½ pint cans. Shipping weight, 1½ pounds......40
75W8192—Pint cans. Shipping weight, 2½ pounds......65
75W8193—Quart cans. Shipping weight, 3 pounds.....1.20

Radiator Enamel

A glossy enamel for radiators, steam pipes, gas ranges, registers, and all surfaces exposed to extreme heat. Excellent also for use on any metal work. It will not chip nor mar, and is not affected by heat or cold. Radiator enamel comes ready mixed. Is easily applied, dries quickly, and will remain bright and glossy. Colors: Maroon, Black, Bronze Green and Dull Green. State color wanted.

75W8170—½ pint cans. Shipping weight, 1½ pounds. Per can.....20c
75W8171—Pint cans. Shipping weight, 2½ pounds. Per can.....35c
75W8172—Quart cans. Shipping weight, 4½ pounds. Per can.....55c
75W8173—½ gallon cans. Shipping weight, 10 pounds. Per can.....96c
75W8174—Gallon cans. Shipping weight, 15½ pounds. Per can.....\$1.80


Wardway Turpentine Substitute

Turpentine substitute for the thinning of varnishes and paints, especially for interior finishes, turpentine is quite generally used as it causes more rapid drying. This turpentine substitute acts in the same manner as pure turpentine and when dry it has evaporated entirely.

75W7695—1-gallon can. Shipping weight, 10 pounds.....\$ 0.35
175W7696—5-gallon can. Shipping weight, 45 pounds.....1.35
275W7698—25-gallon wooden barrel. Shipping weight, 265 pounds.....3.75
275W7699—50-gallon wooden barrel. Shipping weight, 475 pounds.....10.50
Barrels shipped from our Paint Plant in Chicago.

Pure Linseed Oil and Turpentine Subject to Market Changes

The prices of Linseed Oil and Turpentine are changing constantly. Should we quote prices in this catalogue, they would most likely be incorrect before you received the catalogue. Write for prices of Pure Linseed Oil (Raw or Boiled) and Pure Turpentine.



Stencils and Painters' Supplies



75W8829—Price, each.....10c
Width, 4 inches. Length, 4 inches.



75W8820—Price, each.....14c
Width, 4½ inches. Length, 16 inches.



75W8827—Price, each.....22c
Width, 6½ inches. Length, 18 inches.



75W8851—Price, each.....45c
Width, 5½ inches. Length, 11 inches.



75W8834—Price, each.....12c
Width, 5 inches. Length, 5 inches.



75W8818—Price, each.....15c
Width, 4½ inches. Length, 18 inches.



75W8830—Price, each.....26c
Width, 7 inches. Length, 16 inches.



75W8813—Price, each.....12c
Width, 2½ inches. Length, 16 inches.



75W8822—Price, each.....18c
Width, 6½ inches. Length, 13½ inches.



75W8814—Price, each.....9c
Width, 3½ inches. Length, 14 inches.



75W8835—Price, each.....24c
Width, 8 inches. Length, 19 inches.



75W8812—Price, each.....12c
Width, 2 inches. Length, 13 inches.



75W8815—Price, each.....15c
Width, 3 inches. Length, 18 inches.



75W8817—Price, each.....13c
Width, 3¼ inches. Length, 19½ inches.



75W8831—Price, each.....18c
Width, 7½ inches. Length, 13 inches.



75W8840—Price, each.....30c
Width, 9½ inches. Length, 16 inches.




75W8828—Price, each.....18c
Width, 3¼ inches. Length, 20 inches.

Very Pleasing Effects May be Accomplished with Stencils and It's Very Interesting. You can do it Yourself

Popular and artistic Stencil Designs for painting and decorating. Walls and ceiling finished with our Flat Wall Finish, or Pur-E-Tone Hot Water Kalsomine and Fresco Colors are particularly well adapted for stenciling. To get the most artistic effect in stenciling the colors must blend perfectly. Simply take some of the same paint, or kalsomine used on the walls and add a few drops of brown at a time, being careful not to get it too dark. If too dark there will be too much contrast to be artistic. If your wall color is a gray, use for stenciling the same material, adding a little black for a darker shade, or a little white for a lighter shade.


The stencils are made from heavy oiled paper. Also are used on plain or ingrain wall papers, portieres, curtains, table covers, etc. Weight, 3 ounces to 16 ounces.



75W8846—Price, each.....28c
Width, 11 inches. Length, 17 inches.



75W8825—Price, each.....15c
Width, 4 inches. Length, 18 inches.



75W8810—Price, each.....10c
Width, 1½ inches. Length, 13½ inches.


Wheel Knife

75W811—Cuts the heaviest goods, such as Lincrustas or Pressed Paper and leaves a clean edge. Blade diameter, 2 inches. This trimmer is heavily nickel plated. Metal handle shaped to fit the hand. Shipping weight, 8 ounces. Price.....42c



Do Your Own Papering and Save Over Half the Cost

This outfit is made exclusively for us, and bears our name which assures you of its great merit. Made of steel nicely nickel plated. Will cut several thicknesses of paper. The rotary cutting blade made of the best tool steel, diameter, 2 inches. Will last a lifetime. The straightedge is made of several different kinds of wood to prevent warping. Bound with brass. Has an accurate scale which enables you to measure paper while cutting. Shipping weight, 9 pounds.



75W827—6-ft. Straightedge, trimmer and zinc strip..\$3.45
75W828—7-ft. Straightedge, trimmer and zinc strip..3.60
75W824—The Little Dandy Trimmer Outfit similar to No. 75W827. Includes nickel plated trimmer, 6-foot steel bound straightedge and zinc strip.....\$3.00
Shipping weight, 7 pounds.



Weight, packed, 7 ounces. Each.....42c

Trimmer and Paper Knife Combined



Made of polished steel. Diameter of cutting wheel, 1½ inches. Length of knife, 1½ inches. A good corner knife. Shipping weight, 5 ounces. 75W809—Each.....35c




75W810—Each.....24c

Paperhangers' Shears

Nickel plated. Laid steel blades. Enamelled handle. Shipping weight, about 15 ounces.

75W815—10 inch. Each.....75c
75W816—12 inch. Each.....90c
75W817—14 inch. Each.....\$1.20



Maple Seam Roller

75W834—Maple Seam Roller, 1½ inch oval face, two-piece frame. Shipping weight, 5 ounces. Each.....15c



Hardwood Seam Roller

75W833—Seam Roller with hardwood roller, 1 inch oval face. Shipping weight, 4 ounces. Each.....10c



Smoothing Roller

A very satisfactory Roller. Cloth covered. Width, 8 inches. Shipping weight, 1 pound 1 ounce. 75W835—Each.....45c



Butting Knife

75W812—Best quality steel square point butting knife. Cocobola handle. 3½-inch blade. Shipping weight, 5 ounces. Each.....15c
75W813—Same as 75W812 except has round point.....15c



Liquid Enamels in Beautiful Colors

Unsurpassed for Interior Finish

On old woodwork or old furniture, you can accomplish surprising results by the use of these Superior Liquid Enamels and at a very small cost. They produce a perfectly smooth, glossy finish that is exceptionally easy to keep clean and may be washed repeatedly without injury. It is therefore thoroughly sanitary.

It is an excellent finish for wood or metal. Just the finish for metal ceilings, kitchen walls, bathrooms, cupboards, casings and baseboards, furniture—in fact, for all interior wood or metal work including metal bedsteads. Liquid Enamel Paint dries hard in 24 hours. It is tough and elastic, not easily marred or scratched, and will retain its lustre and beauty for several years.

As it is popular to have a "blue room," a "red room," or one finished in some other desirable color, Liquid Enamel Paint affords you the opportunity of having just what you want in this line. Then, too, it is a durable finish—it will not crack nor peel, and retains its high lustre for a long time. Very pleasing effects may also be accomplished by the use of harmonious shades, as for instance one shade for the side walls, with a lighter tint of the same color for the ceiling, and a darker shade for the woodwork and furniture.

Liquid Enamel Paint is a superior article, and because we quote it at this low price it should not be compared with cheap enamels that are offered on the market. It is a superior grade, else we would not put our name on it. As it is very easy to apply, anyone can use Liquid Enamel Paint with success.

Directions

If the surface you wish to enamel has never been painted, apply a coat of primer (our Inside Flat White Coverall House Paint) in the case of new woodwork. If the surface is plastered wall, then apply first a coat of Freseo Wall Size No. 75W7836. In the event the wall has been papered, then remove the paper by thorough soaking and scraping off with a putty knife or similar tool. After allowing the wall to dry, sand the surface with No. 00 sand paper until smooth, and brush off the dust. Then treat with size as above described. Now apply two or three coats of Liquid Enamel Paint of the color you select, and you will have a job you will be pleased with. If the surface had been previously painted, and is in good condition, one coat may be sufficient to obtain the desired results.

Covering Capacity

One gallon will cover from 200 to 250 square feet, two coats. If the color you paint with is white, or one of the light shades, and the surface you wish to cover is now painted some dark color, it is best to first apply one coat of Inside Flat White Coverall House Paint. Use a good varnish brush. We recommend our No. 75W618 for large surfaces like walls and woodwork, or No. 75W656 for a small job such as furniture.

Beautiful Colors

By referring to the opposite page you will be delighted with the beautiful colors in which Liquid Enamel Paint is furnished. It is so easy for you to change unsightly woodwork or furniture to a thing of beauty, and at so small a cost, that you can offer yourself no excuse for not immediately making the improvement.

If you hesitate because you are not sure of the results you will get, write to us explaining the conditions and our paint expert will gladly give you any advice you request. Remember, any such service is cheerfully given, and is absolutely free to you.

Prices

In ordering, state color you wish. For colors, see page 18.

75W8074— $\frac{1}{4}$ -Pint can.	Weight, 1 pound.	Per can.....	\$0.10
75W8075— $\frac{1}{2}$ -Pint can.	Weight, $1\frac{1}{2}$ pounds.	Per can.....	\$0.20
75W8076—1-Pint can.	Weight, $2\frac{1}{4}$ pounds.	Per can.....	\$0.35
75W8077—1-Quart can.	Weight, $4\frac{1}{4}$ pounds.	Per can.....	\$0.55
75W8078— $\frac{1}{2}$ -Gallon can.	Weight, 10 pounds.	Per can.....	\$0.96
75W8079—1-Gallon can.	Weight, $15\frac{1}{2}$ pounds.	Per can.....	\$1.80



Co-Var-Finish

(Colored Varnish)

For Old or New Furniture and Woodwork

For Description and Prices, See Page 31



183 Cherry



184 Mahogany




185 Oak



186 Rosewood



186½ Leaf Green



187 Antique Oak



188 Walnut



188½ Ground

Liquid Enamel Paints

In Twelve Beautiful Colors—Also White and Black

For Description and Prices, See Page 41



171 Ivory



176 Straw



177 Silver Gray



184 Willow Green



179 Cream



181 Light Tan



175 Sky Blue



172 Green



178 Wild Rose



183 Leather Brown



180 Crimson



173 Lawn Green

Flat Wall Finish

Artistic and Durable Oil Finish—Washable

For Description and Prices, See Opposite Page



126 Shell Pink



129 Willow Green



120 Ivory



123 Light Tan



128 Pale Azure



130 Maple Green



122 Light Canary



124 Golden Brown



127 Quaker Gray




131 Rich Red

Concrete and Cement Coating

For Exterior and Interior Work on
Concrete, Brick, Masonry and Stucco

For Description and Prices, See Page 12



101 White




105 Cement Gray



102 Buff



106 Manganese Brick



104 Brick Red



103 Moss Green

Flat Wall Finishes and Kalsomine

Flat Wall Finish

An oil finish that is very artistic and desirable. Being water-proof, it may be washed with soap and water. Thoroughly sanitary. Is easy to apply. Never wears out. Does not rub off on the clothes like many other wall finishes.

Dries quickly without gloss. It gives a dainty, velvety finish and thoroughly protects the wall. Excellent for interior work, for walls, woodwork, plaster board, or metal ceilings.

An endless number of pleasing combinations may be secured by the use of the various tints.

Flat Wall Finish is made ready for use. When used on smooth plastered walls, one gallon will cover 200 to 250 square feet, two coats.

Before using on new walls or on old walls that have never been sized, the surface should first be given a coat of Fresco Wall Size. Colors are: 120, Ivory; 122, Light Canary; 123, Light Tan; 124, Golden Brown; 126, Shell Pink; 127, Quaker Gray; 128, Pale Azure; 129, Willow Green; 130, Maple Green; 131, Rich Red. State color you wish.

See Colors on opposite page.

	Shipping Weight	Per Can
75W8086—Quart cans	5 pounds	\$0.48
75W8087—1/2-gallon cans	10 pounds	.94
75W8088—1-gallon cans	15 pounds	1.70
175W8089—3-gallon cans	45 pounds	4.90



Kalsomine

An inexpensive, sanitary wall finish. It will not rub off, flake, powder, peel or blister. It is easily and quickly dissolved in cold water, and requires no stirring after once mixed. Old walls previously kalsomined should be washed clean before applying a new coat. New walls or old walls that have not been previously sized should be given a coat of our Fresco Wall Size. One 4-pound package will cover about 500 square feet. Colors are: 200, White; 201, Buff; 203, Shell Pink; 210, Canary; 211, Pale Blue; 230, Sage Green; 231, Deep Tan; 254, Alice Blue; 257, Light Buff; 258, Light Cream; 262, Pea Green; 270, Pearl Gray; 275, Pale Gray. State color wanted.

See Colors on opposite page.

75W8325—4-pound carton for	\$0.26
75W8326—24 pounds, six cartons (all one or different shades) for.....	1.36
175W8327—50-pound drum (white or any one shade) for.....	2.75
Two 50-pound drums (all one or any two shades) for.....	5.25



Fresco Colors

These colors are used in connection with kalsomine shades for borders and stenciling. Also used for producing panel effects below the plate rails in dining-rooms, where a very deep color is desired.

No. 306, Leather Brown.

75W8337—4-pound package. For.....	50c
75W8338—1-pound package. For.....	14c

No. 307, Fawn.

75W8339—4-pound package. For.....	50c
75W8340—1-pound package. For.....	14c

No. 305, Wine Color.

75W8333—4-pound package. For.....	\$1.00
75W8334—1-pound package. For.....	.27

No. 313, Myrtle Green.

75W8341—4-pound package. For.....	75c
75W8342—1-pound package. For.....	20c

See Colors on opposite page.



Auto and Carriage Paint

A Paint and Varnish in One

Produces Beautiful Finish of Great Durability

For Description and Prices, See Opposite Page



162 Yellow



160 Gray



168 Red



166 Wine



165 Dark Green



161 Brewster Green



167 Blue



163 Black

Wagon and Implement Paint

In Six Lasting Colors

For Description and Prices, See Opposite Page



172 Yellow




160 Gray



173 Coach Red



168 Blue



170 Green



171 Black

Porch and Lawn Furniture Paint

For Description and Prices,
See Page 36



196 Light Gray



194 Olive



192 Tan



195 Brown

TRADE MARK
Wardway

Kalsomine

For Description and Prices,
See Opposite Page



258 Light Cream



275 Pale Gray



270 Pearl Gray



203 Shell Pink



257 Light Buff



210 Canary Yellow



262 Pea Green



211 Pale Blue




201 Buff



231 Deep Tan



230 Sage Green



254 Alice Blue

TRADE MARK
Wardway

Fresco Colors

For Description and Prices,
See Opposite Page



307 Fawn



306 Leather Brown



305 Wine



313 Myrtle Green

Vehicle Paints that Stand the Wear

Auto and Carriage Paint

In order to withstand the severe action of mud and frequent washing, our Carriage and Automobile Paint is made from the best grade colors, finely ground in high quality varnishes. As a rule, one coat is sufficient on old work. It makes an old buggy look new. Has a brilliant finish, that will resist hard wear and constant exposure.

Try it on your buggy, surrey, carriage, automobile, sleigh, or porch furniture. The results will be gratifying. Be sure that the surface to be painted is perfectly clean, free from grease, and smoothly sandpapered before beginning. Always use a clean brush.

Use brushes 75W667 or 75W657 for carriage work.

Colors are: 161, Brewster Green; 162, Yellow; 163, Black; 160, Gray; 165, Dark Green. 166, Wine; 167, Blue; 168, R. J.

State color wanted.

75W7810—Half pint can. Shipping weight, 1½ pounds. Per can.....	17c
75W7811—Pint can. Shipping weight, 2½ pounds. Per can.....	28c
75W7812—Quart can. Shipping weight, 4½ pounds. Per can.....	50c
75W7813—Half-gallon can. Shipping weight, 8 pounds. Per can.....	95c
75W7814—Gallon can. Shipping weight, 15 pounds. Per can.....	\$1.85

Wagon and Implement Paint

Make your wagon look like new. A quart of this superior paint will do it, and the cost is only 49c. When the cost is so small and you can do the work yourself, why allow your wagon or any implement to wear out?

This paint is specially made for use on wood or iron. It is exceedingly tough, and exceptionally good for use on farm implements and machinery that must necessarily receive severe treatment.

Our Wagon and Implement Paint offers a wonderful resistance to wear and hard usage. Being made of the best non-fading colors, it will positively give you absolute satisfaction. It is prepared ready to apply. Simply see that the surface to be painted is clean, then apply our Wagon and Implement Paint with a 2-inch or 2½-inch varnish brush. 75W667 or 75W668 brushes are well adapted for this work.

Colors are: 168, Blue; 160, Gray; 170, Green; 171, Black; 172, Yellow; 173, Coach Red.

State color wanted.

75W7815—Pint cans. Shipping weight, 2½ pounds. Per can.....	32c
75W7816—Quart can. Shipping weight, 4½ pounds. Per can.....	49c
75W7817—Half-gallon can. Shipping weight, 9 pounds. Per can.....	92c
75W7818—Gallon can. Shipping weight, 14 pounds. Per can.....	\$1.74

Automobile Finishing Outfits

With this outfit you can make your car look like brand new. Anyone can do a very good job of refinishing his automobile by following the directions that accompany this outfit.


The paint and varnish as well as the brushes and other materials are carefully selected and are the best grade that will insure the most durable finish. Will give your car a high gloss that is waterproof and lasting. Outfit consists of:

- ½ gallon Automobile Paint,
- 1 pound No. 1 Steel Wool,
- 1 pound Cotton Waste,
- 1 package Steel Shavings,
- 1 pint Auto Top Dressing,
- 1 ½-inch Fitch Flowing Brush,
- 1 2½-inch Oval Varnish Brush,
- 1 3½-inch Rubberset Varnish Brush.

75W8050—Outfit for painting car Black.	
75W8051—Outfit for painting car Maroon.	
75W8052—Outfit for painting car Deep Blue.	
75W8053—Outfit for painting car Deep Green.	
75W8054—Outfit for painting car Medium Gray.	
Price complete	\$4.00
Shipping weight, per outfit, about 16 pounds.	



Whitewash Brushes



Whitewash Brushes

Made of the best White Tampico fibre. Metal bound. Length of stock, 3 inches. Exceptional value.

Article Number	Width Inches	Weight Ounces	Each
75W487	7	7	13c
75W488	8	8	15c

Black Chinese Bristles

Metal bound. An extra good brush for the price.

Number	Width Inches	Bristles Inches	Weight Ounces	Each
75W490	7	2 1/2	10	50c
75W491	8	3	12	65c

White Russian Bristles

Leather bound. A good medium-priced brush.

Article Number	Width Inches	Bristles Inches	Weight Ounces	Each
75W493	7 1/2	3	12	\$0.95
75W494	8 1/2	3 1/2	13	1.19

White Russian Bristles


Extra long and full. Leather bound.

Article Number	Width Inches	Bristles Inches	Weight Ounces	Each
75W495	8	3 1/2	14	\$1.95
75W496	8 1/2	4	15	2.50

White Beauty

Fine White Bristles outside supporting the special fine soft White Tampico center. Length of stock, 3 1/4 inches. Very serviceable.

Article No.	Width Inches	Weight Ounces	Each
75W455	7 1/2	10	45c
75W456	8 1/2	12	70c



Gray Wonder

Gray Hair Outside with gray and black mixed stock in center. A wonderful value. Length of stock, 2 1/2 inches.

Article No.	Width Inches	Weight Ounces	Each
75W458	7 1/2	9	25c
75W459	8 1/2	10	35c

Varnish Brushes

Favorite Varnish Brush

Our very best flowing brush. For fine varnishing and enameling. A splendid brush for use on interior woodwork, floors and furniture. Made of selected black Chinese bristles, long and heavy. Imbedded in hard rubber. Chiseled edge. Nickel bound. A practical brush for high-grade work.

Article Number	Width Inches	Bristles Inches	Weight Ounces	Each
75W612	2	2 1/2	4	40c
75W614	2 1/2	3 1/2	5	49c
75W616	3	3 1/2	6	60c
75W618	3 1/2	3 1/2	7	85c

Flat Varnish Brush

Selected White Bristles, Chiseled. Set in hard rubber. Nickel ferrule. A fine brush for varnish, enamels, or stains.

Article Number	Width Inches	Bristles Inches	Weight Ounces	Each
75W615	1 1/2	1 1/2	2	28c
75W617	2	2	3	40c
75W619	2 1/2	2 1/2	4	54c
75W621	3	2 1/2	4	65c

Oval Varnish Brush

Black Chinese Bristles. Nickel ferrule. A popular brush for small jobs.

Article Number	Width Inches	Bristles Inches	Weight Ounces	Each
75W677	1 1/2	1 1/2	2	27c
75W678	1 1/2	2 1/2	4	34c

Badger Hair Varnish Brush

Badger Hair Flowing Varnish Brush. Set in rubber. For fine varnishing or enameling. Adapted for cabinet work, vehicles and pianos.

Article Number	Width Inches	Bristles Inches	Weight Ounces	Each
75W656	1 1/2	1 1/2	1	40c
75W657	2	1 1/2	2	55c
75W658	2 1/2	1 1/2	3	69c
75W659	3	2	4	80c

Chinese Bristles

Varnish Brush Set-in Rubber

Black Chinese Bristles. Metal ferrule. A high-grade brush for fine varnishing. Extra fine, extra thick, soft and elastic.

Article Number	Width Inches	Bristles Inches	Weight Ounces	Each
75W651	1 1/2	2 1/2	3	24c
75W652	2	2 1/2	3	28c
75W653	2 1/2	2 1/2	4	40c
75W654	3	2 1/2	4	55c
75W655	3 1/2	3 1/2	5	72c

The Daisy Varnish Brush

An inexpensive brush for odd jobs. Good value.

Article Number	Width Inches	Bristles Inches	Weight Ounces	Each
75W671	1	1 1/2	1	7c
75W672	1 1/2	1 1/2	2	10c
75W673	2	2	3	13c
75W674	2 1/2	2 1/2	4	18c
75W675	3	2 1/2	4	21c

Oval Varnish Brush

Selected Black Chinese Bristles. Nickel ferrule. Bristles full and springy. A good brush for varnishing or painting woodwork, wagons, etc.

Article Number	Width Inches	Bristles Inches	Weight Ounces	Each
75W680	1 1/2	3	4	38c
75W681	2	3 1/2	5	60c
75W682	2 1/2	3 1/2	6	68c
75W683	2 1/2	3 1/2	6	73c

Fitch Flowing Brush

Chiseled, Fitch Hair, double thick. For fine varnishing, enameling and gold and silver bronzing.

Article Number	Width Inches	Bristles Inches	Weight Ounces	Each
75W665	1 1/2	1 1/2	1	22c
75W666	2	1 1/2	1	28c
75W667	2 1/2	1 1/2	2	38c
75W668	3 1/2	1 1/2	3	48c
75W669	3	2	4	50c

Ox Hair Riggers

Sign Writers. Square points. Nickel ferrules. For long handles.
75W406—Weight, 2 ounces.
Size 2. 1-inch Bristles5c
Size 4. 1 1/2-inch Bristles7c
Size 6. 1 3/4-inch Bristles9c

Marking Brushes

Camel's Hair. Long handles. Maroon polished. Weight, 1 ounce.
Size 1. 1 1/2-inch Bristles2c
Size 2. 2-inch Bristles3c
Size 3. 2 1/2-inch Bristles4c
Size 4. 3-inch Bristles5c
Size 5. 3 1/2-inch Bristles6c
Size 6. 4-inch Bristles7c
Size 7. 4 1/2-inch Bristles8c
Size 8. 5-inch Bristles9c
Size 9. 5 1/2-inch Bristles10c
Size 10. 6-inch Bristles11c
Size 11. 6 1/2-inch Bristles12c
Size 12. 7-inch Bristles13c
Size 13. 7 1/2-inch Bristles14c
Size 14. 8-inch Bristles15c
Size 15. 8 1/2-inch Bristles16c
Size 16. 9-inch Bristles17c
Size 17. 9 1/2-inch Bristles18c
Size 18. 10-inch Bristles19c
Size 19. 10 1/2-inch Bristles20c
Size 20. 11-inch Bristles21c
Size 21. 11 1/2-inch Bristles22c
Size 22. 12-inch Bristles23c
Size 23. 12 1/2-inch Bristles24c
Size 24. 13-inch Bristles25c
Size 25. 13 1/2-inch Bristles26c
Size 26. 14-inch Bristles27c
Size 27. 14 1/2-inch Bristles28c
Size 28. 15-inch Bristles29c
Size 29. 15 1/2-inch Bristles30c
Size 30. 16-inch Bristles31c
Size 31. 16 1/2-inch Bristles32c
Size 32. 17-inch Bristles33c
Size 33. 17 1/2-inch Bristles34c
Size 34. 18-inch Bristles35c
Size 35. 18 1/2-inch Bristles36c
Size 36. 19-inch Bristles37c
Size 37. 19 1/2-inch Bristles38c
Size 38. 20-inch Bristles39c
Size 39. 20 1/2-inch Bristles40c
Size 40. 21-inch Bristles41c
Size 41. 21 1/2-inch Bristles42c
Size 42. 22-inch Bristles43c
Size 43. 22 1/2-inch Bristles44c
Size 44. 23-inch Bristles45c
Size 45. 23 1/2-inch Bristles46c
Size 46. 24-inch Bristles47c
Size 47. 24 1/2-inch Bristles48c
Size 48. 25-inch Bristles49c
Size 49. 25 1/2-inch Bristles50c
Size 50. 26-inch Bristles51c
Size 51. 26 1/2-inch Bristles52c
Size 52. 27-inch Bristles53c
Size 53. 27 1/2-inch Bristles54c
Size 54. 28-inch Bristles55c
Size 55. 28 1/2-inch Bristles56c
Size 56. 29-inch Bristles57c
Size 57. 29 1/2-inch Bristles58c
Size 58. 30-inch Bristles59c
Size 59. 30 1/2-inch Bristles60c
Size 60. 31-inch Bristles61c
Size 61. 31 1/2-inch Bristles62c
Size 62. 32-inch Bristles63c
Size 63. 32 1/2-inch Bristles64c
Size 64. 33-inch Bristles65c
Size 65. 33 1/2-inch Bristles66c
Size 66. 34-inch Bristles67c
Size 67. 34 1/2-inch Bristles68c
Size 68. 35-inch Bristles69c
Size 69. 35 1/2-inch Bristles70c
Size 70. 36-inch Bristles71c
Size 71. 36 1/2-inch Bristles72c
Size 72. 37-inch Bristles73c
Size 73. 37 1/2-inch Bristles74c
Size 74. 38-inch Bristles75c
Size 75. 38 1/2-inch Bristles76c
Size 76. 39-inch Bristles77c
Size 77. 39 1/2-inch Bristles78c
Size 78. 40-inch Bristles79c
Size 79. 40 1/2-inch Bristles80c
Size 80. 41-inch Bristles81c
Size 81. 41 1/2-inch Bristles82c
Size 82. 42-inch Bristles83c
Size 83. 42 1/2-inch Bristles84c
Size 84. 43-inch Bristles85c
Size 85. 43 1/2-inch Bristles86c
Size 86. 44-inch Bristles87c
Size 87. 44 1/2-inch Bristles88c
Size 88. 45-inch Bristles89c
Size 89. 45 1/2-inch Bristles90c
Size 90. 46-inch Bristles91c
Size 91. 46 1/2-inch Bristles92c
Size 92. 47-inch Bristles93c
Size 93. 47 1/2-inch Bristles94c
Size 94. 48-inch Bristles95c
Size 95. 48 1/2-inch Bristles96c
Size 96. 49-inch Bristles97c
Size 97. 49 1/2-inch Bristles98c
Size 98. 50-inch Bristles99c
Size 99. 50 1/2-inch Bristles100c

Camel's Hair Dagger Stripper

For carriage work. Finest quality hair. Length of hair, 1 1/2 to 2 1/2 inches. Weight, 1 ounce.
Size 1. 1 1/2-inch Bristles10c
Size 2. 2-inch Bristles12c
Size 3. 2 1/2-inch Bristles13c
Size 4. 3-inch Bristles14c
Size 5. 3 1/2-inch Bristles15c
Size 6. 4-inch Bristles16c
Size 7. 4 1/2-inch Bristles17c
Size 8. 5-inch Bristles18c
Size 9. 5 1/2-inch Bristles19c
Size 10. 6-inch Bristles20c
Size 11. 6 1/2-inch Bristles21c
Size 12. 7-inch Bristles22c
Size 13. 7 1/2-inch Bristles23c
Size 14. 8-inch Bristles24c
Size 15. 8 1/2-inch Bristles25c
Size 16. 9-inch Bristles26c
Size 17. 9 1/2-inch Bristles27c
Size 18. 10-inch Bristles28c
Size 19. 10 1/2-inch Bristles29c
Size 20. 11-inch Bristles30c
Size 21. 11 1/2-inch Bristles31c
Size 22. 12-inch Bristles32c
Size 23. 12 1/2-inch Bristles33c
Size 24. 13-inch Bristles34c
Size 25. 13 1/2-inch Bristles35c
Size 26. 14-inch Bristles36c
Size 27. 14 1/2-inch Bristles37c
Size 28. 15-inch Bristles38c
Size 29. 15 1/2-inch Bristles39c
Size 30. 16-inch Bristles40c
Size 31. 16 1/2-inch Bristles41c
Size 32. 17-inch Bristles42c
Size 33. 17 1/2-inch Bristles43c
Size 34. 18-inch Bristles44c
Size 35. 18 1/2-inch Bristles45c
Size 36. 19-inch Bristles46c
Size 37. 19 1/2-inch Bristles47c
Size 38. 20-inch Bristles48c
Size 39. 20 1/2-inch Bristles49c
Size 40. 21-inch Bristles50c
Size 41. 21 1/2-inch Bristles51c
Size 42. 22-inch Bristles52c
Size 43. 22 1/2-inch Bristles53c
Size 44. 23-inch Bristles54c
Size 45. 23 1/2-inch Bristles55c
Size 46. 24-inch Bristles56c
Size 47. 24 1/2-inch Bristles57c
Size 48. 25-inch Bristles58c
Size 49. 25 1/2-inch Bristles59c
Size 50. 26-inch Bristles60c
Size 51. 26 1/2-inch Bristles61c
Size 52. 27-inch Bristles62c
Size 53. 27 1/2-inch Bristles63c
Size 54. 28-inch Bristles64c
Size 55. 28 1/2-inch Bristles65c
Size 56. 29-inch Bristles66c
Size 57. 29 1/2-inch Bristles67c
Size 58. 30-inch Bristles68c
Size 59. 30 1/2-inch Bristles69c
Size 60. 31-inch Bristles70c
Size 61. 31 1/2-inch Bristles71c
Size 62. 32-inch Bristles72c
Size 63. 32 1/2-inch Bristles73c
Size 64. 33-inch Bristles74c
Size 65. 33 1/2-inch Bristles75c
Size 66. 34-inch Bristles76c
Size 67. 34 1/2-inch Bristles77c
Size 68. 35-inch Bristles78c
Size 69. 35 1/2-inch Bristles79c
Size 70. 36-inch Bristles80c
Size 71. 36 1/2-inch Bristles81c
Size 72. 37-inch Bristles82c
Size 73. 37 1/2-inch Bristles83c
Size 74. 38-inch Bristles84c
Size 75. 38 1/2-inch Bristles85c
Size 76. 39-inch Bristles86c
Size 77. 39 1/2-inch Bristles87c
Size 78. 40-inch Bristles88c
Size 79. 40 1/2-inch Bristles89c
Size 80. 41-inch Bristles90c
Size 81. 41 1/2-inch Bristles91c
Size 82. 42-inch Bristles92c
Size 83. 42 1/2-inch Bristles93c
Size 84. 43-inch Bristles94c
Size 85. 43 1/2-inch Bristles95c
Size 86. 44-inch Bristles96c
Size 87. 44 1/2-inch Bristles97c
Size 88. 45-inch Bristles98c
Size 89. 45 1/2-inch Bristles99c
Size 90. 46-inch Bristles100c


Artists' Brushes

Card Writers' Brushes

Fine quality, genuine camel's hair. Nickel ferrule. Weight, 2 ounces.
Size 1. 1 1/2-inch Bristles2c
Size 2. 2-inch Bristles3c
Size 3. 2 1/2-inch Bristles4c
Size 4. 3-inch Bristles5c
Size 5. 3 1/2-inch Bristles6c
Size 6. 4-inch Bristles7c
Size 7. 4 1/2-inch Bristles8c
Size 8. 5-inch Bristles9c
Size 9. 5 1/2-inch Bristles10c
Size 10. 6-inch Bristles11c
Size 11. 6 1/2-inch Bristles12c
Size 12. 7-inch Bristles13c
Size 13. 7 1/2-inch Bristles14c
Size 14. 8-inch Bristles15c
Size 15. 8 1/2-inch Bristles16c
Size 16. 9-inch Bristles17c
Size 17. 9 1/2-inch Bristles18c
Size 18. 10-inch Bristles19c
Size 19. 10 1/2-inch Bristles20c
Size 20. 11-inch Bristles21c
Size 21. 11 1/2-inch Bristles22c
Size 22. 12-inch Bristles23c
Size 23. 12 1/2-inch Bristles24c
Size 24. 13-inch Bristles25c
Size 25. 13 1/2-inch Bristles26c
Size 26. 14-inch Bristles27c
Size 27. 14 1/2-inch Bristles28c
Size 28. 15-inch Bristles29c
Size 29. 15 1/2-inch Bristles30c
Size 30. 16-inch Bristles31c
Size 31. 16 1/2-inch Bristles32c
Size 32. 17-inch Bristles33c
Size 33. 17 1/2-inch Bristles34c
Size 34. 18-inch Bristles35c
Size 35. 18 1/2-inch Bristles36c
Size 36. 19-inch Bristles37c
Size 37. 19 1/2-inch Bristles38c
Size 38. 20-inch Bristles39c
Size 39. 20 1/2-inch Bristles40c
Size 40. 21-inch Bristles41c
Size 41. 21 1/2-inch Bristles42c
Size 42. 22-inch Bristles43c
Size 43. 22 1/2-inch Bristles44c
Size 44. 23-inch Bristles45c
Size 45. 23 1/2-inch Bristles46c
Size 46. 24-inch Bristles47c
Size 47. 24 1/2-inch Bristles48c
Size 48. 25-inch Bristles49c
Size 49. 25 1/2-inch Bristles50c
Size 50. 26-inch Bristles51c
Size 51. 26 1/2-inch Bristles52c
Size 52. 27-inch Bristles53c
Size 53. 27 1/2-inch Bristles54c
Size 54. 28-inch Bristles55c
Size 55. 28 1/2-inch Bristles56c
Size 56. 29-inch Bristles57c
Size 57. 29 1/2-inch Bristles58c
Size 58. 30-inch Bristles59c
Size 59. 30 1/2-inch Bristles60c
Size 60. 31-inch Bristles61c
Size 61. 31 1/2-inch Bristles62c
Size 62. 32-inch Bristles63c
Size 63. 32 1/2-inch Bristles64c
Size 64. 33-inch Bristles65c
Size 65. 33 1/2-inch Bristles66c
Size 66. 34-inch Bristles67c
Size 67. 34 1/2-inch Bristles68c
Size 68. 35-inch Bristles69c
Size 69. 35 1/2-inch Bristles70c
Size 70. 36-inch Bristles71c
Size 71. 36 1/2-inch Bristles72c
Size 72. 37-inch Bristles73c
Size 73. 37 1/2-inch Bristles74c
Size 74. 38-inch Bristles75c
Size 75. 38 1/2-inch Bristles76c
Size 76. 39-inch Bristles77c
Size 77. 39 1/2-inch Bristles78c
Size 78. 40-inch Bristles79c
Size 79. 40 1/2-inch Bristles80c
Size 80. 41-inch Bristles81c
Size 81. 41 1/2-inch Bristles82c
Size 82. 42-inch Bristles83c
Size 83. 42 1/2-inch Bristles84c
Size 84. 43-inch Bristles85c
Size 85. 43 1/2-inch Bristles86c
Size 86. 44-inch Bristles87c
Size 87. 44 1/2-inch Bristles88c
Size 88. 45-inch Bristles89c
Size 89. 45 1/2-inch Bristles90c
Size 90. 46-inch Bristles91c
Size 91. 46 1/2-inch Bristles92c
Size 92. 47-inch Bristles93c
Size 93. 47 1/2-inch Bristles94c
Size 94. 48-inch Bristles95c
Size 95. 48 1/2-inch Bristles96c
Size 96. 49-inch Bristles97c
Size 97. 49 1/2-inch Bristles98c
Size 98. 50-inch Bristles99c
Size 99. 50 1/2-inch Bristles100c

Camel's Hair Striping Pencils
Camel's Hair. In quills. Finest French quality. Hair, 2 inches long. Weight, 1 ounce.
Size 1. 1 1/2-inch Bristles2c
Size 2. 2-inch Bristles3c
Size 3. 2 1/2-inch Bristles4c
Size 4. 3-inch Bristles5c
Size 5. 3 1/2-inch Bristles6c
Size 6. 4-inch Bristles7c
Size 7. 4 1/2-inch Bristles8c
Size 8. 5-inch Bristles9c
Size 9. 5 1/2-inch Bristles10c
Size 10. 6-inch Bristles11c
Size 11. 6 1/2-inch Bristles12c
Size 12. 7-inch Bristles13c
Size 13. 7 1/2-inch Bristles14c
Size 14. 8-inch Bristles15c
Size 15. 8 1/2-inch Bristles16c
Size 16. 9-inch Bristles17c
Size 17. 9 1/2-inch Bristles18c
Size 18. 10-inch Bristles19c
Size 19. 10 1/2-inch Bristles20c
Size 20. 11-inch Bristles21c
Size 21. 11 1/2-inch Bristles22c
Size 22. 12-inch Bristles23c
Size 23. 12 1/2-inch Bristles24c
Size 24. 13-inch Bristles25c
Size 25. 13 1/2-inch Bristles26c
Size 26. 14-inch Bristles27c
Size 27. 14 1/2-inch Bristles28c
Size 28. 15-inch Bristles29c
Size 29. 15 1/2-inch Bristles30c
Size 30. 16-inch Bristles31c
Size 31. 16 1/2-inch Bristles32c
Size 32. 17-inch Bristles33c
Size 33. 17 1/2-inch Bristles34c
Size 34. 18-inch Bristles35c
Size 35. 18 1/2-inch Bristles36c
Size 36. 19-inch Bristles37c
Size 37. 19 1/2-inch Bristles38c
Size 38. 20-inch Bristles39c
Size 39. 20 1/2-inch Bristles40c
Size 40. 21-inch Bristles41c
Size 41. 21 1/2-inch Bristles42c
Size 42. 22-inch Bristles43c
Size 43. 22 1/2-inch Bristles44c
Size 44. 23-inch Bristles45c
Size 45. 23 1/2-inch Bristles46c
Size 46. 24-inch Bristles47c
Size 47. 24 1/2-inch Bristles48c
Size 48. 25-inch Bristles49c
Size 49. 25 1/2-inch Bristles50c
Size 50. 26-inch Bristles51c
Size 51. 26 1/2-inch Bristles52c
Size 52. 27-inch Bristles53c
Size 53. 27 1/2-inch Bristles54c
Size 54. 28-inch Bristles55c
Size 55. 28 1/2-inch Bristles56c
Size 56. 29-inch Bristles57c
Size 57. 29 1/2-inch Bristles58c
Size 58. 30-inch Bristles59c
Size 59. 30 1

Wall Brushes



Rubberset Brush Extra Quality

Gray Russian bristles. White outside. Bristles set in hard rubber.

Article Number	Width Inches	Bristles Inches	Weight Ounces	Each
75W631	3	4	6	\$1.20
75W633	2½	4	7	1.40
75W635	4	4	8	1.85
75W637	4½	4	9	1.85

Wall Brush — Russian Bristles, Select White

A good, substantial brush. Full, stiff, springy stock, embedded in hard rubber. Nickel plated ferrule.

Article Number	Width Inches	Bristles Inches	Weight Ounces	Each
75W639	3½	4	7	\$1.25
75W641	4	4½	8	1.65
75W643	4½	4½	10	2.10

Full Flat Paint Brush Black Chinese Bristles, Set in rubber. Full stock. Metal bound.


Article Number	Width Inches	Bristles Inches	Weight Ounces	Each
75W551	2½	2½	4	27c
75W552	3	3	5	32c
75W553	3½	3½	6	39c
75W554	4	4	7	53c
75W555	4½	4½	7	65c
75W558	5	5	8	83c
75W557	5½	5½	9	97c

Flat Style Paint Brush Black Chinese Bristles. Tin ferrule. A fair brush for odd jobs.

Article Number	Width Inches	Bristles Inches	Weight Ounces	Each
75W559	2½	2	3	10c
75W560	3	2½	4	20c
75W561	3½	2½	5	24c
75W562	4	2½	6	30c
75W563	4½	3	7	42c
75W564	5	3½	8	55c

Flat Style Wall Brush Selected black Chinese Bristles. Set in hard rubber. Nickel plated ferrule. Full, firm and elastic stock.


Article Number	Width Inches	Bristles Inches	Weight Ounces	Each
75W546	3	3½	6	39c
75W547	3½	3½	6	52c
75W548	4	3½	7	69c
75W549	4½	3½	9	85c



Rubberset Kalsomine Brush

Gray Russian Bristles. White Outside. Galvanized iron band. A high grade brush.


Article Number	Width Inches	Bristles Inches	Weight Ounces	Each
75W573	7	4½	18	\$4.25
75W574	8	5	20	4.85



Rubberset Kalsomine Brush

Selected White Russian Bristles. Set in rubber. Metal bound.


Article Number	Width Inches	Bristles Inches	Weight Ounces	Each
75W570	7	4½	16	\$2.10
75W571	8	4½	16	2.85



Kalsomine Brush

White Russian Bristles. Metal bound. A splendid brush.

Article Number	Width Inches	Bristles Inches	Weight Ounces	Each
75W599	6	3½	12	\$0.80
75W601	7	3½	14	1.00
75W602	8	3½	16	1.30



The Painters' Favorite

Set in rubber—nickel bound. 4 inches wide. Shipping weight, 12 ounces.

75W701—Length of bristles, 4 inches	95c
75W704—Length of bristles, 3½ inches	82c

Super-Extra Wall Brush Rubberset

Selected White Russian Bristles. Set in hard rubber. Brass bound.

Article Number	Width Inches	Bristles Inches	Weight Ounces	Each
75W623	3	3	6	\$0.70
75W625	3½	3½	7	.92
75W627	4	4	8	1.10
75W629	4½	4½	9	1.35


Choice Quality Set-in Rubber

Black Chinese Bristles. Vulcanized in hard rubber. Bristles long and uniformly tapered. Full, firm and elastic stock.

Article Number	Width Inches	Bristles Inches	Weight Ounces	Each
75W540	3	3½	5	\$0.48
75W541	3½	4	6	.69
75W542	4	4½	7	1.14
75W543	4½	4½	9	1.60


German Improved Kalsomine Brush

Lighter than the German Kalsomine brush, and far more practical. Fine quality gray Russian Bristles. Size of block, 2 x 7 inches. Length of bristles, 4½ inches. Weight, 15 ounces. 75W579—Each\$4.25





Handy Brush

An inexpensive brush for white-washing, kalsomining, cold water paints, etc. Width, 7 inches. Length of bristles, 3½ inches. Weight, 14 ounces. Mixed stock. Securely set with staples. 75W708—Each54c



Plasterers' Finishing Brush


A full standard 3-row brush. All good quality, gray, stiff Russia Bristles, white outside. Leather bound. Width, 8 inches. Length of bristles, 4½ inches. Weight, 18 ounces. 75W778—Each\$2.95



Stucco Brush Vulcanized in Rubber

Selected Black Chinese Bristles, set in rubber. Full stock. This brush spreads smoothly and evenly. Also used for house painting.


Article Number	Width Inches	Bristles Inches	Weight Ounces	Each
75W586	3½	3½	7	\$0.89
75W588	4	4	8	1.07
75W594	4½	4	9	1.24



Stucco Brush Rubberset—Leather Bound

Selected black Chinese Bristles, set in rubber. Long, full, stiff, springy stock. Fine for house painting also.


Article Number	Width Inches	Bristles Inches	Weight Ounces	Each
75W589	3½	4½	7	\$1.35
75W591	4	4½	8	1.58
75W593	4½	4½	10	1.86



Stucco Brush Rubberset—Leather Bound

Selected white Russian Bristles. Set in rubber. Full springy stock. Holds lots of paint.

Article Number	Width Inches	Bristles Inches	Weight Ounces	Each
75W580	3½	4	7	\$1.25
75W581	4	4½	8	1.58
75W582	4½	4½	9	1.75



'Paper Hangers' Paste Brush

For the professional Paperhanger, or anyone desiring a practical and durable paste brush. Good quality gray Russian bristles. Galvanized iron band. Width, 7½ inches. Length of bristles, 4½ inches. Weight, 18 ounces. 75W776—Each\$1.70

Soft Hair Bronzing Brush

Made of fine, soft Goat Hair. Used for bronzing small articles and for enameling radiators, steam pipes, etc. Length, including handle, 9 3/4 inches, or 10 1/2 inches.

Article No.	Width Inches	Bristles Inches	Weight Ounces	Each
75W604	1	1 1/4	1	10c
75W605	1 1/2	1 1/4	1	15c
75W606	2	1 1/2	2	20c

Stencil Brush

Stencil Brush. Black bristles set in hard vulcanized rubber. Zinc ferrule.

Number	Diam.	Bristles	Wt.	Each
75W731	1 in.	1 1/4 in.	2 oz.	15c
75W732	1 1/4 in.	1 1/4 in.	3 oz.	20c
75W733	1 1/2 in.	1 1/2 in.	4 oz.	25c

Rubberset Glue Brush

All gray bristles. Brass bound. Length of bristles, 2 1/4 inches.

75W754—Weight, 3 ounces. Price, 18c

Wire Brushes

Size, 2 1/4 x 7 inches. Length of bristles, 1 1/4 inches. Weight, 16 ounces.

75W760—Each, 28c

Long Handled Wire Scratch Brush

Width, 1 inch. Length of brush, 6 1/4 inches. Length with handle, 14 inches. Length of bristles, 1 1/4 inches. Shipping weight, 7 ounces.

75W763 Each, 15c



Curved Back Wire Brush

Size, 2 1/4 x 7 inches. Length of bristles, 1 1/4 inches. Weight, 12 ounces.


75W762 Each, 28c

Shoe Handle Wire Brush

Size, 1 x 5 inches. Length, with handle, 10 inches. Length of bristles, 1 1/2 inches. Weight, 5 ounces.

75W764—Each, 25c

Special Brushes



Flat Sash Trim or Radiator Brush

Select Chinese Bristles, chiseled. Nickel ferrule. Long handle.

Article Number	Width Inches	Bristles Inches	Weight Ounces	Each
75W610	1 1/2	1 1/4	1	14c
75W613	2	2 1/4	2	24c

Wire Brushes

Used for quickly removing paint, varnish or wax after Paint and Varnish Remover has been applied.

For removing old paint that is scaling or chalking, preparatory to repainting. For dressing down rough spots on sides of buildings, floors, etc. For removing rust or old paint from iron surfaces before painting.

The different shaped wire brushes for varying conditions. 75W760 for straight or level surfaces. 75W763 is especially suitable for iron, stone or brick surfaces. Very handy for use on wheels. 75W764 is particularly adapted for heavy service. 75W762 is curved and cuts rapidly; also used for general scrubbing purposes.

Wire Duster 75W766 illustrated to the right, is handy to get into cracks and corners—better for such uses than bristle brushes.

Oval Sash Brush

Black Chinese Bristles. Polished handle.

Article No.	Width Inches	Bristles Inches	Weight Ounces	Each
75W510	1	1 1/4	1	9c
75W511	1 1/2	1 1/4	1	10c
75W512	1 1/2	2 1/4	2	18c
75W513	1 1/2	2 1/4	2	18c

Stencil Brush

Fine white Bristles. Softer and longer than 75W731.

Article Number	Diameter Inches	Bristles Inches	Weight Ounces	Each
75W726	3/4	1 1/4	2	18c
75W727	1	1 1/2	3	22c
75W728	1 1/2	1 3/4	4	35c

Rubberset Sash Brush

Sash Brush. Black Chinese bristles, set in rubber. Metal ferrule. Nothing better made.

Art. No.	Width	Bristles	Wt.	Each
75W506	1 in.	1 1/4 in.	1 oz.	12c
75W507	1 in.	1 1/4 in.	1 oz.	14c
75W508	1 1/4 in.	1 1/4 in.	2 oz.	18c
75W509	1 1/4 in.	2 1/4 in.	2 oz.	24c

Painters' Dusters

A good grade, all hair duster. Length of bristle, 3 1/2 inches. Width 2 1/2 in. Weight, 8 ounces.

75W744—Price, 27c

Round Duster

All black bristle. No better made. Length of bristles, 4 inches. Width, 2 1/2 in. Weight, 12 oz.

75W745 Price, 70c

Flat Duster

Full, springy stock. Varnished handle. Width, 4 1/4 in. Length of stock, 4 in. Weight, 8 ounces.

75W746—Price, 56c

Wire Duster

For use on moldings, crevices, cracks. Size, 1 1/4 x 2 1/2 inches. Length of bristles, 2 1/2 inches. Length with the handle, 9 inches. Shipping weight, 6 ounces.

75W766—Each, 20c

These Handy Painters' Ladders Save You Much Time



Regular Extension Ladders

Our Combination Ladders are most practical for general use, handling a and mounting on account of having a short or long ladder, as needed to suit the location and work to be done. Can be assembled in a narrow space. The Uprights are made from selected straight grain pine, solid and strong. The Rungs are kiln-dried hickory, the best wood for the purpose. Has malleable iron, unbreakable hooks and heavy steel top cross bar with friction rollers. Each ladder has two sections.

\$4.20

The right ladder in the right place at the right time helps considerably to make painting easier and more rapid. With this assortment to select from, anyone can fill his needs. The usefulness of these ladders isn't limited to painting alone; they are practical for numerous other purposes as well.

Stepladder with Shelf


Made of the best seasoned pine of the proper thickness to be safe and durable, yet convenient to handle. Uprights are mortised at steps. Each step is securely nailed, and strongly reinforced by steel rod passing under it. Ends of steel rods are fitted with washers, which, when tightened, prevent the nails from coming out. (See picture.) Top step is fastened by galvanized steel brackets underneath. Folding steel lock spreader and handy folding pail shelf.

Notice the exceptionally strong construction. Each step reinforced by a steel rod.



Rope Extension Ladders

These extension ladders are equipped with rope, pulley, crank and automatic hooks. Have heavy steel top cross bar with friction roller. Sides are of selected, straight grain pine, and rungs of kiln-dried hickory. Very strongly built and will give great satisfaction.



\$4.55

Art. No.	Length Feet	Section Feet	Ship. Wt. Pounds	Price Each
186W2206	28	16 & 12	84	\$4.20
186W2207	32	18 & 14	102	\$4.20
186W2208	34	18 & 16	112	\$4.45
186W2209	38	20 & 18	120	\$5.98

Article Number	Height Feet	Shipping Weight	Price Each
186W2201	5	15 pounds	\$0.98
186W2202	6	20 pounds	1.20
186W2203	8	28 pounds	1.20
186W2204	10	35 pounds	1.98

Art. No.	Size	Section	Shipping Weight	Price
186W2214	24-ft.	2-12-ft.	60 lbs.	\$4.55
186W2215	32-ft.	2-16-ft.	80 lbs.	\$6.05
186W2216	38-ft.	2-18-ft.	90 lbs.	\$6.85
186W2217	40-ft.	2-20-ft.	100 lbs.	7.60



Painters' Trestle Ladder

Made of selected pines. Steps have a double steel brace spaced for a 12-inch plank. Shipping weight, per foot, about 3 pounds.

Article Number	Length	Each
186W2230	5 feet	\$1.35
186W2231	6 feet	1.45
186W2232	8 feet	1.85
186W2233	10 feet	2.40

Paperhangers' Extension Work Plank

Adjustable to different lengths. Used by painters and paperhangers for platforms on ladders. Practical and very convenient. Made of pine; light and strong. Width, 11 1/2 inches. Thickness, 1 1/2 inches.

186W2236—Size, 6 1/2 feet to 10 feet. Shipping weight, 25 pounds. Price (without trestle) \$2.20

186W2237—Size, 8 feet to 15 feet. Shipping weight, 35 pounds. Price (without trestle) 2.95



Painters' and Glaziers' Cutlery at Low Prices

Spatula



Finest quality flexible Spatula. A handy article around the kitchen as well as for painter's use. Finely tempered, flexible blade. Cocoa handle, heavily riveted.

Article Number	Length of blade	Width of point	Shipping Weight	Each
75W844	4 in.	3/4 in.	3 oz.	17c
75W848	6 in.	1 in.	5 oz.	24c
75W849	8 in.	1 1/4 in.	8 oz.	39c
75W850	10 in.	1 1/2 in.	11 oz.	65c



Putty Knife

75W840—Each, 17c. Length of steel blade, 3 1/2 inches. Width, 1 1/2 inches. Shipping weight, 7 ounces.


Finest quality Putty and Glaziers' Knife. Walnut handle securely riveted. Elastic level point blade.

75W841—Each, 15c. Same as 75W840, except with square point and stiff blade.



Putty Knife

75W842—Each, 10c. Shipping weight, 7 ounces. Good grade Putty Knife, 3 1/2 inch stiff steel blade. Square point. Width, 1 1/4 inch. Maple handle, securely riveted.



Scraping Knife

Finest quality tempered steel blade. Cocoa handle with steel bolster. The best scraping knife we know of.

Article Number	Length of blade	Width of blade	Ship. Weight	Each
75W865	4 in.	2 1/2 in.	6 oz.	32c
75W866	4 1/2 in.	3 in.	7 oz.	35c
75W867	4 3/4 in.	4 in.	8 oz.	48c


Plain Handle Scraping Knife

75W846—Each, 19c. A good, practical, low-priced scraper. Length of steel blade, 4 1/2 inches. Width, 3 inches. Maple handle, securely riveted. Shipping weight, 7 ounces.



Wall Scraper

75W847—Wall Scraping Knife, stiff blade. Beechwood handle. Length of blade, 3 3/4 inches. Width of point, 3 1/2 inches. Shipping weight, 9 ounces. Each.....10c



Putty Knife

Combination Glazier's Chisel and Putty Knife. Steel lap bolster. Cocobola handle. Has thick blade with chisel edge. Handy tool for digging out old putty, driving glaziers' tacks, applying putty, removing window stops. Shipping weight, 7 ounces.

75W933—Price, each.....18c

Glass Cutters

We show here a line of Glass Cutters which are made to cut and should not be compared with the many worthless tools of this class on the market. All of our cutters, except the Diamond Cutters, are fitted with the very best hardened steel disc wheels. Each tool is tested and give perfect satisfaction.

Magazine Glass Cutters, with 6 cutters in the head. Rosewood handle, metal parts nickel plated. 75W901—Shipping weight, 2 ounces. Each.....18c

Polished frame with two cutters. Enameled wood handle. 75W902—Shipping weight, 2 ounces. Each.....12c

Enameled wood handle, fitted with patent hardened steel wheel. 75W903—Shipping weight, 2 ounces. Each.....8c

\$2.95 Glaziers' Diamonds \$10.75

Genuine diamonds, tested points, nickel plated mounting. Shipping weight, each, about 2 ounces.


75W904—No. 1 Cuts single thick glass.....\$2.95
75W907—No. 4 Cuts double thick glass.....4.35
75W908—No. 5 Cuts double thick glass.....5.40
75W912—No. 8 Cuts plate glass.....10.75



Fibre Steel Wool

Mass of fine steel fibre, sharp but does not scratch. For cleaning glassware, removing burnt matter and rust from pans, sinks, etc. For refinishing hardwood floors, bowling alleys, removing rust from iron surfaces preparatory to painting, and all coarse work, use our Steel Wool No. 3 or our steel shavings.

75W8285—No. 0. Very fine, soft, 1 lb.....40c
75W8286—No. 0 in 3-ounce package.....9c
75W8287—No. 1. Equals sandpaper No. 0. 1 pound.....33c
75W8288—No. 1 in 3-ounce package.....9c
75W8289—No. 3 Medium. Equals sandpaper No. 1 1/2 and 2. 1-lb. package.....28c
75W8290—No. 3 in 3-ounce package.....9c
75W8291—Steel Shavings, 1-lb. package.....25c



Paint Pot Hook

For hanging paint bucket from ladders. Made of steel wire, tinned.

75W741—Shipping weight, 2 ounces. Per dozen.....36c




Folding Paste Table

A zinc strip included with each table.

Light weight, but strong. Made of white-wood with legs supported by steel braces. Has place at side for straightedge and tools, which are not included. Width, open, 22 inches; folded, 11 inches. Shipping weight, 23 pounds.

75W814—Length 6 feet.....\$3.20
75W815—Length 7 feet.....3.40
75W819—Length 8 feet.....3.55



Paperhangers' Folding Trellis

A substantial trellis. Made of maple. Size, folded, 2 1/2 x 41 inches; height, adjustable from 30 to 34 1/2 inches. Paste board not included. Light but strong. Shipping weight, 6 pounds.

75W820—Per pair.....84c

Whitewash and Paint Sprayers

Climax Wheelbarrow Sprayer


\$11.85 Especially desirable for orchard, potato or field crop spraying, whitewashing, disinfecting, etc.

Our Wheelbarrow Sprayer whitewashing, disinfecting, etc. is well balanced; light of construction, but strong; has a large wheel, diameter, 16 inches, which permits of its being easily moved over rough or soft ground.

It is well adapted for florists' use. The width of the machine being but 15 inches at the widest point, allows it to pass through the narrow passageways of greenhouses.

Has 1 1/4-inch brass pump cylinder; bronze ball valves; valve seats, and all working parts, of brass; and iron air chamber, all securely bolted to a 10 gallon galvanized steel tank or liquid container. The machine is equipped with dasher agitator, which at each operation of the pump handle clears the suction strainer of any collection of sediment and thus prevents clogging. Furnished complete, as illustrated, with 8 feet of 3/8 inch discharge hose, and couplings; 3 feet of 1/2 inch iron extension pipe, and nozzle for fine or coarse spraying. Can be used for spraying whitewash without danger of clogging. Handles are steel, rigidly bolted to the tank. Shipping weight, crated, 60 pounds.

188W2360—Wheelbarrow Sprayer. Price.....\$11.85



Capacity, 10 Gallons

Climax Paint Sprayer

High Pressure. Adapted for various kinds of spraying, as well as paints

Will satisfactorily spray mineral, graphite, oxide, whitewash, or pure oil paints and flat colors.

Equally suitable for general farm spraying, including medium size trees, small fruits, field crops, disinfecting, etc. It will easily develop up to 100 pounds pressure.

The pump cylinder is seamless brass tubing, diameter, 1 1/4 inches. Brass ball valves and seats. All brass air chamber. Tank is 6-gallon size, made of heavy galvanized steel.

Regularly equipped with 10 feet of 3/8-inch discharge hose; shut-off cock; follower wrench; and spray nozzle. Especially adapted for paints and whitewash. Shipping weight, crated, 30 pounds.

188W2370—Price, complete.....\$7.95



Our Standard Nap-in Gloves

Good wear assured

35W7740—White.


Three pairs.....\$0.29

Six pairs......57


Twelve pairs.....1.10

Shipping weight, per dozen pairs, 2 1/4 pounds.

Full seven-ounce gloves. Made from best grade white Eastern Canton Flannel Cloth. A special weave that will give extraordinary service. Cut in the right sizes. Well sewed. Good elastic knit wrists.



\$6.45




Climax General Purpose Sprayer

Whitewasher and Fire Protector

For use with barrel, bucket, or any kind of tank or vessel not higher than a barrel. For all kinds of tree and bush spraying. For whitewashing and poultry houses, washing windows, etc. For applying cold water paints or whitewash no better pump of its size to be had.

Has suction hose with strainer on end to spray from bucket, small tank or barrel. Has two extra strong iron legs with screw slot so that it can be screwed to a small platform or plank on which the bucket or barrel rests, and can readily be moved about as desired. Made entirely of brass, except base, legs and handle. Has brass solid ball valves and brass valve seats. Exceptionally forceful and very easy of operation. Regularly furnished with 5 feet of 3/8-inch discharge hose with shut-off cock; 6 feet of spray pipe; 1 spray and 1 solid stream nozzle; 5 feet of suction hose, with strainer and 1 follower wrench. Shipping weight, boxed, 28 pounds. 188W2336—Price, Complete Outfit.....\$6.45



Shows how that old attic can be made into an attractive room by using Protecto. Nail headers or pieces of 2x4 lumber across the top and apply the Wall Board Direct. Why not utilize this space when you can do so at such small expense?

Protecto Crack Filler

Used to fill joints between sheets to give a flat surface for papering or painting. Order about 17 pounds for each one thousand feet of wall board for the large sizes.

Mix the dry Joint Filler with water in a clean pail to the consistency of thick paste. Fill the joints flush with the board and allow to set over night, being careful that none of the filler is left on the face of the board.

78W2384—Protecto Crack Filler, in lots of 15 pounds or more. Per pound3c

Can be shipped with wall board. If ordered separately in small quantities, allow extra for Parcel Post.

SAFETY Protecto STRENGTH Wall Board


Easy to Put Up and Decorate
Can you handle a saw and hammer? Then you can apply Protecto Wall Board successfully. With each order we furnish complete, easy directions. You do not need a carpenter. The edges are cut true and even. Saw it with an ordinary saw and put it on with ordinary nails.

Unlimited Possibilities for Decoration
Protecto can be papered,* painted, calcimined, tinted and decorated in every way that a plaster wall can be decorated. Panel strips can be used for decoration, but are not necessary if you do not want to use them. Remember, also, that if you do use panel strips, it is not necessary that they follow the joints of the wall board.

Protecto Saves You Money
No lath to buy, because you nail it right onto the studding. No high-priced labor required. If you want to, you can do the work yourself and get a lot of satisfaction out of doing it. No expensive repairs. Send for sample. Order by number 278W2380.

Size of Sheets Inches Width Length	Number of feet per sheet	Number of sheets per crate	Price per Crate	Weight per Crate	Price per sheet in less than Crate lots
32 36	8	23	\$3.96	270	\$0.18
36 48	12	16	4.75	280	.35
36 72	18	11	4.90	290	.48
36 96	24	8	5.05	280	.70
36 108	27	7	5.00	280	.81
48 72	24	8	4.76	280	.65
48 84	28	7	4.85	290	.82
48 96	32	6	5.10	280	.87
48 108	36	5	4.80	270	1.05

All sizes shipped from factory in Northern Illinois or Southern Michigan. Be sure to state size of sheets wanted. Size, 32x36 also shipped from Central Ohio or Central Iowa.



The finished room. This shows panel work and beam ceiling, but you can fill the joints and paper or finish in any way that plaster can be finished. And, remember, if you do use panel strips, it is not necessary for the strips to follow the joints, which gives very much greater possibilities for decoration.

Where to Use Protecto Wall Board


Use Protecto for residences and other new buildings. No dampness, no delay, no settling cracks, no lath stains. Equal in service and strength to a lath and plaster wall. Fire-proof, moisture-proof, heat-proof, cold-proof, sound-proof.

Use Protecto to make a room out of your old attic; for lining closets, for making partitions, for boxing around the furnace to keep the heat in and the cold out, so as to cut down fuel bills; for lining garages and stables; for repairing old plaster walls; for countless other things that will suggest themselves to you.

Use Protecto any place where lath and plaster can be used and in many other places besides.

How Protecto Wall Board is Made.
Top Layer—Heavy, tough fiber paper saturated with plaster composition and sized or treated with a water-proofing compound.

Core or center of fire-proof, hard, wall-plaster composition.
Bottom Layer—Same as top layer, except that it is not sized.



Unbleached Cheese Cloth

Used by the painter for cleaning off paint or for oil rubbing. Also used for covering rough walls before papering. For protecting hotbed plants against frost. For dust cloths and comforter coverings. Width, about 36 inches.

17W7205—Unbleached Cheese Cloth. Weight, 10 yards, about 3/4 pound. Price, 10 yards,\$0.39
Price, 30 yards,1.15

17W7210—Better quality than above. Weight, 10 yards, about 1 pound. Price, 10 yards,\$0.58
Price, 30 yards,1.70

17W7214—Same as above, but best quality. Weight, 10 yards, about 1 1/2 pounds. Price, 10 yards,\$0.69
Price, 30 yards,2.00

Unbleached Sponges



These sponges are the genuine sheep wool sponges, thoroughly cleaned throughout, having their native toughness and wearing quality unaffected by chemical treatment.

Article No.	Weight	Price
53W4760	3 1/2 ounces	\$1.50
53W4761	3 ounces	1.25
53W4762	2 1/2 ounces	1.10
53W4763	1 3/4 ounces	.75
53W4764	1 1/4 ounces	.50
53W4765	3/4 ounce	.25

Wardway - Disappearing Stairs

\$35⁰⁰
and up



When closed the panel matches your woodwork and doors

Disappearing Stairs solves the attic problem, to fit up one or two nice rooms by using Protecto Wall Board and Wardway stairs.

Fits ceilings 7 feet, 7 feet 6 inches, 8 feet, 8 feet 6 inches and 9 feet.

Made in Yellow Pine and Oak.
Affords fire protection by giving easy access to the attic.

Prices

	278W778 Yellow Pine	278W779 Oak Panel— Balance Yellow Pine
7 feet 0 inches Ceiling.....	\$35.00	\$37.50
7 feet 6 inches Ceiling.....	35.50	38.00
8 feet 0 inches Ceiling.....	36.00	38.50
8 feet 6 inches Ceiling.....	36.50	39.00
9 feet 0 inches Ceiling.....	37.00	39.50
9 feet 6 inches Ceiling.....	37.50	40.00

Shipped from factory in Central Ohio.

Industrial Tar Soap



53W2051—12 cakes45c
Shipping weight, per dozen, 6 pounds.
A highly desirable, vegetable oil tar soap. Excellent for taking grease and paint off painters' hands. Large size cakes.

Pumice Hand Soap



53W2050—Six cakes25c
12 cakes48c
Shipping weight, 6 cakes, 2 pounds.
Easily removes stains, grease and dirt. Very desirable in the kitchen, workshop or factory.

F-l-a-s-h Cleaner

53W2093—1 can. 8c
3 cans for23c
Shipping weight, each, 1 pound.



A wonderful cleanser. Used by painters, motorists, machinists, mechanics, as well as being a very desirable kitchen accessory. Quickly removes obstinate grease stains.



Jewel Hand Cleaner

None better for painter or mechanic. Removes paint, grease or dirt without injury to the hands. Made of vegetable oil and pumice stone, chemically blended and delicately scented. Shipping weight, 1 pound.
61W5525—Per can9c

Now is the Time to Buy New Shades



Plain Imperial Cloth Window Shades


These shades are made of the best water-color goods and are mounted on dust-proof, self-acting, spring rollers. Each size in these colors: Light olive, dark olive, buff, Nile green, or dark green. State color wanted.

Art. No.	Length	Width	Shipping Weight, About	Price, Each
371W3600	6 feet	36 inches	1 1/2 pounds	35c
371W3601	7 feet	36 inches	2 pounds	40c
371W3604	8 feet	36 inches	2 1/2 pounds	44c

Above cut down any width narrower than 36 inches at the following prices.

Art. No.	Length	Shipping Weight, About	Price, Each
3371W3602	6 feet	1 1/2 pounds	39c
3371W3603	7 feet	2 pounds	44c
3371W3605	8 feet	2 1/2 pounds	48c

Above shades not made wider than 36 inches.



Cottage Striped Window Shades

Are made of a high-grade water-color opaque-cloth in the neatest stripe effect—a stripe that is decidedly attractive. Gives your windows a very effective treatment at moderate cost. Mounted on patent spring rollers. Put up in the regular Wardway packed style complete with brackets, slat and nails. Furnished in dark green, dark olive or ecru. State color wanted.

Art. No.	Length	Width	Shipping Weight, About	Price, Each
371W3715	6 feet	36 inches	1 1/2 pounds	37c
371W3716	7 feet	36 inches	2 pounds	42c

Above cut down any width narrower than 36 inches at the following prices.

Art. No.	Length	Shipping Weight, About	Price, Each
371W3717	6 feet	1 1/2 pounds	42c
371W3718	7 feet	2 pounds	47c

Above shades not made wider than 36 inches.



Plain Machine-Made, Oil Opaque-Cloth Shades

These shades are made of the best quality of machine-made, oil opaque window-shade cloth. Mounted on dust-proof, self-acting, spring rollers. Each size in these colors: Dark green, dark olive or light buff. State color.

Art. No.	Length	Width	Shipping Weight, About	Price, Each
371W3670	6 feet	36 inches	1 1/2 pounds	45c
371W3671	7 feet	36 inches	2 pounds	51c
371W3676	8 feet	36 inches	2 1/2 pounds	56c

Above cut down any width narrower than 36 inches at the following prices.

Art. No.	Length	Shipping Weight, About	Price, Each
3371W3672	6 feet	1 1/2 pounds	49c
3371W3673	7 feet	2 pounds	55c
3371W3677	8 feet	2 1/2 pounds	60c

Above shades not made wider than 36 inches.

Made-to-Order Window Shades for Special Size Windows


371W3710—Made-to-Order Window Shades. These special shades are made of best hand-made, oil opaque, window-shade cloth and are mounted on dust-proof, self-acting spring rollers. Be sure to give the correct width and length of each shade. Also state whether your measurements are width of cloth, or length of roller from tip to tip. If inside brackets are wanted, give the length of the roller from tip to tip. If the exact size of shade is not shown on the following list, next largest size will be charged for, but the shade will be made the size wanted.

Width, inches.....	38	42	45	48	54
Length, 4 feet.....	\$0.69	\$0.91	\$1.02	\$1.08	\$1.23
Length, 5 feet.....	.79	1.05	1.17	1.23	1.39
Length, 6 feet.....	.90	1.17	1.30	1.39	1.55
Length, 7 feet.....	1.00	1.30	1.45	1.54	1.73
Length, 8 feet.....	1.11	1.44	1.59	1.68	1.88
Length, 9 feet.....	1.24	1.57	1.72	1.86	2.08
Length, 10 feet.....	1.41	1.76	1.89	2.00	2.25
Length, 11 feet.....	1.56	1.92	2.07	2.20	2.40
Length, 12 feet.....	1.67	2.06	2.20	2.37	2.58

Fringe—If fringe is wanted on above shades, add the following prices extra to the price of each shade.

Width, inches.....	38	42	45	48	54	63	72	81
Each	14c	15c	16c	17c	18c	20c	23c	26c

Lettering—Price for lettering window shades with shaded gilt lettering is 35 cents extra per running foot of letters



Venetian Striped Holland Window Shades

These shades are made from a very fine quality of Venetian striped cloth and are much used in high-class modern homes, as the shadow stripe effect is very popular. They are not as opaque as the dark colored shades, but when down to exclude the sun will give sufficient soft light to see by. Mounted on dust-proof, self-acting, spring rollers. Venetian Striped Holland Shades will give unusually long wear and excellent satisfaction in every way. They are furnished in these two colors only: White or Ecru. State color wanted.

Art. No.	Length	Width	Shipping Weight, About	Price, Each
371W3700	6 feet	36 inches	1 1/2 pounds	\$0.93
371W3701	7 feet	36 inches	1 1/2 pounds	1.04

Venetian Striped Holland Window Shades—Made-To-Order
371W3705—These shades can be made to order in the sizes listed below. Furnished in white or ecru. Be sure to state color wanted. It is well to allow about 3 or 4 days' time after we receive your order for making these special sizes. Order by article number 371W3705.

Width, inches.....	32	36	38	42	44	48	54	60	72
Length, 4 feet.....	\$1.05	\$1.14	\$1.24	\$1.49	\$1.62	\$1.72	\$1.99	\$2.34	\$3.40
Length, 5 feet.....	1.20	1.32	1.38	1.72	1.86	1.99	2.33	2.70	3.85
Length, 6 feet.....	1.38	1.49	1.52	1.95	2.10	2.25	2.62	2.98	4.32
Length, 7 feet.....	1.49	1.69	1.72	2.17	2.35	2.53	2.86	3.42	4.77
Length, 8 feet.....	1.69	1.87	1.95	2.41	2.61	2.80	3.24	3.75	5.22
Length, 9 feet.....	1.96	2.16	2.25	2.74	2.85	2.99	3.54	4.11	5.68



This fringe is about 4 inches long and comes in neat knotted style as illustrated. It is made of good quality cotton. Come in colors to match shades perfectly.

WHITE SIDE

COLOR SIDE

Hand-Made Duplex Cloth Window Shades

Very popular. Made with a light color on the inside to brighten up your room and a dark color on the outside. Best quality opaque shade cloth, mounted on dust-proof, self-acting rollers. Prices include slat, brackets and nails.

Art. No.	Color	Length	Width	Ship. Weight	Each
371W3720	Dark green and white.....	6 feet	38 inches	2 1/2 pounds	75c
371W3721	Dark olive and white.....	6 feet	38 inches	2 1/2 pounds	75c
371W3724	Dark green and buff.....	6 feet	38 inches	2 1/2 pounds	75c
371W3725	Dark olive and buff.....	6 feet	38 inches	2 1/2 pounds	75c
371W3722	Dark green and white.....	7 feet	38 inches	2 1/2 pounds	86c
371W3723	Dark olive and white.....	7 feet	38 inches	2 1/2 pounds	86c
371W3726	Dark green and buff.....	7 feet	38 inches	2 1/2 pounds	86c
371W3727	Dark olive and buff.....	7 feet	38 inches	2 1/2 pounds	86c

371W3730—Hand-Made Duplex Cloth Window Shades. Made-to-Order. The following sizes will be made to order in dark green and white or dark olive and white. State color and size wanted. These shades cannot be returned or exchanged if sent as ordered. About three days' time is required. Order by number 371W3730.

Width, inches.....	38	42	45	48	54	63	72
Length, 4 feet.....	\$0.73	\$0.99	\$1.09	\$1.15	\$1.33	\$2.07	\$2.79
Length, 5 feet.....	.85	1.13	1.24	1.32	1.53	2.30	3.19
Length, 6 feet.....	1.09	1.41	1.56	1.63	1.90	2.99	3.84
Length, 7 feet.....	1.21	1.56	1.71	1.83	2.10	3.33	4.18
Length, 8 feet.....	1.35	1.71	1.88	1.99	2.29	3.63	4.53

Duplex Shades, to match or harmonize with any color scheme, can be made to order but requires about one week's time. Prices on application.

These Books are FREE
Check off those you want on the Coupon below



Book of Homes

The Book of Homes is a complete and comprehensive guide to present-day home building. It shows how you can build a better and more comfortable home for less money than is required for the ordinary home, built the old way. If you intend to build now or contemplate doing so in the near future, you should send for this book. With this book in your possession you can plan your new home just the way you want it. You won't have to guess at anything. You will know to the slightest detail exactly what you want and what you need.

Just sign your name on the coupon below and indicate the book you want. It will be sent prepaid—without cost to you.

Building Material

You can save hundreds of dollars in purchasing building material if you place your order with **Montgomery Ward & Co.** Thousands of people in all parts of the country buy all their building requirements from us because they save money by doing so. Our Building Material Catalogue is an encyclopedia on the requirements for your home. It shows you the newest and most practical styles and designs in Mill Work, Glass, Plain and Ornamental Sash, Ceilings, Wall Board, Roofing, etc.

Wall Board, Roofing, etc.
All these things are accurately described and carefully illustrated, and are quoted at prices that will make you a substantial saving. Fill out the coupon below or send us a Post-Card and we will send you this valuable book at no cost to you.

Montgomery Ward Co.
Satisfaction Guaranteed or Your Money Back

CHICAGO:

New York Chicago Kansas City Fort Worth Portland

Request for Catalogue

Montgomery Ward & Co. CHICAGO
Satisfaction Guaranteed or Your Money Back

Gentlemen: You may send me Free of Charge the Books I have checked.

Name _____

Postoffice _____ State _____

Local Address _____

- | | | |
|--|--|---|
| <input type="checkbox"/> Heating the Home | <input type="checkbox"/> Plumbing | <input type="checkbox"/> Grocery List |
| <input type="checkbox"/> Lighting Fixtures | <input type="checkbox"/> Wall Paper | <input type="checkbox"/> Tools |
| <input type="checkbox"/> Ideal Patterns | <input type="checkbox"/> Monuments | <input type="checkbox"/> Hog Book |
| <input type="checkbox"/> Typewriters | <input type="checkbox"/> Bicycles | <input type="checkbox"/> Building Materials |
| <input type="checkbox"/> Pianos | <input type="checkbox"/> Motor Boat Supplies | <input type="checkbox"/> Book of Homes |
| <input type="checkbox"/> Pony Outfits | <input type="checkbox"/> Automobile Supplies | <input type="checkbox"/> Farm Book |

For Any Car—Any Time Circle W Brand Automobile Oil



Lubricating Oil is your cheapest expense, but your biggest safeguard against engine wear. The right oil—Circle W Brand—preserves your engine, and protects it from excessive friction. It keeps the mechanism running smoothly, keeps the engine in trim.

For your Overland, Buick, Chevrolet, Pierce-Arrow, Maxwell, Dodge, Studebaker—for any car at any time—use Circle W Brand Light Cylinder Oil.

Strictly mineral oil, clear, light color, contains no free carbon, and proved by our customers to produce greater power and quicker pick-up at less expense and with reduced friction wear in the engine.

Use Circle W Brand Light Cylinder Oil for your car.

74W7469—1-gallon can	\$ 0.51	
74W7468—1-gallon Lithographed squat can with spout. Fits under auto seat.....	.54	
74W7467—5-gallon Lithographed square can.....	1.98	
174W7466—30-gallon wooden barrel.....	10.75	
174W7480—30-gallon steel barrel.....	11.65	
174W7465—50-gallon wooden barrel.....	15.75	
174W7479—50-gallon steel barrel.....	18.75	
Shipping weight in barrels, per gallon, 8 pounds.		
5-gallon cans48 pounds 1-gallon can	8½ pounds

If you desire a heavier oil, we carry in addition to the Light Cylinder a Medium and a Heavy grade.

Medium Oil

Sometimes preferred for high speed motors and air-cooled engines.

74W7340—1-gallon Lithographed Square can.....	\$ 0.52
174W7341—5-gallon Lithographed Square can.....	1.90
174W7342—30-gallon wooden barrel.....	10.75
174W7343—30-gallon steel barrel.....	11.65
174W7344—50-gallon wooden barrel.....	15.75
174W7345—50-gallon steel barrel.....	18.75

Heavy Oil

Occasionally recommended for air-cooled motors, force-feed motorcycles, two cycle motors and badly worn cars.

74W7438—1-gallon Lithographed Square can.....	\$ 0.58
174W7437—5-gallon Lithographed Square can.....	2.25
174W7436—30-gallon wooden barrel.....	12.50
174W7440—30-gallon steel barrel.....	13.10
174W7435—50-gallon wooden barrel.....	18.50
174W7439—50-gallon steel barrel.....	20.50

Montgomery Ward & Co.
Satisfaction Guaranteed or Your Money Back

CHICAGO

New York Chicago Kansas City Fort Worth Portland




Convenient
Lithographed Can
with Detachable Spout
Fits Under Auto Seat

See next page for Special Lubricating Oil for Fords

Montgomery Ward & Co.



Buy Your Automobile Oils at Factory-to-You Prices



Transmission and Differential Oil 5 Gallons, \$1.70

A heavy, dark green oil. Very suitable for use in transmission or differential gear cases. Preferred by some to transmission grease. We carry only the best quality and save you money on each gallon purchased.

74W7458—1-gallon can	\$ 0.45
174W7457—5-gallon can	1.70
174W7456—30-gallon wooden barrel	9.00
174W7482—30-gallon steel barrel	9.60
174W7455—50-gallon wooden barrel	13.50
174W7481—50-gallon steel barrel	15.50

Silent Transmission and Differential Grease

10 Pounds, \$1.10

Recommended for use in transmission. Prevents wear and noisy operation. Also for cars that have been long in service and the differential gears are somewhat worn. Its spongy, fibrous nature causes it to cling close to the moving parts. Changes of temperature do not readily affect it. This grease is ideal for Ford cars. Give it a trial.

74W7470—10-pound can	\$1.10
174W7471—25-pound can	2.50
174W7472—50-pound can	4.75

Fibre or Sponge Transmission Grease 10 pounds, 98c

Its spongy, fibrous nature causes it to cling close to the moving parts. Changes of temperature do not affect it. Doesn't leak or drip from case. Many automobile experts consider it the coming lubricant.

174W7459—10-pound can	\$0.98
174W7460—25-pound can	2.25
174W7461—50-pound can	4.30

Magneto Oil One-Ounce Bottle 20c

Compounded especially for lubricating magneto, timer, comptometer, and other mechanisms and will not clog, gum, or collect dust. It cleans, lubricates and prevents rust. Contents of bottle, about 1 ounce.

74W7315— Shipping weight, 4 ounces.....	20c
--	-----

Signal Oil


Especially prepared for auto side and tail oil lamps. Will not easily jar, jolt or blow out. The same kind of oil used by railroads for head and switch lights. Shipping weight, 2 and 8 pounds.

74W7600—Quart can	\$0.18
74W7601—Gallon can81

Have Your Oil Shipped in Steel Barrels

Barrels and half barrels, shipped from our new Chicago Oil Plant. Our low prices are based on this arrangement.

Our oils are put up in 1-gallon, full measure oblong style cans, and 5-gallon, full-measure, wood jacketed cans. Also in steel and wooden 30-gallon half-barrels and 50-gallon barrels. In comparing prices, remember that our quotations include cost of container.



For prices
on Empty
Steel
Barrels,
See Our
Large
General
Catalogue

Shipping Weight—Oils

50-gallon steel barrels	400 pounds	30-gallon wooden barrels.....	270 pounds
30-gallon steel barrels	255 pounds	5-gallon Jacketed cans.....	41 pounds
50-gallon wooden barrels.....	410 pounds	5-gallon Lithographed cans	48 pounds
1-gallon can	8½ pounds		

Shipping Weight—Greases

5-pound tin	6 pounds	25-pound tin	30 pounds
10-pound tin	13 pounds	50-pound tin	60 pounds

Universal Cylinder Oil for Fords 5 Gallons, \$1.85

A pale straw-color cylinder oil especially adapted for Ford cars. Has high fire test and high viscosity. Always uniform in quality. Thoroughly filtered through Fuller's Earth and contains no free carbon. Economical and a perfect lubricant.

Treat your motor right—use Universal. Always lubricates. Heat or cold will not easily effect it. Barrel lots in wood or steel barrels.

74W7300—1-gallon can	\$ 0.49
174W7301—5-gallon can	1.85
174W7302—30-gallon wooden barrel.....	9.90
174W7303—30-gallon steel barrel	10.50
174W7304—50-gallon wooden barrel	14.00
174W7305—50-gallon steel barrel	16.50

Commutator Oil for Fords

Half Pint, 15c

The Ford manual says that the timer or commutator in Ford cars should be oiled at regular intervals, every 200 miles, because it is a very fast moving part and requires the best of care and lubrication. Common oils are too heavy for it. This smooth oil makes the timer deliver the spark to your plug efficiently at all times. Put up in special airtight containers ready for use. Carry a can in your tool box.

74W7310—½-pint spout oil can.....	15c
-----------------------------------	-----

Cup Grease for Ford Cars 10 pounds, 85c

A superior compound cup grease. Especially adapted for use on Ford cars.

Thousands of our customers use this brand regularly and find it gives excellent satisfaction besides saving them considerable money.

75W7605—5-pound can	\$0.55
174W7606—10-pound pail85
174W7607—25-pound can	1.90

Motorcycle Oil


No. 1 for Indian type force feed. No. 2 for Harley-Davidson type splash system.

74W907—No. 1 Motorcycle Oil, in 1-gallon can	\$0.57
174W908—No. 1 Motorcycle Oil, in 5-gallon can	\$2.20
74W909—No. 2 Motorcycle Oil, in 1-gallon can	\$0.57
174W910—No. 2 Motorcycle Oil, in 5-gallon can	\$2.20


Bicycle Oil

For bicycles, small firearms, jig saws and all kinds of small and fine machines. Will not gum, stick or get rancid. Put up in metal cans with combination screw cap and oiling spout.

Four-Ounce Cans	
74W7529—1 can	\$0.10
74W7530—12 cans	1.10
Eight-Ounce Cans	
74W7527—1 can	\$0.14
74W7528—12 cans	1.52



Use Our Machine Oils for Engine Satisfaction



Gasoline Engine Oil

5 Gallons, \$1.85

Owners of gasoline engines should pay particular attention to the matter of lubricating oil. It is a vital factor and we recommend our brand because practical tests have proved its merit. A rich, wine-colored oil. Free-flowing, with good cold test and high fire test. Gives maximum power with minimum gasoline.

74W7578—1-gallon can	\$ 0.44
174W7577—5-gallon can	1.85
174W7576—30-gallon, wooden barrel.....	9.00
174W7580—30-gallon, steel barrel	9.60
174W7575—50-gallon, wooden barrel	13.00
174W7579—50-gallon, steel barrel	15.50

Dynamo Engine Oil

5 Gallons, \$1.75

Especially prepared for high speed engines, dynamos, motors and generators with ring oilers. A fair trial of this oil will prove its value. If you do not obtain best results with this oil you may return what you do not use and we will refund your money paying transportation charges both ways and not deduct anything for the oil used.

74W7418—1-gallon can	\$ 0.43
174W7417—5-gallon can	1.75
174W7416—30-gallon, wooden barrel	10.50
174W7420—30-gallon, steel barrel	11.15
174W7415—50-gallon, wooden barrel	15.00
174W7419—50-gallon, steel barrel	18.50

Golden Engine Oil

5 Gallons, 1.50

A light engine oil which, while it is second in grade to the dynamo engine oil, is a good general utility oil. It gives remarkable service considering the price at which it is offered. The hundreds of customers who use and have been using Golden Engine Oil regularly for a number of years can testify to its value and also to the economy through its use.

74W7428—1-gallon can	\$ 0.40
174W7427—5-gallon can	1.50
174W7426—30-gallon, wooden barrel	9.00
174W7430—30-gallon, steel barrel	9.60
174W7425—50-gallon, wooden barrel	12.50
174W7429—50-gallon, steel barrel	14.00

Neatsfoot Oil

Pure, Refined

Used in dressing leather, oiling guns, etc. Also softens and keeps automobile clutch leather in perfect condition.

74W7519—1-quart can ...	\$0.40
74W7518—1-gallon can ..	1.40
174W7517—5-gallon can ..	6.70

Neatsfoot Oil Compound

Excellent for keeping harness, belting, boots, shoes, gloves and other articles made of leather in a soft and pliable condition. Leaves no sediment on the leather, will not soil the clothes. Splendid also for use over leather cushions.

74W7514—1-pint can	18c
74W7515—1-quart can	32c
Shipping weight, 1½ and 3 pounds.	

Tractor Oil

5 Gallons, \$2.10

You can not expect the greatest power from the fuel you use unless you use good cylinder oil. Tractor lubrication requires an entirely different oil than that used for ordinary gas engines, automobiles or steam engines.

Mineral oil is the best. And the best mineral oil for tractors is one with a high fire test and a good viscosity.

We have proven in our own laboratories that a ruby colored oil, of syrup consistency, is best for tractor lubrication and hundreds of our customers have proven in actual practice, that this is the best oil for them to use in their tractors. The oil we quote here is the result of our long continued careful experiments. It is absolutely safe—it reduces friction—it saves fuel—and it saves oil.

74W7628—1-gallon can.....	\$ 0.48
174W7629—5-gallon can.....	2.10
174W7630—30-gallon (wood)	12.00
174W7633—30-gallon (steel)	12.60
174W7631—50-gallon (wood)	17.00
174W7632—50-gallon (steel)	18.50

Kerosene Oil

10 Gallons, \$2.35

Double refined Perfect Brand Kerosene Oil, an excellent grade for use in lamps, oil stoves, etc., and especially recommended for use in incubators.

174W7623—30-gallon steel barrel	\$6.00
174W7624—50-gallon steel barrel	9.25
174W7625—50-gallon wooden barrel..	7.00
174W7626—10-gallon (2 5-gallon cans in case for shipment to distant points)..	\$2.65
Shipping weight (10 gallons), 90 pounds.	
174W7627—10-gallon can (jacketed)..	\$2.35

Use Perfect Brand Kerosene Oil in Incubators

We recommend our Perfect Brand Kerosene Oil especially for incubators, as the wick can be turned higher, creating a more uniform heat without charring the wick excessively or causing the lamp to smoke.

Separator Oil

5 Gallons, \$1.50

A non-viscous, neutral oil that has been refined to meet the requirements of the various hand separators on the market. It is particularly valuable for spindle lubrication, and will under no circumstances thicken and gum from use. It has a high fire test, flows freely and is practically stainless.

74W7544—1-quart can	\$ 0.15
74W7548—1-gallon can40
174W7547—5-gallon can	1.50
174W7546—30-gallon wooden barrel.....	8.40
174W7550—30-gallon steel barrel.....	9.00
174W7545—50-gallon wooden barrel	11.50
174W7549—50-gallon steel barrel.....	13.00

Harness Oil

Circle W Brand

1 Gallon, 50c

This brand of Oil is a valuable combination of oils which helps to keep the harness soft and pliable, prevents cracking and lengthens the life of harness. It is free from ingredients that oxidize and become rancid. Hundreds of our customers have used Circle W Brand Harness Oil for years and can attest the satisfaction it gives.

74W7353—1-quart can	\$0.20
74W7352—½-gallon can30
74W7351—1-gallon can50
174W7350—5-gallon can	2.00

Harvester Oil

5 Gallons, \$2.00

This Oil is preferred by the agricultural trade to the so-called castor or castor machine oils. Our compounded Harvester Oil is made especially for the use of farmers and threshers. Wears longer and better than a castor oil. Used from a squirt gun it cuts off without a "string." Thick, but not ropy. One of the best oils for the purpose on the market. Oil will not gum or corrode the bearings.

74W7408—1-gallon can	\$ 0.45
174W7407—5-gallon can	2.00
174W7406—30-gallon wooden barrel	10.50
174W7410—30-gallon steel barrel	11.10
174W7405—50-gallon wooden barrel	15.50
174W7409—50-gallon steel barrel	18.00

Plumbago or Graphite Cup Grease

A special high-grade Cup Grease or Hard Oil, of a medium consistency for lubricating all kinds of farm machinery. A combination of best of cup grease with powdered graphite.

74W7642—5-pound can..	\$0.65
174W7643—10-pound can..	1.25
174W7644—25-pound can..	2.60
174W7645—50-pound can..	4.75

Grease Gun Outfit

Combination of gun, grease and can, all in one. Airtight metal can, with 2 pounds good quality auto grease. A curved nozzle and plunger included. Simply screw in plunger and apply grease. Ideal kit for the automobilist.

74W7320 — Shipping weight, 3 pounds. Price45c
--	------

Oils and Greases at a Substantial Saving

Steam Cylinder Oil

5 Gallons, \$2.10

A high-grade, dark amber colored Oil, adapted for use in either high or low pressure cylinder. This oil is so compounded, that steam at high pressure will not wash it off the cylinder. A thin coat of oil remains between the moving parts, preventing friction and consequent loss of power. Oil of this character usually retails at a higher price per gallon.

74W7558—1-gallon can	\$ 0.48
74W7557—5-gallon can	2.10
74W7556—30-gallon, wooden barrel.....	12.00
74W7556—30-gallon, steel barrel.....	12.60
74W7555—50-gallon, wooden barrel.....	17.00
74W7559—50-gallon, steel barrel.....	18.50

No. 1 Cylinder Oil

5 Gallons, \$1.90

A heavy, dark green oil of very good fire test. This brand of oil is preferred by many to the light-colored cylinder oils. Nothing better, regardless of price, for steam pumps, stationary or portable engines. Will not clog lubricators. A very good, economical oil to use. A Fuel Saver

74W7568—1-gallon can	\$ 0.44
74W7567—5-gallon can	1.90
74W7566—30-gallon, wooden barrel.....	10.40
74W7566—30-gallon, steel barrel.....	11.00
74W7565—50-gallon, wooden barrel.....	15.00
74W7569—50-gallon, steel barrel.....	16.50

XX Cylinder Oil

5 Gallons, \$1.55

A very good medium priced cylinder oil. Gives satisfaction to threshers and those using stationary or portable engines. Dark green color.

74W7588—1-gallon can	\$ 0.38
74W7587—5-gallon can	1.55
74W7586—30-gallon, wooden barrel.....	9.00
74W7586—30-gallon, steel barrel.....	9.60
74W7585—50-gallon, wooden barrel.....	13.50
74W7589—50-gallon, steel barrel.....	15.00

Summer Black Oil

A crude oil, with some of the higher distillates removed. Used as a lubricant and is very desirable as an extender of kerosene on hogs when used in our hog greases.

74W7478—1-gallon can	\$ 0.32
74W7477—5-gallon can	1.30
74W7476—30-gallon, wooden barrel.....	6.40
74W7484—30-gallon, steel barrel.....	6.00
74W7475—50-gallon, wooden barrel.....	11.60
74W7483—50-gallon, steel barrel.....	13.00

Graphite Axle Grease

10 Pounds, 58c



Manufactured in our Oil Plant. Will not gum or run off the spindles in the warmest weather. Equally good for all kinds of bearings, pumps, farm machinery, etc. Larger sizes in heavy iron pails.

74W7646—1-pound box	\$0.09
74W7647—10-pound pail58
74W7648—25-pound pail	1.15

Mica Axle Grease

12 Pounds, 98c

The much advertised brand. Keeps the axles cool, lightens the load, saves horsepower and makes wagons run easy. Fills crevices.

74W7617—1 one pound box.....	\$0.09
74W7618—12 one-pound boxes.....	.98
74W7619—48 one-pound boxes.....	3.50

Frazer Axle Grease

12 Pounds, \$1.00

A dependable, reliable brand, well known and appreciated wherever axle grease is used. Sold in neat, tightly-covered boxes with the familiar yellow label.

74W7615—2 one-pound boxes.....	\$0.18
74W7614—12 one-pound boxes.....	1.00
74W7613—36 one-pound boxes.....	2.85

Montgomery Ward Co.

Satisfaction Guaranteed or Your Money Back

3-in-One Oil

A Universal Necessity



Put up in 1, 3 and 8-ounce bottles. For guns, rifles, revolvers, reels, sewing machines, clocks, bicycles. One of the finest oils on the market.

74W714—1-ounce bottle; shipping weight, 2 1/2 ounces.....	10c
74W715—3-ounce bottle; shipping weight, 4 ounces.....	20c
74W717—8-ounce bottle; shipping weight, 10 ounces.....	45c
74W719—Handy Oil Can with 3 1/2 ounces oil. Shipping weight, 5 ounces.....	22c

Wardway

Universal Oil

3-Ounce Bottle, 12c

For lubricating, cleaning and polishing. Protects against rust. Used for lubricating all bearings, parts in sewing machines, clocks, etc.

74W7330—3-ounce bottle. Shipping weight, 4 ounces.....	12c
74W7331—8-ounce bottle. Shipping weight, 10 ounces.....	24c
74W7332—16-ounce can. Shipping weight, 1 pound.....	35c

Denatured Alcohol

Subject to Market Conditions

One Gallon, 98c

For use in spirit lamps, percolators, alcohol stoves, cutting shellac, removing varnish. Also for making non-freezing solutions for automobile radiators.

This alcohol can be used for all purposes in which grain alcohol is used in the industries and arts. All denatured grain alcohol is labeled poison to comply with the law.

74W7657—1-gallon jacketed can.....	\$0.98
74W7658—5-gallon jacketed can.....	4.65



Cup Greases

This is a solidified combination of oils for shafting and journal boxes, crank pins, slides, etc., in fact wherever grease cups are used. Made in three consistencies: No. 2 soft; No. 3 medium; No. 4 hard. Please mention consistency wanted.

Soft Cup Grease

For Pillow Blocks, Crossheads, etc. Full weight in every can.

74W7595—10-pound tin	\$0.85
74W7596—25-pound tin	1.90
74W7597—50-pound tin	3.50

Medium Cup Grease

The most generally used. Suitable for compression or screw cup or open boxes when opening permits. Use this grease for cups and hubs of automobiles.

74W7602—10-pound tin	\$0.85
74W7603—25-pound tin	1.90
74W7604—50-pound tin	3.50

Hard Cup Grease

For Heavy Open Bearings or Screw Cups. Full weight in every can.

74W7598—10-pound tin	\$0.85
74W7600—25-pound tin	1.90
74W7601—50-pound tin	3.50

Graphite Cup Grease

Wardway Brand

10 Pounds, \$1.60

Soft, for general use on eccentrics, pillow blocks, automobile transmission, crank pins, etc. Medium, for compression cups or screw cups. Hard, used where there is considerable heat. The hard for use in hot weather, and the medium for cold weather in grease cups and automobile transmissions where affected by the weather.

74W7668—1-pound can	\$0.20
74W7669—5-pound can	1.00
74W7670—10-pound can	1.60
74W7672—1-pound can20
74W7673—5-pound can90
74W7674—10-pound can	1.60
74W7676—1-pound can20
74W7677—5-pound can90
74W7678—10-pound can	1.60

Motor Graphite

Universal Brand

One Pound, 85c

The purest and most carefully selected grade of flake graphite, ground to tiny particles. It eliminates friction and wear, and increases power. Use it in cylinders, bearings, on chains, springs, tires, rims, etc.

74W7665—1/2-pound can	\$0.45
74W7666—1-pound can85
74W7667—5-pound can	3.60

Machine Oil (Heavy)

5 Gallons, \$1.85



A heavy-bodied, high viscosity oil for machinery, heavy bearings, pumps, mills, etc., wherever a high-grade machine oil is required.

74W7368—1-gallon can.....	\$0.45
74W7367—5-gallon can.....	1.85
74W7366—30-gallon, wooden barrel.....	11.10
74W7370—30-gallon, steel barrel.....	11.70
74W7365—50-gallon, wooden barrel.....	15.50
74W7369—50-gallon, steel barrel.....	17.00

Machine Oil (Medium)

5 Gallons, \$1.75

A medium-bodied oil, adapted for use on all kinds of farm machinery, light bearings, door hangings, etc. Used also on oil stones and for oiling the blades of cross-cut and other saws. A good serviceable oil for general purposes about the farm or shop. This oil should always be kept handy for use at all times.

74W7378—1-gallon can	\$ 0.43
74W7377—5-gallon can	1.75
74W7376—30-gallon, wooden barrel.....	10.50
74W7380—30-gallon, steel barrel.....	11.40
74W7375—50-gallon, wooden barrel.....	14.50
74W7379—50-gallon, steel barrel.....	16.00

Castor Machine Oil

5 Gallons, \$1.40

A thick, stringy gelatinous Oil with good cold test. Adapted to slow-running machines, shafting and farm implements in general. For open bearings, where a lighter oil would run off.

74W7398—1-gallon can.....	\$0.34
74W7397—5-gallon can.....	1.40
74W7396—30-gallon, wooden barrel.....	8.40
74W7400—30-gallon, steel barrel.....	9.00
74W7395—50-gallon, wooden barrel.....	12.00
74W7399—50-gallon, steel barrel.....	13.50

Dixon's Graphite Cup Grease

(Medium)

For use in all grease cups, wheel spindles, universal joints, etc. Put up in airtight lithographed cans.

74W7653—1-pound can	\$0.42
74W7654—5-pound can	1.85
74W7655—10-pound can	3.75


Medium Cup Grease

(Circle W Brand)

For compression or screw cup, or open boxes when opening permits and for cups and hubs of automobiles.

74W7602—10-pound tin	\$0.85
74W7603—25-pound tin	1.90
74W7604—50-pound tin	3.50

Dixon's Graphite Transmission Differential Grease No. 667



A graphited grease of right consistency for the transmission and differential gears of practically every car on the market.

74W7650—1-pound cans.....	\$0.42
74W7651—5-pound cans.....	1.85
74W7652—10-pound cans.....	3.25

Wardway

Graphite Transmission and Differential Grease

A graphite grease made of a correct consistency for transmission and differential gears, either shaft or chain driven.

74W7690—1-pound can	\$0.35
74W7691—5-pound can	1.60
74W7692—10-pound can	2.80

CHICAGO

New York Chicago Kansas City Fort Worth Portland



Avoid Engine Troubles Due to Acid-Bleached Oils

Use Only Our

Circle W Brand Automobile Oil

and enjoy *complete engine satisfaction*—greater power and quicker pick-up—at less expense.

Circle W Brand is a tested mineral oil from which *all free carbon has been removed by repeated filterings through Fuller's Earth, NOT by bleaching with acids.*

We produce Circle W Brand in our own Oil Plant at Chicago and *know* what it contains and what it can do. We know it will give perfect satisfaction.

74W7469—1-gallon can..... \$0.51

74W7468—1-gallon Lithographed squat can with spout. Fits under any auto seat..... .54

74W7467—5-gallon Lithographed square can..... 1.98

Shipping weight—1-gallon, 8 pounds; 5-gallons, 48 pounds.

For prices on barrels and half barrels, see page 53.



No
Free
Carbon

Produced in
Our Own Oil Plant



Montgomery Ward & Co.
Satisfaction Guaranteed or Your Money Back

CHICAGO

New York Chicago Kansas City Fort Worth Portland



Paints for Every Purpose

You can find the *right* paint for every need in our large and complete stock—and every one the *best* of its kind.

Paints Used on Above House

Exterior

Roof—No. 508 Olive Shingle Stain. Body—No. 15 Wine Color Coverall House Paint. Trim—No. 11 Outside Gloss White Coverall House Paint. Porch Floor—No. 197 Dark Gray Wardway Porch Paint.

Bedroom

Wall, No. 254 Alice Blue, Wardway Kalsomine; ceiling, No. 258 Light Cream, Wardway Kalsomine; bedstead woodwork, picture frames, etc., finished in Towerlite White enamel.

Living Room

Wall, No. 123 Light Tan, Flat Wall Finish; stencil, in 124 Golden Brown, Flat Wall Finish; ceiling, No. 120 Ivory, Flat Wall Finish; furniture and piano, No. 187 Antique Oak, Co-Var Finish; floor and woodwork, No. 185 Oak, Co-Var Finish.

Dining Room

Wall, No. 128 Pale Azure Flat Wall Finish; woodwork and furniture, No. 187 Antique Oak, Co-Var Finish.

Our new Paint Factory is equipped to furnish you tested, high quality paints at **Factory-to-you** prices—only one small profit added to the actual cost of production. You save money on every gallon you buy.

Montgomery Ward Co.
Satisfaction Guaranteed or Your Money Back

CHICAGO

New York Chicago Kansas City Fort Worth Portland

Digitized by:



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL

www.apti.org

BUILDING
TECHNOLOGY
HERITAGE
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Jablonski Building Conservation

www.jbconservation.com

Montgomery Ward Co.
Satisfaction Guaranteed or Your Money Back

NEW YORK CHICAGO KANSAS CITY FORT WORTH PORTLAND